Indian Metcorological

BEISG

OCCASIONAL DISCUSSIONS AND COMPILATIONS OF METEOROLOGICAL DATA

RELATING TO

INDIA AND THE NEIGHBOURING COUNTRIES.

Pablished by other of His Ceeelleng life Victory and Coberner Central of Andra in Countil, Under the distriction or

. JOHN ELIOT, M.A., F.R.S., C.I.E.,

mercontrological expositio to the goldchrine of early wer director general of expery observatories,

VOL. XI, PART I.

-organizations recorded during the solicity to represent the subtraction of the recording the subtraction of the subtraction of

CALCUTTA:
OFFICE OF THE SUPERISTENDENT OF GOVERNMENT PRINTING.
1800.

I.—A discussion on the observations recorded during the state eclipse of 22nd January 1898 at 154 Meteorological stations in India, by John Eliot, M.A., F.R.S., C.I.E., Meteorological Reporter to the Government of India, and Director General of Indian observatories.

The present memoir contains the special observations recorded at a large number of observatories during the solar eclipse of 22nd January 1898.

As it was anticipated the weather would be fine, it was considered desirable to utilize the observing power of the Department so far as possible in order to obtain a full record of the meteorological conditioos accompanying a total solar eclipse, freed so far as is probably ever likely to occur from abnormal atmospheric disturbance.

The following is a copy of the instructions that were given to the observers for these observations:—

"The solar eclipse of 22nd January 1898 will, if the weather be fine, give the India Meteorological Department an opportuoity of ascertaining more fully and satisfactorily than has hitherto been done the meteorological phenomena accompanying and due to the occurrence of total solar eclipses, more especially the changes of pressure, temperature, humidity and cloud. It is the desire not only of scientific authorities in Europe, but also of the Government of India, that the Department should avail itself fully of this opportunity and record series of observations on the 22nd in every part of India.

"The eclipse will be total in a narrow belt of country stretching from the Bombay coast near Ratnagire, so the Nepal hills. In this belt are the following observing stations:—

71 Mid.

72 Myn Amriinis Nagpur Seoni,
Buzzz,
Chapra

At all other stations the eclipse will be partial.

"The following gives the local and the corresponding Madras time of totality at certain stations in the belt of complete obscuration:—

					Madras time.		ime	
Ratnagiri					I-II P.M.		0-44	е.м.
Satara					1-14 ,,		0-49	93
Nagpur			•		1-27 ,,		1-23	1,5
Buxar		•	•	•	1-38 "		1-53	11
Motiberi					I-42		2-I	11

"The sun will be completely obscured for about two minutes, and the eclipse will last, speaking roughly, for about two hours in the belt of totality, i.e., for an hour before complete obscuration of the sun and for an hour afterwards.

"The proportion of the sun's disc observed during the eclipse decreases northwards and southwards from the line of totality.

"The most valuable observations can be recorded at the stations in the belt of totality, and the importance of the observations will decrease with the distance of the stations from the line of totality.

"A supply of forms for the use of the observer is sent with the circular. The observer should retain one form or set of forms contaming the observations in original for his future reference and send a second set neatly copied from the original, as soon after the eclipse as is convenient, to the India Meteorological Office, Calcutta.

The observations that are desired include readings of-

- (1) The barometer,
- (2) Dry and wet bulb thermometers,
- (3) Wind direction and amount,
- (4) Cloud (kind and direction of movement),

and at stations which have the necessary instruments—the grass radiation and solar radiation thermometers. The solar radiation instrument should be set before each reading. Columns for each of these elements of observation are given in the forms,

"In addition it would be desirable that the observer should record, in the column headed "Weather remarks" any observations he can make, more especially on the following points:—

- (1) Colour and changes of colour of the sky and of the clouds;
- (a) Any unusual appearance of the sun or of the sky in its immediate neighbourhood at the time of totality or greatest obscuration.

"It is not possible to give full instructions for the latter observations, and their value will depend mainly upon the intelligence, judgment and discrimination of the observer.

"The observations should be recorded as frequently as possible during the eclipse at intervals not exceeding 15 minutes, and, if possible, every 5 or minutes during the eclipse proper. The best arrangement would be the following

- (1) Read the instruments every 15 minutes from 10 A.M. to ne commencement of the eclipse and again from its termination until 4 P.M., so that a complete record of the weather from 10 A.M. to 4 P.M. may be obtained.
- (2) Read the thermometers (i.e., dry and wet bulbs) and barometer every 5 minutes during the echipse. If the wind vane and anemometer are placed near to the thermometer sbed, read these instruments also every 5 minutes. If they are at some distance away, read them every 10 or 15 minutes.
- (3) Record colours of clouds and sky and any additional observations that you can make whenever time permits.

Observers recording these special observations will be granted awards from the fund for special storm observations, and these will be determined by the number and value of the observations and will be included in the awards paid in the month of February or March 1898.

"All observers that can spare the time, especially at second class observatories, are requested, if possible, to participate in these observations, and if in any case an observer is unable to do so, he should report the matter to his Superintendent and forward through him an explanation of his inability to record these eclipse observations."

Observations were recorded at 154 stations in all.

The following is a list of the stations according to the amount of greatest obscuration:--

I: Total :-

1	Seoni.	
_	n	

3 Chapra,

4 Nagpur Observatory.

-5 Motihari. 6 Nagpur Sanitary Commissioner's Office.

7 Arrah.

	44. 20	comeen ten muse nente-r	eninz;—	
8 Ratoagiri. 9 Amraoti. 10 Muzaffarpur. 11 Benares. 12 Dehri. 13 Akola. 14 Jubbulpore.	17 Katmandu, 18 Ahmedoagar. 19 Chikalda. 20 Sutna. 21 Allahabad, 22 Poona. 23 Pachmarhi.	26 Belgaum. 27 Darjeeling. 28 Chapda. 29 Hoshaogabad. 30 Kbandwa. 31 Raipur. 32 Purnca.	35 Hazaribagh, 36 Ranchi, 37 Cawnpore, 38 Iodore, 39 Secunderabad, 40 Lucknow, 41 Bahraich,	44 Chaibassa. 45 Rampur Boalia. 46 Mangalore, 47 Bogra. 48 Berhampore.
15 Sholapur.	24 Buldana.	33 Karwar.	42 Rangpur.	50 Agra.
r6 Patna.	25 Gaya.	31 Bhagalpur.	43 Sambalpur.	Er Ahmedahad.

16 Patna. 2	as Gaya.	34 Bhagalpur.	43 Sambalpur,	51 Ahmedabad.
52 Darbhaoga. 53 Gorakbput. 54 Daltonganj 55 Bijaput. 56 Sauger. 57 Milegaoo. 58 Bombay Meteo- rological Office. 59 Dinajpur.	III. Bo 63 Ranigani. 64 Bellary. 65 Surat. 66 Baokura. 67 Karnool. 68 Burdwan. 69 Mainpuri.	34 Bhagalpur. tween nise and eigh. 75 Balasore 76 Sibsagar. 77 Faridpur. 78 Calcutta(Alipore 79 Jessore. 80 Veraval. 81 Cuttack. 82 Cuddapah. 83 Gopalpur.	87 Cocanada. 88 Puri. 89 Calicut.	51 Ahmedabad. 99 Sambhar. 100 Delhi, 101 Noakhali, 102 Cochin. 103 Roorkee. 104 Salem. 105 Chittagong. 106 Dehra Duo. 107 Pacbadra.
60 Naya Dumka.	72 Mymensingh.	84 Masulipatam.	of Nellore.	108 Mussooree.
61 Dhubri. 62 Jhansi.	73 Krisboagar, 74 Bareilly.	85 Narayanganj. 86 Saugor Island.	97 Mount Abu, 98 Ajmere.	100 Kindat 110 Sirsa.
	11148	ckaneer 1	12 Bhamo.	

	IV.	Less than eight-tent	ths:—	
113 Deesa. 114 Welliogton. 115 Coimhatore. 116 Bhuj. 117 Chakrata. 118 Trichinopoly.	12a Negapatam. 123 Tinnevelly. 124 Ludhiana. 125 Pambao. 126 Akyab. 127 Hyderabad	130 Lahore. 131 Leb. 132 Montgomery. 133 Minbu. 134 Sialkot. 135 Mooltan.	139 Khushab. 140 Toungoo 141 Murree. 142 Rawalpindi, 143 Dera Ismail Khan,	Diamond Island. 148 Peshawar. 149 Quetta. 150 Rangooo. 151 Chaman.
119 Cuddalore. 120 Madura.	(Sind). 128 Mandalay. 120 Kurrachec.	136 Thayetmyo, 137 Tauoggyi, 138 Jacobabad,	144 Basseio. 145 Cherat. 146 Gilgit.	152 Moulmein. 153 Tavoy.

The observations were reduced and tabulated in the Calcutta Office. They are in all cases given for Madras time, and not for local time and hence are in this respect strictly comparable. The weather and other remarks are given so lar as possible in the words of the observers. It should be remembered that the large majority of the observers are natives on small pay and hence very imperfectly educated. They usually read the instruments carefully and the observations of the barometer, thermometers, wind and cloud may, in the great majority of cases, be accepted as accurate and trustworthy.

Six miles from central line of totality. Greatest obscuration 1

	Ī Da	. 1		· .		Six m	iles	front e	entri	al lin	e of.	totali	19	Gre	ates	t obscu	ation 10.	1.1		
	Hot	7R.	BARO	HEEER.;	4	- 1	-		Π.	. [V	IND.	T	<u> </u>	T					
	Mad tim	ras i	rected and lucad po F.	Redut to sea-jes and constan	el Correc		balb cted.	Aqueous Pressure.	Rela humi	tire dily. Di	icection.	Amer sinc precedi interv	e p	loud ioo,	r- ecl	Proportion	ef y 10 Weathe	R AND OTHER	REMARKS	
	_	_ _		Eravil	<u> </u>				٠.	- 1		in mil per ho	es		1	•	1	30.00		٠,٠
	A. 35		٠.			4.1		• 1.	١,	<u>.</u>		_	- -	_	-}-				بنيا	
	10-	5	026 024	3003	7 1 74	o 58	9	296	. 3	7	NNE		1.	Nil			Weather clear,	sky bloc, wind	· ·	•
	10-	15	024	102	7 741	0 I 58	1	'284 '286	3	4 13	NE	2'4 9'6 4'8		**	1		Ditto :	," di	to,	
	10-1	25	022 021	02	73	8 58	⊷ . í.	290	. 3		NE VE	23	1	17 93	1		Ditto Duto	dit dit	to, '.	-51
	10		021	024	74"	2 57	2 l	272	33 33 33 33		NE INE	24 12		# #			Ditto	- dit		
	10-4	0	023 018.	210	745	58 58	5	"285 "286	33		(E	84	1	**	l		Ditto .	ditt		1
	10-5	50 1	022	.,'019	25.5	50	5	308	33 34	N	NE NE	60 12	1	., .,			Ditto	, dit	b, '	
	11-5	1 1 1	116	. 013	75 8 75 6 76 4	1 58%		301 275	33 30 32	1 14	NE NE	60		 			Ditto	ditt ditt ditt	ο, -	. 1
	11-1	o'l, 'c	14	007	76.2	58.5	١.	293 274	31	I N	NE NE	2'4 2'4		, ,,			- Ditto	ditt	α,	1
	11-2	ŏ °	12 08	29 997	758 772 772	29'1	- 1	278	32 30	N	NE NE	2'4	1	,	ļ		Ditto	ditt.).	
	11-2 11-3	סי וס	08	30 000 29 997	77'2	59't	ł	278	30 30	NI.	NE	4*8 4*8	;		ľ		Ditto	ditte ditte		- 1
	11-3	10	03	992 980	28.2	59'3 59'3 58'7	j	*283 *271	30 28	N	(W I	24	:	,		7	Ditto Ditto	ditte ditte		-1
	11-45 11-50	9	97	985	778 786	50.8	Ĺ	'260 '280	28 20	NI N	E E	3.4 3.6 2.4	;				Dilto	ditto ditto		寸
	11-55	9	95 91	977	286 784	595 593	1	269	28 28	NN	W	1'3	;	. 1			Dato Ditto	ditto ditt,	, '	
	P.M.	9	9	965	79*2	20,0	1	277		NN	ı	2'4	"				5ky blue, light du	II.	٠.	Т
	0 15	1.00	6	966 966	79'2 79'0	50'5	1	282	27 28 27	NN	IE	36	,, ,,		a at	0-12 2.1	1 .	. :	ĺ	1.
	0.20	1 02	8	962	79°6	59'7	1	279 269	27 27	NN	3	24	,,		3 at	0.31 b'N	pearance of light	il, wind calm. very dull, g	eneral p	
	0-30 0-35	92 97		.826 .821	79°2 79'2	59'7 59'9	Ι.	209 279	27 27	NN NE		12	"	1	4 24	0-31 P.M		ditta. ery dull, gentle ce of light, yel	wind, igo lowish red	ا.
١	0-10	:97	4	953	79'0	59'7	١,	272	27	NN	E	24		J,	s at	0-43 P.H	Sky blue, light light yellowsh r	very dull, mod	erate, ulni	
1	0-45	. '97	2	953 951	78·8 78·2	59'7	15	274	28	NN	E	24		ľ		73 *15	Wind calm, light of	leff, '	- }	1.
1	0-55 1-0	*07	2	954 951	78·2 78·0	59'3 59'5	1 2	270	28 29 28	N	₋ĺ	36	₩,	J,	6	•	Ditta ditte Ditto ditte		÷	Ι'
4	1-10	96 96		951	78°0 77°4	59°1 59°1	1 '3	266 276	26	NN NE	:]	0	11	1	,		Ditto ditto		ł	l'
ı	I-15	96 96	1	948	772 764	59.5 59.7 58.1	1 3	77 191 104	29 32	NN NN NN	K K	:	25	- 11	at t	-14 P. H.	Date ditto	•	25	
1	I-25.	95		953 947	76°0 75°6	58·1 59·7	1 3	61	34 29 36	NN	ΕĮ	:	20°	9		-22 F.N.	Ditte ditto.			1
1	4				,	577	l °	"	30	1414	١,	°	*	lie.	at E	27 P.M.	Full obscuration, we everything quite totally stopped for Several stars w in N. W. direction obscuration laster	ather dark like	evenleg, m, umd	1
İ	1-35	950		950	750	58·5 58·9	٠.	98	<u>.</u> [NNI	,	.		9	at 1-	-29∦ г. м.	Several stars v	m I P. M. to 2-	o PM.	Ŀ
1	1-40 1-45 1-50	95	١,	951	74'2 74'4	28.0	3	12 12	33 36 36	NNI	3	:	30	18	at 1	42 P.M.	from 1-27 to 1-28	for It minu	W., Full	١.
1	1-55	950		948	746	59'1 58'7 58'9	2	95	35 33	NNE		ě	1) 20	7	at 1	51 P.M.			1.	
1	2+ 5 2+10	948 952 950		939 942 939	75°2 75'8 70'0	59 I 58 7	2	95	33 31	NE			10 17	6	nt 2	-I P.M.				1
T	2·15 2·20	950 950	1	938	76'4 76'8	59°5	2	96	31 32	NE NNE NNE	: :	0	**	5	al 2	-11 P.M.				
١	2-25 2-30	947	1	928	77°2 78°0 78°2	59'5 59'7	2	36	32 20	NNE NNE NNE		:	p1	4	٠		, ,		- 1	
l	2.35	952 947	Ι.	933	78'2 78'6	59'5 59'7 60'1	28	2] .	29 29	NNE NE NNE		r4		3	Fl Z	28 P.N.			;]	
ľ	2-15	952	ļ: .	930	79'0	60.1	25		20 28	NNE		P4		2	4				- 1	
ſ	2.50	952 950	1	929	79'2	60 5	20	6	30	NNE	;	4		l۰	٠	., 1	he ecilose terminated	at 2-45 P.M.	.	
ľ	0.0	949 951	١.	925	79'2 79'2 79'2	59'9 60'3	28	8	27	NNE NNE NNE	2	72	fi le	Ľ	ĵ.	. 1.				
ı	3.5 3.10 3.15	.95z	P 1	928	79°2 79°2	50.3	25	8	28 25 25	NNE NNE NNE	Ĭ: 3	6.						19	•	
l.	3-10	955		932	79'4 79'2	90.2 90.2	28	2 ':	rō l'	NNE NNE	16								\ .	
1	3-30	957.	Ι΄ '	934	79°2	60.3	*28 *28	4 3	8	NNE	1	2	:			[7	27		::1	
ĺ	3-10	957 955 957	. :	930	Bo'o	60,0	30	; .	o i	NNE	r	4	"	-		.				
	3-50	959	`	030 I.	79'4 79'8 79'4	60'5 60'5	26 28	9 I S	8 I	NNE	2			:						
Ŀ	40	959	,	935	79'8	61.2	-320			NNE	ļ.Ē		, - <u> </u>		÷	: //			- -	
_							_				_			_						

UXAR.

Ten miles from central line of totality. Greatest obscuration so.

			'	en miles	from c	entrat t	ine of t			est poseulati	
Hour.	BARON	ETER,					W	ND.			, [
Madras Time,	Corrected and reduced to 32°.	Reduced to see-level and constant gravity.	Dry bulb corrected,	Wet builb corrected.	Aqueous vapour pressure.	Relative humidity.	Direction.	Amount since preceding interval, in miles per hons.	Cloud proper- tion,	Proportion of college, totality to	WEATHER AND OTHER REMARKS.
AM,	,	•		•	,	*					
1	29.796	29'999	71'1	58.7	331	43	wsw		Nil		Fine clear weather during the whole day.
10-13		30.001	71.6	58.7 58.9 58.9	1 323	43 42	wsw	96	93 83	:::	
10·23 10·28 10·33	797 791 788	20.001	72'6	1 50.7	332	42 41	wŝw	72	21 21		
10-38	783 783 781 785	991	73'3	59 4 59 8	'335 '336	41	wsw	60	,13 28	:::	
10-43 10-48	781	'985	73'5 74'5	59'9 60'4	348	41 42	wsw	60	at as	:::	1 '
10-58 10-58	.491	987 982	74°5 73°6 75°1	60.7	340 343	39 41	wäw	54	31 M	:::	
11-8	779	*981 *974	74°1 75°1	60.4 60.6	343	39			"		
11-13 11-18	774	1976	74'4	601	'332	39	wsw	60	"	<u></u>	-
11-18	765	976 957 966	744	60°1	'332 '332 '337	39	wsw	96	 10		
11-28	*774 *765 *764 *764 *762	'965 '963 '962	75'4 75'1	60'9	1 '250	40	wsw	48	**	***	
11-33 11-38		962	75'3	61.0	346 344 352	10	sw	78	#		
11-43 11-48	'756	960 957	77'1	60.0	,332 ,340	37 38 38	ιü	78	"		_ ,
11-53 11-58	760 756 755 755	957 956 956	76'1 76'2	61'8	'361	39		i	**		
2.M. 0-5 0-8	745 747	*945 947	764 767	61.1	'337 '351	37 38	 W	9 6	27 27	***	
0-13 0-18 0-23 0-28 0-33 0-38 0-43 0-43 0-48 0-58	744 1743 1742 1738 1730 1731	943 943 944 943 948 938 939 939	76 1 76 3	61.8 61.9 61.7 61.6 61.6 61.7 61.7 61.7 61.3 61.0	'349 '348 '348 '349 '359 '359 '359 '350 '341	37 37 38 38 38 39 40 40	w wsw wsw wsw wsw	9°0 8'4 36'0(7 10'2	» » » »	 1 2 3 4	Edipsa commen ed at o 13 P.M.
1-8 2-13 1-18 1-23 1-28 1-38	730 730 729 727	020	756 746 744 739 726	60'9 60'4 60'2 59'7 58'9 58'9	'340 '337 '334 '325 '316 '323	39 39 40 40 40 42	:: ;;;	56	27 28 20 20 20 40	5 6 8 9	Total eclipse latting i minute 35 acconds. I stir was seen on the S. H. of the sun a the tune of totally of eclipse.
1-53 1-58 2-8	722	924	72.0	59'7 60'0 61'3	'349 '359 '387	45 46 47	w	161	" "		
1 200	715	1910	, , , , ,								
2·13 2·18	7715	910	73'4	61'4 617	386	46 45	w	48	79 26	***	
2-23	1 '700	il 'oot	74.4 75.1	62'1 61'7	381 386 365	45 44 41	w	66	*		
2-28 2-33 2-3	70	90	5 70'1	61.6	356 333 358	40 38 38	w	138] :::	
2-38	3 '707	907	761 769	620	1358	38	w	43		\ :::	Eclipse ended at 2-58 P.M.
2-48 3-8	70	901	770	62.4	'371	40	"	"	"		seather office or a So a test
3-13	3 .70	'00'	76.8	61'4	'340	36	ÿ	1			
3.1	.70	t 'go:	77'1	61.3	'333 '330 '340	35 36 36		15'0	"		
3·2: 3·2	3 '70' B '70'	90	768	61'4 61'4	'340 '343	37	w	13'2	"	"-	
3.3	3 '70' 8 '71'	90	5 1 76°6	61.1	333	36 36	w	132	17		
3·4 3·4	3 71	91	o 76.6	61.2 61.2	354	40	w	10'2	1 0		
3.2	3 '71' 3 '70' 3 '70' 8 '71	90.	6 761	61'5	354 352	40 39			"	:::	
3.5	۰ 71	· 191				"					

Twelve miles from central line of totality. Greatest obscuration 10.

	House	BARDMETER,			CIDE MIL	es from	centra	l line e	f·tot	otality. Greatest obscuration 10.				
	HOUL	BARE		-	!		1		Want		1			
•	Madra time.	Corrected and reduced to 32" F	sca level	Dry bulk corrected	Wet bulb corrected,	Aqueous Tapoor Pressure	Relativ humidit	e J. Directi	ion Pre	mount since sceding sterval, miles r bour.	Cle proj tie	ud por. Wrather and other remares.		
	A.N.						%		Γ		_			
	10-0	29'881	30'024	67'1	59.2	400	60	Calm	.]		Ni			
	10-12	1878	1020	683	59*9	.402	58	Calm	1	.		Sky blue, little hazy.		
	10-30	1872	.014	69:2	60'2	'493	55	Calm	1		,,	Ditto.		
	10-45	'866	'008	70'1	59'7	'374	'49	SW			,,	, Duto.		
	11-0	'855	29'996	31.1	60'3	.380	50	WSW	, l	04	**	Ditto, light wind.		
	11-15	.847	1988	72'2	61.3	395	50	SW	1.	08	,,	Ditto ditto		
	11-30	'838	'979	72'2	60.3	'365	46	ssw	1.	54	٠,	Ditto ditto		
	11-45	834	'975	73'5	61.6	*290	47	ssw] ,	1-6	**	. Ditto ditto.		
	12.0	'826	*966	74'0	61.7	.788	45	SSW	1	•	#	Ditto ditto.		
	r.M.	ĺ			İ		.		-			1.		
	0-15	'816	956	74'4	62'2	398	46	sw	16	8		Ditto strong gardent		
j	0-28	*809	,616	74'5	62'5	'407	47	sw		9	,,			
-	0-36	1809	949	753	63'3	423	48	SW				Sky still blue. The sun's discappeared through a smoked glass to decrease steadily from S.W.		
- :	0-48	1809	949	748	630	420	49	Calln	ľ	- 1	"、	Ditto ditto,		
d	1-0	1803	'943	75'1	63'3	'426	49.	Calm	07		"	Ditto ditto.		
1	I-Io	795	ĺ				- 1				"	Slight durkness such as precedes a storm overspreading from		
-1	1-21	793	935	74"1	61'4 62'2	376	1	SSW	5.	Į.	"	More gloomy took around,		
-			'933	/30	02.	407	49	sw	0.5		"	Baylight losing lustre and fading rather rapidly and throwing a glow of a dull yellowish tint on the accessy and softounding objects. A coal breeze astir. Birds occasionally twitter and anddealy slop.		
	1-35	789	929	72'2	61.3	·398	50	Calm	0	1.	- 1	suddenly stop.		
4	1-44	780			1	-			٠	ł	*	Darkoens more futense. Aspect ghazily. Luminous intensity like that of full moon.		
	1-55	780	' 921	70-8	61:4	419		Calm	0		*	A slight gast of cool bracto. Loll stream. Tetal obscurrity lated about 1' 50'. The outer corona neticed had a hand of white natural will slight pike accompanied by it minous strings at purple and orange from which projected bricks and orange from which projected bricks are strength around. That it suggits a second to the first strength around. That it suggits are the errors, or the work of the strength around the strength		
4	- 33		923	69.5	gr.2	441	61 (Zelan	0		' 5	carlet glow around. Wind utili, birds resumed chirping.		
ĺ	2-12	'781	1922	69'5	627 / 1	(80	66 0	alm '	0	١.	, 5	ky light blue, sun more intense, its shape oval.		
	2.24	'781	1	į,		151	i	alm	0	,	.	1		
	2-36	775	- 1		. 1	tob	`	NV	0		, S	light gusts of wind. Sky blue,		
1	3.1	770		''' '	. Ī	391	.	alm	0	"		Ditto, ditto.		
1	3.18	778	- 1					SW	0°9	"	ľ	Viad occasionally stronger.		
	3.33	776		· 1	. .	1	·- 1	W	0'4 0'8			Ditto variable, Ditto, ditto.		
1	3.47	'778	- i	}			~ }	ılm	04	,,	1	Ditto. date.		
	4.0	1782	ı	- I	۱ ۲		· -	dm	0.2	"		Ditto, ditto.		
					. ,									

NAGPUR OBSERVATORY. Long. 79° 11' E:

			Twent	y-three	miles fr	om cent		e of total	ity. G	reatest obscur	ation 10.
Hour.	BAROS	METER.			· . ·		W	IND.		. !	
Madras- time.	Corrected end reduced to 32° F.	Redoced to sea- level and constant gravity.		Wet bulb corrected.	Aqueous vapour pressure.	Reletive beraidsty.	Direction.	Amount since preceding interval, in miles per hour.	Cloud propor- tion.	Proportion of college, totality to.	Weather and other remarks.
A.M.	,	,		•	,	*					
10•4 10-19 10•34 10•49	29'037 '036 '035 '031	30°041 °037 °035 °027	74°2 75°4 76°2 77°3	57'1 56'2 57'7 58'1	°257 °274 °249 °248	30 31 28 26	Calm NNE NNE NE	40 20 40	Nel n n		
11-4 11-19 11-34 11-49	'028 '020 '015 '010	*022 *014 *007 *001	78·6 79·6 80·2	58°5 58°6 58°2	233 251 234 247	23 25 23 23	NE NE N	4'0 8'4 4'0	n n		Fine clear weather; sky blue and bazy.
P.N.											
0·4 0·14	7001 28'994	29'990 '982	80'9 81'4	59°1	'212 '239	21 22	NNE NNE	60 60	28	:::	Fine elear weather; eclipse commenced a o-t r.m.; wind light,
0-19 0-24 0-29 0-34 0-39	1992 1990 1984 1984 1982	980 977 972 972 968	82,0 81,1 81,3 82,3 Q1,8	60'7 59'6 59'6 60'2	*271 *242 *245 *246 *252	25 21 23 23 22	Calm N N N Calm	12°0	55 50 53 53	1 at 0-21 r.m. 2 at 0-30 r.m. 3 at 0-37 r.m	Weather delf and hazy; sky blue; wind light.
0-44 0-49 0-54	1983 1980 1973	971 967 966	81°2 81°5 80 9	59°5 60°2 59°4	*242 *253* *243	23 23 22	Calm NE Calm	2°0 	20 20 20	4 at 0-47 P.M.	Weather dull and hazy; daylight dimibish ing; atmosphere becoming cool,
0.59	'975	1964	807	59'1	*235	22	Calm	•••	,,		Weather dull and hary ; light becoming dim
1-4 1-9 1-14 1-19	973 968 967 963	956 956 956 955	80.0	59'6 59'6 59 6 60 0 60'4	*247 *248 *252 *269 *290	22 23 24 26 28	NE Calm Calm Calm Calm	2.5	, :: 12	6 at 1-1 P.W. 7 at 1-8 P.M 8 at 1-15 P.M. 9 at 1-22 P.M.	
1-29	979		"	61.0	349	39	Calm		, ,	to at 1-28 P.M	B 1: 1:
1-34 1-39 1-44 1-49 1-54 1-59	'957	951	763 772	60°8 59°9 59°6 59°3 59°6 60°0	*342 *315 *295 *278 *286 *295	38 34 32 29 30 31	Calm Calm Calm Calm Calm Calm	08	20 20 20 21 27	9 at 1-41 P.95 8 7 at 1-56 P.96	Weather dell, gloomy and hazy.
2-4 2-9 2-14 2-19 2-24 2-24 2-34 2-34 2-49 2-54	'953 '948 '950 '947 '957 '951 '952	942 937 938 933 944 938	80.3 80.3 80.3 80.3 80.3 80.3	596 595 593 589 586 586 587 597 603 602	270 262 257 247 235 227 236 246 246 252	27 26 25 23 22 22 23 21 21 24	Calm Calm Calm Calm Calm ESE ESE SE SE SE ESE ESE	16 36 56	79 79 40 30 10 37 72 20 41 40 27	5 at 2-11 F.m. 4 3 at 2-27 F.M. 2 at 2-50 F.M. 1 at 2-55 F.M.	
2-59	'954		82'4	60'7	'204	24			"		
3·4 3·19 3·34 3·49	958 950 954 954	933	83.3	60.7 60.2 60.2 60.2	*250 *250 *250	23 22 22 21	Calm ESE Calm Calm	16	17	-	Fine, clear weather.
4-4	1954	-936	836	62.4	-301	26	Calm	0.1			
,											

		·	'	•		. 1	went	v-ihre	e miles	form		MOTI	HA	RI.			· .	Long	840.	
		Hou	R	BARO	SETER.	1			T	7.5	entrat I	Wind.	ota	lity. G	reatest obser	ration 1	ö. 🚉 ,		7.0	
		Madra time.	Cor rec to	rected and luced 32° F.	Reducto ser level a consta gravit	ed Dry			P Adness			Am.	ount ce ding		Proportion of cellipse, totality	WEA	11	D OTHER	BEKVEET	1
•		. AM.	1	٠	*	1	.			١	1						•		- 1	.1
		31-30	29	812	30'000	73	77	62.7	424	*		1 -	1	- 1			25		1	1
	- 1	•							-	51	ENE	-	.	Nu	•11	;'	- 1.	$\mu_{\rm c} \approx$		1
		12:0	7	187	29'974	74	7	Gr7	379	44	SE	1	1	. 1			١,	, jir		1
		P.M.						- 1			_	"	T	"			٠,٠	٠.	<u> </u>	1
	-	0-15	7	75	·961	75'2	, ,	127	-398	45	ESE	1.	1	`.	.			7 "	3 /	ŧ.
	-	0-30	'70	iз	949	757	1	17	- 1	10	Lac		1	<i>".</i> -	· · · ·	1.7			u ji	ŀ
	1	0-45	75		'940		1	1	365	41	E	۰	1	, 1,	at 0-30 P.M.		١	57.7	1.3	F
				1	940	73'7	6	7	392	47	E		١.		Rf 0-40 P.M.			4	. , ;	Į,
		1-0	74	3	.032	73'7	61	,						31	ot 0-50 P.M.		100			
	1	1.15	748		935		ŀ		392	47	ESE		1	p 4,6	at I P.M.			\		ľ.
		1-30		1	- 1	72'7	62	'	438	, 55	ESE		١.	Ğ, A	1 1-10 P M,			14 1 ₃ 1 4		1
			744	Ι.	931	72'7	62	, .	439	55	ESE		,		1	'•' ,'	٠.,	19.7		ŗ
	l	1-45	742	1	929	72'7	6arg	١,	63B	55	ESE		•	8, at	1-30 P.M 1-40 P.M, 1-50 P.M.	100	. ' '	13.		
	١,	١٠٥	742						- 1	-		•	. "			(a) 1 m		10.5		
	١.			3	29	72'7	627	1 4	38	55	ESE		,,	10 at	20 P.N.	5				
	ı	1	742	9	29	727	62.7	14	38	55	ESE .	:				400		1		
- 1	24	30	742	'92	9 2	37	627	1.4	4 .	51 1	SSR	- 1	33	1.	" ı ,	· .				
-1	2•	45 1	749	'92	8 7	67	637	l				•	**	1.	··· · `	. 19,	4.1			
-1	3-0				1		,-,	44	1 s	2 E	SE	•	n	1	.	St. Ta			1	
1		1 "	34	' 920	74	77	637	'444	5:	E.	SE .	, [t _T	1	·	- 147	4	14.11	1.	
1	3-1	5 74	4	'930	74	7	63'7	'444	52	1.	. 1	- 1	•7	1			75.5	- 3		
1	3,30	74	2	928	74	, ,	537	444	1	1	1.	'	"	- "			d	11.1	4	
1	345	'74	2	'928	747				52	į N	B b	٠	٠ .				",	J.,	- 1	
		1				1:	37	'444	52	. R		1. *	: 1	1 , 100		7.7 3	į.		1	
L	4•0	'742	'	928	74"7	, 6,	37-	'444	52	· B		1	ŀ		2 / Sic		1.6		-1.	
1	٠.						- 1		1		1.	"	1	**		1.1	۱ _{۵.}).		1.	
ı			l	4		1.	-	•			1.	L	1	ė,	1	,		dig.	1	
ŀ		٠, ,		-		J		. • j			1			".		ghang.			1.	
				4		1.					1	l	1:				•	· .	1	
			ŀ	1.		L'	1:		., 1	•		١.	ŀ.		1 10				1	
ŀ			1			Ι.	1	: 1			$ \omega_{i} $		h	17 3	1 : "	4			ŀ	
			,,		.7		1.	- 1	· . ·	. 1					T_{i}	300	100			
٠.	1		٠;	1.]	". ".	1"	. /	- 1		[-:1	÷		1.		γ×.			
1	•		- -		; ; !		Ļ	1	1	1	<u>:</u>]		٠		1 3			:]		
			44.4					. •	1.				-					- 1		

Twenty-four miles from central line of totality. Greatest obscuration 10.

			Iwent	y-jour 1	niles fr	om cen	ral line	of total	ity.	Greatest obsc	uration 10.
Hour.	BARO	METER.]			1	Į_w	tito,			
Madras time.	Corrected and reduced to 32°F.	Reduced to sea- level and constant gravity.	Dry bulb corrected.	Wet bulb corrected.	Aqueous vapour pressure.	Relative humid- ity,	Direction.	Amount since preceding interval, in miles per hour,	Cloud propor- tion,	Proportion of eclipse, totality IG.	WEATHER AND GTHER REMARKS.
					,	%					
ь,и. 10-0	29'055	30'049	75'2	57'5	*256	30	N		Nil		Sky was clear throughout.
10-15	'050	'043	754	57'0	'238	27	N	1.3	b		
10-30	'048	.038	76'9	58'5	-263	20	NNE	24			
10-45	'048	'034	78-9	59'0	*254	25	NE	2'8	,		'
									_	"	
11-0	'046	'030	799	59"2	,318	24	NE	2.8	*		
11.15	'04a	'022	80.0	60'0	'259	24	N	40	",		
11-30	.036	*016	81.4	ga.a	* 2 59	24	NE	22.83	25		
11-45	'028	*007	81.0	60'4	*20n	23	N	4.0	20		
12-0	'024	'002	82'4	60-6	*250	23	N	28		ł	
r.n.	[•	"	
0-5	,010	29.992	83.1	Q1.t	'266	23	N	3.6	*1	•••	'
0-1C	'015	*990	83.6	61.2	*273	24	N	316	"	1 at 0-12 P.M.	
0-15	'013	·988	83.8	60'5	'239	20	NE	24	21		
G-2 0	,011	986	83,3	60'5	246	22	N	3.0	n	2 at 0-21 F.M.	•
0-25	'0009	,034	83.2	61'4	'271	23	NE	2'4	n		
0-30	'605	.0gs	83.5	61,5	'268	23	N	2'4	29	3 at 0.29 2.11.	Son's heat and brightness decreasing.
o-35	1001	976	83.8	61.0	'254	21	NNE	4'8	1 1		
0-4 0	1001	976	83'4	61.3	,362	23	NE	I'2	н	4 81 0-38 P.M.	
0.45	28:939	*975	83'7	61.2	'271	24	NB	1.3	29	5 at 0-47 F.M.	
0-50	'997	973	83.1	60'3	*242	21	NE	2'4	29	***	
o•55	'995	1972	82*4	бота	'247	22	NE	1'2	29	6 at 0-56 r.m.	, "
3.0	'993	970	82'4	59'7	,33t	21	NE	3'6			
1.5	989	965	82'3	612	280	25	NE	12	"	7	,
1-to	989	966	81.8	604	'273	25	Calm	۰	,	·	
1-15	985	1964	80'9	59'5	244	23	Calm	1.3		8 at 1-14 P.M.	
I-20 I-25	7983 1979	*963 *960	80'4 79'9	60'5 61'4	'316	27 30	NB Calm	°		9 at 1-22 P.M.	Atmosphere became very dark, and at 1-2
- 1			78'9		- I	-			"	•	P.M. atars became aisible.
1-35	977	'96a '958	70'9	60'5 60'3	'30a	30	Calm Calm	°	n	10 at 1-33 F.N.	Totality lasted for 1 minute and 20 seconds.
1-40	973	959	77 7	60'4	312	32	Calm	a	n	10 at 1-33 P.M. ;	totanty mater of 1 minute and 30 seconds.
1-45	973	958	78·1	60'4	'307	32	Calm	۰	n		•
1-50	973	'957	78°6 78°9	Q1.3	'319 '325	33	Calm Calm	°	*	8 at 1-49 P.M.	
1+55	971	'954	709	01.3	3-3	33	Calli	٠	*	7 at 1.57 P.M.	
2.0	'971	952	79'9	6r5	'318	30	Calm	۰	,	***	
3.2	969	948	80'9	61.8	315	30	Calm	°	,	6	
2-10 3-15	'ç67 '967	945	81.2	61'4. 60'4	'296 '260	27	Calm Calm	0	n n		
2.20	967	944	82'3	604	255	22	Calm	2'4	31	5 at 2-13 F.M. 4 at 2-21 F.M.	
2-25	967	942	82.8	60,0	'236	21	Calm	376	29		
2-30	967	'942	8370	60°2	*240 *277	31	E	3'4	25	3 at 2720 P.N.	
2-35	964	937	83.3	61.9	285	24	Calm	1'2	.		
7-45	964	'938	83'4	60'9	256	22	SSE	7	.	2 at 2.37 r.m.	
° 2-50	962	936	83'7	бі.о	'255	22	SB	36	.	`	
2•53	.865	935	840	615	'268	23	SE	40	»		Y

Thirty eight miles from central line of totality Greatest obscuration 10

				Th	rty eigh	t miles j	from cer	tiral is	ne af	fada 1	r. a	.		Long. 84° 42' F
Hot	72.	BAROS		٦.			T		WIND.	· osal	ity (reate.	st obseu	ration 10
Mad time	ras com	- 4	Reduced in sea- level and constant gravity	correcte	Wet built	Aqueous	Relative	D rection	81	n les	Cloud p opor- t on	Prop ecl pso	ortion of totality	Weather and other remarks
10-0 10-1 10-3 10-4	298	58 55	20'008 005 004 20'993	67 7 68 5 69 7 70 8	59°6 59 8 60 6 61 4	405 399 409 420	60 57 57 55	W SW WNIV	2 4 5	4 5 2	MII !			
11 0 11 15 11 30 11-45 12 0		38 34 30 18	987 933 979 967 961	71 7 72 1 72 9 73 8 74 5	62 1 62 3 62 8 63 5 63 6	431 432 439 450 444	56 55 55 54 51	SIV WSIV IV SIV	31 21 31 21	6	**			
0-15 0-30 0-35 0-40 0-45 0-50	810 800 780 780 780 783 783	١.	957 947 949 932 932 932 929	747 757 757 757 757 757 758	63 5 64 5 64 8 64 4 63 6 63 6 63 6	438 450 448 455 428 428 428	51 50 51 48 48 47	SSW SSW W W W WSW	36 60	1	10 to 40 to	3	E	Fel [*] pta commenced
1 0 1 5 1 10 1 15 1 20 1 25 1 30 1 35 1 36 1 45	783 783 783 783 783 778 778 780 Read ngu be taken darkness rometer	could by m	927	757 757 756 756 755 749 747 741 737 727	63 6 63 6 63 6 63 6 63 6 63 4 62 8 62 8 62 7 62 7	428 434 429 441 430 432 414 422 421 435	48 49 50 48 50 48 50 55 55 55	STV STV W SW W SIV W ?	27 44		7 2 8	5 5 Nearly	1.45 been partial	i ra Mar mem obscurdry Stras di comes que teders and could be distinguish by by a red of the properties i read at On the souther of let
I 50 I 55	788 776	*9; 94		27 6	26 4 26 4	35 43	55 56 V	V	15	;			After secretary and secretary secret	and the property of the second
2-0 2-5 2-10 2-15 2-20 1-25 30 3-35	774 772 765 765 763 761 761	92 91 91 91 91 90	9 72 6 72 7 73 8 73 7 74	3 6 5 6 4 6	16 44 16 43 18 44 18 46 18 46 18 46 18 46 18 46 18 46 18 46	18 6 6 6 8 2 4	5 V V V V V V V V V V V V V V V V V V V	w	8	, , , , , , , , , , , , , , , , , , ,			Every	iling looked solemn and still, sky
45 50 55	759 759 761 763	905 905 905	75 75 75 75 75	0 64 4 64 7 64 7 64	0 1 44	5 5	WSI WSI W	v a	6	:				no procze,
0 15 30 45	761 759 759 759 759	907 905 905 903	75 75 75 75 75	63 64 64 64	437 455 456 451	50 51 50 50	WAT W W WSW	1 22					Eclipse es	nded
í	763	909	75 4	6r	463	52	W	١.		- 1				

RATNAGIRI.

Eight miles from central line of totality. Greatest obscuration 9.

	Houz.	BARO	IETER,		Ī			W	IND.			
A.H. 10-27 297942 29790 827 633 323 28 SE M77 Fine weather, and clear sky during 19-57 941 953 829 637 326 30 SE 44	Madras time.	Corrected and reduced to 32° F.	level and constant	Ory bolb corrected.	Wet bulb corrected.	Aqueous vapour pressure.	Relative Institution	Direction.	since pre- coding id- terval, in	Cloud propot- tion,	Proportion of eclipse, totality	Weather and other exmarke,
10-7 29942 29990 827 633 333 38 SE M71 Fine weather, and clear sky during: 10-7 941 955 844 641 328 27 ESE 44					1.							
10-42 915 993 839 637 336 30 SE 44		29'912						SE		Nil	***	Fine weather, and clear sky during the whole
11-12		١ ١		1	1	- 1		SE	1		***	day.
11-27	10-57	,041	989	84'4	64.1	.328	27	ESE	44		***	
11-27					`			nen.				
11-42	1	i		1			1					
11-51 7922 7970 874 644 7995 93 SSE 178 1			l -				1 -	NNE				
0-2		1922	1	87'4	1		i '	SSE	r8	b	1	
0-2											1	
0-12 918 966 873 642 291 22 ENE 48 11 44 45 12 45 12 12 12 12 12 12 12 1		1022	'050	876	642	1287	22	ENE	4.8		١,	
0-22 '910 '958 869 644 '305 23 SSE 4'2 " 4 4 5 5 5 5 5 5 5 5		1 -		1				ENE			F	· .
0-42	0-22	910	958	86-9	644	'305	ſ	SSE	4"2		4	,
e-52	0-32	.301	1952	867	643	303	23	SSE	60	н	5	
1-2 '887 '916 816 644 '349 30 ESE 36 " 8 8 1-12 '863 '931 823 635 '336 31 Calm 12 9 9 1 1-12 '863 '931 823 635 '336 31 Calm 12 9 9 1 1-32 '866 '915 812 616 '355 34 Calm 12 9 9 1 1-32 '866 '915 812 617 396 37 Calm 0	0-4=	-900	948	85'5	64.4	-318	25	ESE	3.6	,	6	•
1-12	0-52	-893	.013	85.3	64:4	*317	26	SE	3.0	:	,	
1:22	1-2	-887	1936	83.6	61'4	'349	30	ESE	36	,	8	•
1-32	7-12	-882	'932	823	63'5	1336	31	Calm	2"2		,	
1-44	11:23	.*875	1924	81'2	63.6	'355	34	Calm	1'2	•	9	
1-52	1-32	-\$66	915	81.3	61.9	-396	37	Calm		,	8	
1.52 869 998 829 664 429 38 WSW 30 5 2.3 853 906 834 665 422 36 WSW 30 4 2.12 852 900 839 666 422 36 WSW 31 3 2.22 846 894 845 665 741 35 WSW 42 2 2.32 845 293 850 669 419 35 SW 66 1 2.42 839 287 854 664 395 33 WSW 60 1 2.42 839 854 665 7417 34 WSW 68 1 3.12 834 882 854 663 397 33 WSW 68 1 3.12 834 882 854 663 397 33 WSW 60 1 3.12 834 882 854 663 397 33 WSW 60 1 3.13 835 885 855 675 435 35 WSW 60 1 3.14 837 885 847 679 459 38 WSW 60 1 3.15 838 886 852 675 438 37 WSW 60 1 4.12 846 894 946 673 438 37 WSW 72 1 4.12 846 894 946 673 438 37 WSW 76 1	1-41	*864	9023	årı	66-1	428	30	wsw	1.8	.,	6	
2:12		1		ĺ	1	1	1	wsw	ì		1	1
2:12			١.					l				
### ### ### ### ### ### ### ### ### ##	!	1	1	1	1				1		1	
## ## ## ## ## ## ## ## ## ## ## ## ##	1	1 .	1 .	1	1	l '	1		l -			
2:42	\	1	}	1	}	1	}	Į.	1	ì	Į.	
2:57 -836 -684 853 671 '417 34 VVSW 68 3-12 -834 -882 83'4 66'5 '397 33 W/SW 4'6 3-27 -835 -883 85'4 66'3 '399 33 VVSW 7'2 3-42 -837 -885 84'7 679 '459 36 VVSW 6'0 3-57 -828 -886 85'2 67'5 '438 37 'W 7'2 4-12 -846 -894 94'6 67'3 '438 37 VVSW 7'6	,	í		1	1	1	1	ł .	1	l .	\	
3-37 835 833 854 663 -392 33 WSW 72 - 3-42 837 888 847 679 459 36 WSW 60 - 3-57 838 866 852 675 438 37 WSW 72 - 4-12 846 894 946 673 438 37 WSW 76 -	1	1	1 '	1 -	1	1	1	wsw	6-8			
3-77 835 833 854 663 392 33 WSW 72 - 343 857 675 438 37 WSW 72 - 4412 846 864 864 673 438 37 WSW 76] _				werr]	
3-42 -8-37 -8-85 8-77 679 -4-59 36 WSW 60 3-57 -8-38 -8-66 85-2 67-5 -4-38 37 WSW 72 4-12 -8-46 -8-94 8-46 67-3 -4-38 37 WSW 76	1	l i	1	1		1	1	1	l		1	1.
3·57 ·838 ·886 ·852 ·675 ·438 37 · W · 72 4·12 ·846 ·894 ·846 ·673 ·438 37 · WSW 76	1 .	ł		1			1	!	1			
4-12 '846 '894 846 673 '438 37 WSW 76 "		1		1	1 "	1	1 -	ι.	•	1	1.	
		1	1801	84.6		J		WSW			F	,
4-27 851 899 847 681 466 39 WNW 60 .	4-12	4	899	1	68.1	430	39	WNW	60			
	1 "	-3,	1 397		1		, ,,					

· AMRAOTI.

Thirty-five miles from central line of totality. Greatest obscuration 98.

Content Reduced Protection Protectio	Concepted Reduced Concepted Concep	Ho	UR.	BAROS	ester,	-,			T	T	-	L	Win		1	reatest	obscut	Long. 77° 43
Description Description	10-10 18 Sty 30-041 790 350 1533 35 253 253	Mad tim	ras i	and leced	ievel a consta	nd con	y bulb rected.	Wet buil	Vanor.	- Իու	lative midity.	Directi	pr 200. 21	maunt since eccding itérval,	Cloud propor tion,	Prope eclipse	rtion of totality	Weather and other remarks.
10-10	10-19	1	1	- 1			•	•		1.	_%							
11-10	11-10	10-2 80-41	5	54 51	030	3 8	93	59 I 59 5	253 243		25 23	RSE SSE		20 32		:		Fine clear weather; sky clear and blue, rather hot, Fine clear weather; sky clear; sky over; blue.
11-25	11-25	81-10	ه	46	'027	80	,,	Ser.					1		•"	•	·	Direc ditto.
P. M. O-10	P. M. O 10 1824 29 997 83'1 60'1 235 21 ESE 52 " Ditto diff, Ditto diff, Ditto diff, Ditto diff, Sky over hand drop Man, heritors as believe consented from SiV, at constant and at a cons	II-25 II-40		36 34		82	10	60ra	'246	,	12	SSE						The sky overhead was the same as abo
0-10 824 29 997 831 601 '335 21 SSW 078 0-11 **816 '901 82 2 609 '258 21 WSW 0 2 2	0-10 824 29 997 831 601 '235 21 SSW 078 7 0-13 *816 '991 82 602 '1258 21 WSW 0 2 2 2 2 2 2 2 2 2		'8:	8	1001	1	1				1		l	1.2	*	***		Colour, was all all all
0-15	0-15		182	4 2	9 997	82	.	600						1				
0-43	0-45	0-15	181				1			2			۰	8	*	m		Sky over head deep blue, horizon as before eclipse commenced from SW, at one and
1-0	1-0	0-25 0-30 0-35 0-40 0-45 0-50	801 801 708	5	978 977 976 975 968	83'5 84'8 83'5 83'5 83'6	5 6	15	233 237 248 249 238 238	21 21 21 21 21	IVE BEE	SW ISB ISB ISB ISB ISB ISB ISB ISB ISB ISB	3 2	6	** ** ** ** ** ** ** **	2	3	Color of son natural, colour of the sky a before, Ditto diffe,
1-35	1-35	1-5 1-10 1-15	787 787		965 961 962	825 825 820 816	6x 61 6c 6c	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	268 266 262 260	24 25 24	E E	SR	0		*	5 6 7	G	Ditie colour of the sky me before,
1-35 781 961 794 80 1 1281 87 SSE 0 2 90 90 1 1281 87 SSE 0 9 90 1 1281 87 SSE 0 90 1 128	1-35 781 961 794 60 1 '281 87 SSE 0 " 90 90 90 90 90 90 90 90 90 90 90 90 90	1-30	781 781	1	958 959	80.4	60	1 1	70 !	25	l SS	B I	۰			8		
2-5 774 939 808 93 745 23 SSE 35 77 776 793 816 539 815 539 816 539 816 539 816 539 816 539 816 539 816 539 816 539 816 539 816 539 816	2-5 776 939 808 935 746 33 SSE 376 776 776 777 7939 810 599 375 24 SSE 370 777 778 939 810 599 375 24 SSE 379 773 938 810 599 375 24 SSE 379 773 938 810 607 255 24 SSE 27 773 938 810 607 255 25 25 27 773 938 810 607 255 25 25 27 778 778 940 820 250 243 23 SSE 24 78 5 778 949 820 820 243 23 SSE 24 78 5 778 947 821 801	1-45 1-45	779	9	59 52 54	794 794 802	60 59 59 59	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	81 62	87 36 25 23	SS SSI SSI	E	0 1 2 36 36	-		970 8 7 7	Svo	or olar appeared near the sun; aun's ray- inspirated and darkness prevailed as in verting; air control of the state of the vary mild; light increasing rapidly,
774 944 833 601 233 SSE 0 12 Echose terminated, 10 774 943 843 670 248 20 S 074 Echose terminated, 1776 946 844 613 226 21 ENR 20	774 944 833 60°1 233 21 SSE 0 " " Eclipse terminated, 10 774 943 841 60°3 248 20 S 074 " " Eclipse terminated, 10 776 943 844 60°3 246 21 SSE 12 " " " ENR 20°3 21 SSE 12 " " " " " " " " " " " " " " " " " "	2-5 -10 -15 -20 -25 -30 -35 -40 -45	774 776 774 776 773 774 775 774 772 770 772	95 95 94 94 94 94 94	50 50 18 17 19 19 19 19 19 19 19 19 19 19 19 19 19	10 10 10 10 10 10 10 10 10 10 10 10 10 1	59 9 59 8 60 1 60 2 59 9 60 1 61 0 61 1	'35 '25 '25 '25 '24 '25 '25 '25	55 50 50 50 50 50 50 50 50 50 50 50 50 5	24 24 22 23 23 22 22 22 22	SSE SSE SSE SSE SSE WSW SSE		72	67 SP RP		5 5 4 3 2	Color	or of the Sky as before.
33 776 944 845 617 250 21 RNE 26 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	33 776 '944 \$\frac{8\cdot 5}{8\cdot 5} fir 7 '2507 22 SSE 12 " '	i	1	*015			бто	'23	1	"	SSE	'	7				Eclips	e terminated,
	947 841 6009 248 21 BSB 28 "	3	770	944	84	5	013	256	1 2	: []	SENE	4.	4	**		: ↓		

Thirty-fire miles from central line of totality. Greatest obscuration 9.

	•		4 //1	riy-jire	mines j	on cen	erai iini	. v) 101a.	my. L	irealest obsuration 9.
Hour	Buno	METER.	1	1	_	1	w	IKD.		
Madras time,	Corrected and reduced to 32° F.	Reduced in ser-level and con- stant gravity.	Dry bulb corrected	Wet bulb controled	Adnaona Arboni Arboni	Relative humidity	Direction	Amount since preceding interval, in miles per hour,	Claud Propor- tion,	Weather and other remarks.
A.M.						×				
9-39	183.62	30.057	6670	59'9	1424	64	Calm	۱	MI	Blue sky. Fine clear weather.
9:54	.281	'020	68.4	6014	1420	о бо	ESE	r6		Ditto. ·
		1			,	"			"	
10-9	\$73	.013	69:4	6079	'423	59	ESE	2'\$		Ditto.
10-74	-266	.002	79.7	617	'431	-	SSE			Ditto.
10-33	-563	1001	721	61'4	.403	51	ESE.		,	Ditto.
10-54	1552	39,930	727	617	.404	51	5SE	4.8		Ditte.
l	l	l					1			•
12-9	-813	9:0	75'9	62'4	'412	49	ESR	64		Ditto.
11-21	-840	'977	741	62'7	'419	50	ESE	2.3		Ditto.
11-39	-52;	7954	74'4	621	.376	46	ssw			Dino.
11-51	*\$24	.951	74'9	62'4	1378	45	SSE	2.8	•••	Dato.
r.u.	1					ĺ				
000	209	,010	75'1	62.7			Calm			Ditto,
0-24	±03	940	754	62'4	.392	46	SSE	2.0	W.	Millo,
0-19	203	.940	75'1	627	1405	41 46				
0-34	203	,010	75'1	6379	,413	40	-	***	*	
0-31	'Eos	.938	75'4	62.0	.405	4 <i>7</i>	SSE	48	•	, "·
0-11	1501	933	75'4	624	.372	. 45	4		,,,	Dark parially to NNE.
D-40	'Eos	.072	75'1	62'1	356	44		<u> </u>	<i>'''</i>	, "
0°H	'797	'933	751	621	356	44	SSE	173		
0-57	796	931	74.0	Gra	'352	44				İ
			,					· ·	ſ	·
1:4	170%	1932	749	61.9	'375	45				,.
1-9	795	7931	74'4	61.1	37.4	42	SSE			Dark, gloomy, from E to SNW,
1-14	796	'932	744	61.1	-354	42			,,,	·
1-tg	795	1931	73'9	61.1	.370	44				
1-24	795	'931	73'9	61.1	'370	43	ssw	1,5	***	
\$120	797	'934	72'9	61'9	'408	51				
1-34	.£03	938	717	61'9	'424	55		:		Dark. At 1-35 P.m. the sun appeared like a small, deep set
1-39	798	.036	699	617	148	61	Calm	36		Durk. At 1-3' P. w. the sun appeared like a small, deep set ball, some after it non-dark and a star transmible for about 14 minutes. Greatest electration was reac tenths.
1-54	793	'931	697	617	.478	66	Calm	64	•••	
				[
2-9	728	1925	71'3	619	.465	61	Caim	0.1		
2-74	784	.911	734	63'4	'452	\$5	Calm	σ8		
2-39	784	.910	74'4	629	422	50	SSW	23		
2·5t	784	7910	74'4	629	'412	50	ssw			
3-9	772	'918	74'4	627	'415	49	ssw	r8		
3-24	1782	918	74'4	627	'415	49	Calm			
3-33	780	916	74'1	627	.419	50	Calm	03		
			- 1		- 1			1		

-	Hov R	ј в	APON	ETER.	This	ty-fi	ve mi	les fro	ni c	ențra.	l line	of :	totalit	y :	Grea	test (.:: bscu	ratio.	ng.		. Lo	ing.	83° ;	2′ E	
Ι,	Madras time.		ted id le	Reduce to sea- ivel an constan gravity	Dry	belb ted.	Vet buil orrected	Aque Yapo presso	oue ur ire,	Relativ humidaj	Direc		Association of the control of the co	ĕ.	Cloud proper- tion.	T	Portio			Veati	IER A	ND of	IRR ES	HARR	
- 1	a.n. 9-49	2980	25	30°039	68	- 1	• 56 ⁻ 5	,591		% 42	W	,	.4		Na					 :		<u> </u>			_
10	0-4 0-19 0-34 0-49	·80 ·79 ·78 •78	6 05	'034 '028 '021 '018	70" 71" 71" 72"	: /	57'6 57'8 57'9 58'1	'311 '305 '302 '298		43 41 40 38	WN W NW WN	, [76 72 56 64		# 12 In 25			1	•						i v P
11 11 11 11 P.N	-19 -34 -49	782 777 767 762		7013 7007 7997 7993	73'2 74'6 74'8 75'3	1 4	58°9 50°2 59°8	308 330 316		38 38 37 35	WNI W WNI WNI WNI	٧ĺ	8:4 4:8 5:6 6:8		:					•	•		· . · .		
6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	19 29 34 39 44	757 751 743 738 734 734 732 732 732	1		764 770 773 773 773 773 771 771	6666		'326 '306 '314 '314 '314 '314 '314 '316 '320		34 \\ 34 34 34	WEW WWW " " W WEW		68 68 126 126 14	* 1		1 1 1 2 2 2 2 2						from ;	•	er du	
1-4 1-9 1-14 1-15 1-24 1-29 1-31		.730 '730 '727 '727 '723 721 721 719 718	99999	50 55 19	77' t 77' 0 76' 8 76' 3 76' 3 76' 3 76' 3 76' 3	61° 60° 60 60° 60° 60°	8 8	326 327 320 320 331 338 326 326 328	35 35 35 36 38 37 38	w	W W SW NW		8	22 20 20 20 20 20 20 20 20 20 20 20 20 2		334568 08				٠.		s light	• ;	:	
1-44 1-49 1-54 1-59	1 '7	16 14 12	947 940 943	1 / 22		60.8 60.8 60.8	.3	80 31 38 92	48 48 50 50	Wr Wr		. 60 78		n 12 13	.	8 8 7 6		for also for also fight be short in to the when it more the	et 30 Fran tr aterval mest ar SSE ; he po an 1.	ess over second rem s. To d the these reman	esprease of second	iter the from its were fust b	eacth lis flas the strictles to trisible clow of at 1-41	esting hes of an et one one esten P. M.	
2-14 2-19 2-14 2-19 2-24 2-39 2-34 2-39 2-49 2-54 2-59	77	10 10 18 18 18 18 18 18 18 18 18 18 18 18 18	943 940 940 939 937 937 931 931 931 930 930	1 22	3788022	61'0 60'9 60'8 60'8 60'8 60'8 62'1 62'1 62'1 62'1	"36" "34" "34" "34" "35" "35" "35" "35" "35	9 7 7 7 1	49 46 43 40 40 40 40 39 337 35 36	WN WN WN WN	W W W	4'8 7'2 3'6 1'8 2'4 54	11 10 10 10 10 10 10 10 10 10 10 10 10 1			6533227211									
3-4 3-9 3-14 3-19 3-24 3-39 3-34 3-39 3-41 3-49 3-54	70 70 71 71 71 71 71 71 71 71 71	9	934 936 938 938 938 938 939 939 939 938	78 5 78 6 78 6 78 5 78 6 78 6 78 6 78 6	. 66	11.8 11.8 11.8 11.8 11.8 11.8	337 329 314 318 331 331 332 329 325 322	333333333333333333333333333333333333333		WNV WNW		3	20 20 20 20 20 20 20 20 20 20 20 20 20 2				At 3 not like	P.M. the complete of the	e eclip fely tot new m	se end at, a cr	ed; g	he ecli tof the on the	Pse w: sun jo NE.		:

Long. 84° 3' E.

lova.	BARON	eter.	1				W	IND.			
Madras time.	Corrected and reduced to 32° F.	Reduced to sea- level and constant gravity.	Dry bulb corrected.	Wet builb corrected.	Aqueous vapour pressure.	Relative bumidity.	Direction	Amount siace preceding interval, in miles per hour.	Cloud propor- tion.	Proportion of college, totality	Weather and other remarks
A.M. 10-0 10-15 10-30 10-45	29'695 693 691 682	30'015 '008 ''005 29 995	69.6 74.1 75.1 76.1	59-5 59'5 59'5 60'5	376 316 303 321	53 38 35 30	SSW SW WSW WSW	10'4 5'2 4'0	Nil n	 	• !
11-0 11-15 11-30 11-45	-674 -663 -661 -639	'987 '975 '973 '950	76 1 77 1 78 1 79 1	62'5 62'5 61'5 61'5	386 373 327 314	44 41 34 32	SSW SW SW SW	0°8 9°2 5°2 10°8	11 13 14	844 644 114	;
12-0 P,M.	•636 •	. 0 46	Sort	бгъ	'300	30	wsw	10-8	p		:
0-15 0-25 0-30 0-35 0-40 0-45 0-50	635 629 627 623 623 621 621	'914 '938 '936 '932 '932 '930 '931 '929	80.1 81.0 81.0 81.0 81.0 81.0	62.0 62.0 62.0 62.0 62.0	287 287 304 304 304 275 268	28 28 29 29 29 25 27 25	SW SW SW WSW W W W	92 90 84 144 120 72 132 108	p 22 24 24 25 26 21 21 21	33334	Fine clear weather and blue sky. s
1-5 1-5 1-15 1-20 1-25 1-35 1-40 1-45 1-50 1-55	657 607 607 605 603 601 599 599 599 597 597	925 917 917 918 916 915 913 911 911 910 920 928	801 801 801 796 791 786 781 781 766 761	50°0 60°0 60°0 60°0 50°5 50°0 50°5 50°5	252 252 252 259 259 256 247 247 247 245 259 259	2556 2776 6 775 29 29 29	W W S W S W S W S W S W S W S W S W S W	132 8:4 7:2 8:4 10:8 10:8 9:6 7:2 4:8 2:4 4:8	20° 20° 20° 20° 20° 20° 20° 20° 20° 20°	4550778889998	Fins clear weather and dark blue sky. Do \$\dark \text{0}_0\$, blue sky and dark. Do \$\dark \text{0}_0\$, and dark blue sky.
2-0 2-5 2-15 2-15 2-25 2-25 2-35 2-35 2-40 2-45 2-50 2-55	\$99 \$99 \$601 \$605 \$603 \$601 \$589 \$589 \$589 \$589	912 912 914 917 917 915 913 904 900 899 899	76·1 76·1 76·1 76·1 77·1 78·1 78·1 79·1 79·1 79·6 80·1 80·1	58:5 59:5 59:5 59:5 59:5 60:5 60:5 60:5 60:5 60:5	.259 '290 '290 '292 '270 '263 '294 '281 '281 '281 '281 '316 '316	29 33 33 39 28 21 39 29 21 31	SW SW SW SW SW SW SW SW SW SW SW	36 24 48 60 72 36 48 48 72 72	77 20 00 00 20 20 20 20 20 20 20 20 20 20	75 54 33 32 21 11	Do da, blue sky.
3·0 3·15 3·30 3·45	593 595 599 596	.800 .808 .808 .808	80.1 80.1 80.1	61°0 60°5 60°5 60°5	*281 *268 *268 *268	28 27 27 27 27	W SW SW	36 172 108 92	* * * * * * * * * * * * * * * * * * * *		Eclipse terminated at 3 r.u.
4-0	-593	.gog	80.1	60'5	263	27	SIV	10.0		٠,	

Forty-eight miles from central line of totality. Greatest obscuration 9.

laur.	8ARO	INTER.		1		1	W	IND .			
lades ime	Corrected and reduced to 32° F.	Reduced to sea- level and constant gravity.	Dry halb corrected,	(Wet bulb corrected.	Aqueous vapour pressure.	Relative hami- daty.	Direction.	Amount since preceding interval, in miles per hour,	Clond proper- tion.	Proportion of eclipse, totality Io,	Weather and other rehades.
.M. 10-13	29.120	30,013	758	55'9	*18.5	% 21	SE		Nil		Weather fine throughout 10-13 44
10-23	1149	*047	760	56.1	188	gı	E	48	,,	•	* 15 FIRE
10-28	152	*050	764	563	189	\$1	Calm	30	34	' :::	, ,
10-33	154	.078 020	77.4	57:3	205	32 21	Calm Calm	24	,,	-	ſ
0-43	154	'046	77.7 78 1 78 7	57'3 57'7 58'1	"207 "212	22	Calm	24			
0-48 0-53 0-58	145	1037	1		.,,		Calm	1'2 2'4	15 pr	344 344	
- 1	143	#33	798	593	'233	23	SK	1'2	"		
1-3	"144 "145	1031	***		""		Calm Calm	36	ע	•••	
	142 138	032	8010	587	7214	31	SE	2'4			
1-13 1-18 1-23	'137	'025		444		***	Calm NE	24	#	:::	
1-28	133	020	82.0	59'4	'221	21	Calm	4'8	"	1 :::	4
1-33 1-38 1-43	126	013		58.0	":77		SE	1'2			,
1-15	133	800	***	***	140	13	Calm	36	n	:::	,
1-53	120	*005	**			"	Calm	ia :	"	•••	Eclipse commenced from south-west p
11-58 P.M.	*121	,002	82.7	60,4	'230	20	Calm		**	1	ens a micr
0-3 0-8	1117 1115 1108	1000	1	****	•		E	12	,	1.2	
0·13 0·18	108	29'937	833 835 6a b	59'8.	*202 *225 *178	18	Calm	36 24	יי	",	''
0.19	100	'990 '980	630	587	178	16	ESE	48		75	}
0-23	'099 '097	'98a	829	59'5 58 9	180	16	NB Calm	36	.,	3	
0-33 0-38	'093	977	827	507	*260	19 22	NW	36 12	"	35	,
0-13	*091 *090 *084	974 973 900	83 i 827	603	122	19	Calm	1'2		4 5	•
0-53	1084	968	82 g 82 g	60°8 59°4	'240 '203	22 19	Calm Calm	24	11	575	· ·
	'078	1960	82'2		'217	20	Calm	**	"	-	
1-3	675	.001 \$26	8 8 8	59'8 60 2	1 1228	22	NW	1'2	"	6.5	
1-13 1-18	'077 '073 '071	957	817		*234 *246	22	Calm	;	**	75	
1-23	'071	955	813	594	'218	ağ	Calm	1'2	'n	9	One star appeared to the most west time of greatest obscurity, the heat of a hardly left, and sun light uppeared like trillight,
1-28	1067	'952	80'8	6or8	267	25	Calm	1			hardly felt, and sun light uppeared like twilight.
1-33	1072	959	***	1	1	1] Colm	0	"	9'5 8	The star disappeared.
1-43	1071	'959	79°5 79 7 80 1	60.6	279 285	28 28	Caim	8	:	7	
1.12	970	952	801	6t a	l '284	28	Calm Calm	0	27	5 4	
1-53	1067	1952	81.1	61'4 60'8	1293 1253	25	Calen	\	;	3	
2·3 2·8	'071 '066	'055 '949	81.2 81.2	601	7240	32	Calm			25 .	
3-18	1 '060	943	820	546	-214	- 20 20	Calm	å		F5	
2.23	059 059 057	941	82'4 82 6	597	'213	19 20	Calm Culm	1.2	10 21	' "ï	
3.33 3.18	1057	938	82 g 83 T	603	*224 *218	19	Calm	173	1 2	05	
278	'057 '058	943 941 931 938 938 938	83.7	610	1220	20	Calm	1,3		Slight.	Charles at
2-43 2-48 2-53	1058	1 937	84.7	62'1	*2 58	22	Calm	24	1,	, am	Clear, no shadow on the san.
2·58	,020	934 935	84.7 85.5 85.9	6r4 6r7	1225	19	Calm	12	:	- in	
3-3	1057	'933					Calm	1,5	, ,		
3.3 3.8 3.13	'058	1 '021	900	600	203	17	Calm	12	:	<u>.</u>	,
3-18 3-28 3-28	1056	1 '93	3 ::	1 ::	1 :::		Calm	1.5	ja.	=	•
3-28	'05:	93	84"7	59'9		75	ENE Calm	4.6	:		
3-33	05		6		\ <u></u>] =	NB	13	:		,
3·43 3·48	00°	93	9	"	·247	30	Calm	12	:] :: 1	
3·50	.00	94	85	8 621	730	18	Calm	34	1 4		•
4·3 4·8	06	2 '93	5		1	}·	Calm	24	,		
4.8	3 100		9	5 őrs	4		SE	3.6	2		

Fifty miles from central line of totality. Greatest obscuration 9.5.

·			, -		100) 100				1. 076	itest obscurat	ton g.j.
Hour.	Baro	METER.	-				<u></u> "	into.			
Madraa time,	Corrected and reduced to 32°F.	Reduced to sea- leval and constant gravity.		Wet built corrected.	Aquesta vapuor pressure.	Relativa humidely.	Direction	Amount since preceding marval, in miles per hour.	Cloud proper- tion.	Proportion of college, totality so.	Weather and other remarks.
A. M.		,				*					
10-1	28'743	30'073	67'0	55'9	'311	47	SSE		Nit	•••	1
10-16	'743	'071	678	56'6	'322	47	SE	16	"		1)
10-31	'737	1057	70'2	58.2	338	45	Calm	Г2	•		Clear.
10-46	734	'053	70'5	57'7	.320	43		I'2	w		
11-1	1728	'041	728	584	.311	38	SE WNW	0'8	*		f.
11-31	722	°034	73°2	59°2	'331 '328	40 38	NNE	20	2		1)
11-46	717	1025	74'6	59'7	328	38	NNW	16	*	"	Hary.
11-55	1709	'015	750	59'8	'327	37	C2lm	27			11
12-0	704	*009	75'2	59%	'323	37	NW	72	,		γ .
P. M.											
				.			NNW				
0-5 0-10	'703 '703	1008 1000	75'4 75'9	60°2	'327 '328	37 36	NNW	4°3 96	×	1	Eclipse commenced from S. W.
0-15	700	'003	764	6ora	1322	35	WNW	72			
0-20	698	100°	76.5	60'3	'324	35	NW	72		2	Light gale. Colour of sky became light and
0.25	699	900	77'4	61.0	'333	35	NNW	16.8	,	•••)
0-30	693	29'993	77'7	61.1	334	35	WNW	60	*	3	
0-40	*659 *688	'988 '987	778	613	336	35	WNW	4.8 60	*	3.	_
0-45	1686	986	774	61.3	346	35 36	WNW	72	10	3	}
0-50	·682	982	772	6t'o	337	36	NNW	60		4	
0.55	·681	-982	77'0	607	329	35	ИW	4'8	-	4	Sky pale and doll and daylight muchidimi- nished.
1-0	'676	978	768	60.2	326	35	NW	8.4		5	
1-5	1672	974	76'6	603 601	'323	35	Calm Calm	1'2	81	5	
1-15	•670 •670	973	762 758	60.3	'32t	36 37	NNE	84	,,	6	
1-20	1667	970	752	60'2	337	35	NE	84	,	7	,
1-25	-664	970	74'2	600	'313	40	N	3.1	,	•/4	
I-30	663	1970	74'1	60'0	344	41	Calm	1.3	,	8	Sky gloomy and air perfectly still.
1-35	662	971	73'4	60'0 60'0	352	43	NW Calm	4.8	"	***	Planet Names appeared near the run and
1-40	658	969	726		368	45		1.3	"	95	Planet Venus appeared near the sun and other stars became slightly visible.
1-45 1-50	656	'969 (72'0 71'2	60.3	376	48	Calm Calm	0	,,	***	Weather sool and gloomy.
1-55	·657	1970	726	60'4	'399 '376	53 46	Calm	ů	-	***	
2-0	659	969	73'0	61.0	389	48	Calm	۰		6	
2.5	657	965	73'8	61'2	395	46	Calm			5	
2-10	653	959	74'2	60.8	'366	43	NW	3'4			
2-15	·651	935	750	60-8	.328	- T-	NNW	48	- [4	
2.20	651	954	75'4	604	,310	38	NW	1.3	-		
2-25	650 649	953	76°0 76°2	60'3	329	36 36	Calm N	1,3	"	2	
2-35	649	930	770	60'4	321	34	NNE	3.6	"		
2.40	649	947	77'2	60'5	322	34	Calm	1.3	"		
2.45	651	950	77'4	60'5	317	34	NNE	24		1	At 2.56 F.M. cellpse terminated
2-48	·646	.015	78.0	60.7	317	33	N	6.0			
3-3	648	942	78.5	61.0	.320	33	NNE	16	,		•
3-18	·651	'943	79°2	612	318	32	SE	3,5	-		
3.33	·651	944	792	61'2	.318	32	ESE	20	.,		
3-48	650	943	79'2	61.3	*318	32	NNE	20	,,	···.	
4.1	650	943	79'2	61.3	'314	32	NE	2.8	,,		•

Fifty-four miles from central line of totality Greatest obscuration 9

Hour	BARO	SETER.				1	W	1-11		•
Madras time,	Corrected and reduced to 32° F	Reduced to see level and constant gravity	Dry bulb corrected	Wet buth corrected	Aqueous vapour pressure,	Relative bumidsty	O section	Amount nace preced ng taterval n sufes per bour	Cloud proper- tion	Weather and other reliable
4 M 10-17	28 463	30 027	757	58 1	263	% 30	SE		Nıl	The sky throughout the day was clear and of usual blee color
10 32 10 47	466 465	*019 021	77.5 76.5	58 3 57 8	249 249	26 28	SE SE	86 88	:	
11 2 11 17 11 32 11 47	180 451 451 440	013 000 1000 29 985	77 8 78 7 78 7 78 7 79 8	591 593 569 593	239 230 253 252	29 26 25 24	SE SE ASE	106 83 100 92	:	The first contact was observed about 11 50 A M. from SW
11 52 11 57	439 439	983 981	80 p 80 7	5971 593	242 239	23	SE SB	70 108	,	During the column the sky remained clear and blue while domain horizon a round fooked wit to end of leaden bucter ask to how during the precess of obsciriation. Only the site is seen to the SA we have the sum about one-found the flat seen to the SA we have the sum about the selection of the setting a quarter or half more and there was rifficient grat about the common setting the setting of a quarter or half more and there was rifficient grat about the care to contain the reset to the rife again whose chapter was markly over. During the obscurings in predict common and eshadow as of set were as on righting takeng grand.
0-2 0 7 0 12 0-17 0 22 0-27 0 32 0-37 0-42 0-47 0-52	437 434 431 428 424 420 417 412 409 409	988 974 974 966 965 961 954 953 947 946	80 7 81 7 81 3 81 5	59333599555555555555555555555555555555	2 ₃ 0 233 245 239 210 215 215 138 195 195	22 21 23 12 19 20 20 22 18 18 20	ESE ESE ESE ESE ESE ESE ESE ESE ESE	11 0 14 4 9 8 9 6 9 5 10 2 10 4 7 0 6 8 13 2 17 9	, ,	
1-2 1-7 1 12 1 17 1 22 1 27 1 32 1 37 1 42 1 -47 1 53	388 385 383 382 370	948 943 943 941 939 937 934 929 925 924 919	79 9 79 7 79 8 79 0 78 7 78 7 79 9	576	198	20 21 21	ESE ESE ESE ESE ESE ESE ESE ESE ESE	101 88 90 65 74 89 64 77 79 77	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Createst phase at about 1-dx p w
2 2 2 7 2 12 2 17 2 22 2 27 2 32 2 32 2 34 2 47	375 373 379 368 7 368	000	81 5 81 3	58 3 58 3 59 0 58 6 59 3 59 4	214 220 216 222	18 19 19 19 19	E E E E E E E E E E E E E E E E E E E	64 80 88 153 102 107 100 101	, , , , ,	East contact at about 5 + P II
3 2 3 1 3 3 3 4	36: 36: 7 36: 7 36:	89 89 88 88	3 83 84 6 9 83 9 9 84 6	59'7 59'4 50'5 59'5	203	17	ESE NE NE R	164 132 178 210	,	
4:	7 36. 7 36	1 89 7 89	o 84 4 84	59°3	185 251	15	NE ENE	193		,

Fifty-cight miles from central line of totality. Greatest obscuration 9'8.

	1 6 -		1-1/19-	cight mi]	1	We			itest boscurus	
Madras time.	Corrected nad reduced to 32° F.		Dry belb corrected.	Wet holb corrected.	Aqueous vapour pressure.	Relative bumidity	Direction.	Amount since preceding	Cloud proper- tios.	Proportion of eclipse, totality to.	Weather and other semarks.
A. N.	<u> </u>	E.E.L.	•	•		%					
9-40	29.875	30.013	65.8	57'2	·356	56	w		Nil		Fine clear weather and sky bloish colour.
9-55	-879	.023	66.2	574	353	54	w	1.6			De. do.
10-10	-875	2010	673	57.6	348	52	Calm		19		Do, do.
10-25	*871	1015	67'9	592	389	57	Calm		.,	***	Do. do.
10-40	-868	'011	69-8	59'9	397	56	Calm	0	,,		Do, do.
	*861	.001	695	607	'415	58	Calm		- 10	***	1
10-55	ì		71.0	60'6	390	51	Calm		, ,	,,,	Do, do.
	.853	29'995	1 -	61'9	'427	56	wsw		,,		De, do,
11-25	-841	-983	71.2	Gro			Calm				
11-40	*834	7976	72'1	1 .	,390	50	sw	173		,,,	Near the horizon, tonards the river side scenery calm and quiet.
1-20	'829	971	72'9	62'0	.410	51	SW	976	".	***	
12-0 1.N.	-822	.024	73'3	62'2	'413	51	S	1.3	",		
0-10	814	1956	73'5	671	.400	49	SW	975	"		Eclipse commeaced p-7x P.N-
0-20	1809	1951	73'6	1 .	.408	49		1,3	"	1 ;	
0-25	1	1	74"5	1	. ,400	45	S			175	
0-30		1	74'5		,100	46	W	3.6	"	2	
0-35	'Bo3	1944	74.6	1	1	46	SW	1.3	"	2'5	
0.10	1801	'942	74"	GI S	,381	44	l w	1.3	*	1	Í
0-45	798	'93	747	622	,39‡	45	SW	2.4	. "	3	
0-50	799	193	74"	62.0	,390	45	W	5.4	-	3'5	Colour of the sky dusky, as Il cloudy.
0.5	796	93:	7419	Gre	400	46	W	1,5	"	1 4	Do, do,
1-0	'794	.93	5 74"	62.5	1400	46	W	1,3	"	4'5	
1.5	'79	.93	3 75"	0 62"	'407	47	WSW	2.4	, "	5	
1-10	797	.93	3 747	6179	139	44	w	3.6	. "	5.5	Annerrance of the whole sky gloomy, as
1-1	5 '79	. 93	3 75	1 627	40:	45	SSW	T2		6	Appearance of the whole sky gloomy, as dust-sterm approaching. Do. do.
1-2	979		1 .	2 621	.38:	44	W	2'4		7	De. do.
1-2			1		37:	43	w	3-6	-	7'5	De. do.
1.3		1	1	1 :	1	1	wsw	2'4	-	8	Do. do.
1.3	1	1	1		_		w	24	"	9	De, do
1-4	· · · _	1		Ĭ.	1	1	Cala		,,	9	Breeze noticed,
1.4	1		1	1	"	ĺ	Calo	, .	12	95	Sea slightly visible,
115	1	1	1		1 -		Caln			g8 at 1-48 F.1	The sun began to emerge at 1-47 s. M. Pla Venus and n star were seen at the it of the greatest obscuration. The light like subdeed twilling, but brighter the moonlight, lasting for 13 minutes.
1-9	1 "			-	i .		Cali	i i	,,		of the greatest obscuration. The light of
24	~ .,		71	Ή.		1 .	1				moonlight, lasting for 15 minutes.
1 -	"		i	۱ .	1		1	1		,	
2.5		1		1	- 1			1			
2.1	1 1		1 .	`l .				1	"		
2.:	``\ ^	1	07 72		ì	1		" "	l i		
2"	i i		- 1	13 62	1 1			1	. 1		
21		1 1	-1	3 63		1	l	1	· ["		The eua became quite clear at 3.4 F.N.
2.	55 7	65 .9	- 1	5'2 62	1			1		"	
3	10 7	64 3	1	1		95 4	i	- 1	` J		
3	25 7	68 '9	7.	56 6	76 · ·4	29 4	- 1	- 1		i "	
3	40 7	70 1	7.	5'4 6	13 4	22 4	8 W	r	2 11	***	

Sixty-two miles from central line of totality. Greatest obscuration 9:

Hour	BARG- METER.					L . v	Vanto.		Croup.	1	
Madras time.	Corrected and reduced to *32°F.	Dry balb corrected.	Wet balk corrected	Aquesus vapour pressure.	Relative humid- ity.	Direction	Amons since precedi interva In mile per hon	ng Il. Kin	Direction of motion,	Proportion e scilpse, totals	WEATHER AND OTHER REMARKS
					*				1.	<u> </u>	
A.M.	i				•			1 :	1:	ŀ	
9·40	25'691 '691	54'6 54'6	484 484	'270 '270	63 63	s s			=		
10-10	•684	580	50.8	.290	60	Calm	04	Cit	SE		Comitem state / com land
10-25 10-40 10-55	16So 1678 1676	59°0 58°8 60°7	20.8 20.8 20.8	'279 '281 '264	5.5 56 53	SE SE SSE	2'8. 0'8 2'0	Cu.	SE	, en	Cumulus clueds in 5E and N of horizon a small patch on the zanith.
11-10 11-25 11-40 11-55	'676 '676 '656 '648	61'9 62'9 63'1	52'0 52'0 52'0 52'6	*276 *276 *264 *277	49 49 46 48	SSE SE SE SR	04 116 410	Cu.N Cu.N Cu.N Cu.N	1 22 1		
P.M.				- 1	•	46	3.3	Caru	SE	•• ' .	
0-10 0-25 0-30 0-35 0-40 0-45 0-50	644 644 638 634 630 626 626	64:1 63:3 63:3 63:5 63:5 63:5 65:1 65:1	52'6 51'8 51'8 51'8 52'4 53'0 53'0	265 1254 254 254 263 267 265 265	44 44 44 45 45 43 43	S Calm S NW SW SW SW	1,3 1,3 10,8 1,3 0,0 0,8	Cu.N Cu.N Cu.N Cu.N Cu.N Cu.N Cu.N	S S NW SW SW	**************************************	First autornal recincle
1-0	*618	64'7	52'8	,361	43	sw	1"2	Cu.N	sw	,	
1·5 1·10 1·15 1·20 1·25	'618 '618 '618 '618 '618	64'7 64'5 64'7 63'3 63'9	52.6 52.8 52.6 52.6 52.6	*259 *261 *264 *275 *273	42 42 43 47 46	W Cnim Caim Caim Caim	0 0 0 0	Cu.N Gu.N Gu.N Gu.N Cu.N	. W W W W	44000	Sky to E and N grey blut. Small grey, patches of Gunnolo nimbra different parts of the sky. Colour of sur rays arbidred. Pinkish clouds to N ex mountain tops.
1-30 1-35 1-40	*620 *620 *620	62'9 62'7 61'9	52'0 52'2 52'4	*264 *272 *286	45	Calm Calm Calm		Cu,N Cn.N Cu.N	. W	6	
1-45	'620 *620	59'9 59'9	52'2 52'2	'292 '303	54 59	Calm Calm	34	Cu.N	W	8	Sky quite bian; clouds yellowish and ill earth of muddy colser like that of cleater moon light.
1.22	*620	59.0	21.8	'303		Calm	24 .	Cu.N	NW	, ,	Greatest obscuration. Second internal contact
2-0 2-5 2-10 2-15 2-20 2-25 2-30 2-35	*620 *620 *620 *620 *620 *620 *620 *620	59'2 59'0 59'2 60'5 60'7	51'2 51'2 51'4 51'6 51'4 51'6 51'2 51'0	287 289 292 298 202 281 267	58 N 58 N 58 N	NW NW Calm NW NW NW	16-8 12-0 4-8	Ce.N Ce.N Ce. CiCe. CiCe. Co. Cu.	NW NW NNW NW NW	7.654582	Nac of the son increasing costinusity,
2-40 2-45 2-50 2-55	620 620 620 620	60'7 60'7 60'9 60'9	50 8 50 4 50 6 50 8	264 259 248 251 257	50 N 49 N 47 N	NW NW NW NW NW	48 24 24 36 36	Cr.	NW NNW NNW NNW NNW NNW	2 2 1	
3-0 3-15 3-25 3-40	*620 *620 *620 *620	61'1 61'1 61'1 60'7	51'0 51'2 51'8 50'4	260 263 279 248	49 N 49 N 52 N	NW NW NW	48 12 208	Co.	NNW NNW NW	5	scond external contact, full yun,

AHMEDNAGAR.

Long. 74°. 48' E.

Sixty-eight miles from central line of totality. Greatest obscuration 9.

				Sixty-eig	ent mitt	s from	tentral			, 672	entest obscuration 9.
Martin Constitute Section Se	Hove.	BARO	METER.	{	1	1	1	W	IND.	1	
Add 10-97 27865 29992 248 588 3-99 35 SSE	Madras time,	and	to sea-lavel and constant	Dry bulb corrected,	Wet bulb corrected.	Vapour	homid-	Direction	preceding interval, in wiles.	Propor-	Weather and other Renarks.
10-37 916 300-35 724 50'5 311 36 5 36 10-50 942 040 738 598 316 36 858 52 11-50 942 040 738 598 316 36 858 52 11-7 910 059 778 668 322 34 55W 24 11-10 993 29998 784 676 340 35 5E 37 11-10 993 29998 784 676 340 35 5E 37 11-11 31 833 987 788 677 345 33 5 85E 22 11-12 887 971 868 677 345 33 5 85 32 11-14 878 956 879 678 356 31 5E 32 11-14 878 956 879 678 356 31 5E 32 11-14 878 956 879 678 356 31 5E 32 11-15 897 955 879 678 356 31 5E 32 11-16 877 955 879 678 356 31 5E 32 11-16 877 955 879 678 356 31 5E 32 11-16 877 955 879 678 356 31 5E 32 11-16 877 955 879 678 356 31 5E 32 11-16 877 955 879 678 356 31 5E 32 11-16 877 955 879 678 356 31 5E 32 11-16 877 955 879 678 356 31 5E 32 11-16 877 955 879 678 356 31 5E 32 11-16 877 955 879 678 356 31 5E 32 11-16 877 955 879 678 356 31 5E 32 11-16 877 955 879 678 356 31 5E 32 11-16 877 955 879 678 356 31 5E 32 11-16 877 955 879 678 356 31 5E 32 11-16 877 955 879 678 356 31 5E 32 11-16 883 931 878 671 333 99 NE 16 11-17 970 965 955 871 677 315 30 E 109 11-18 100 846 933 931 878 671 315 30 E 109 11-18 100 846 933 931 878 671 315 30 E 109 11-18 100 846 933 931 878 671 315 30 E 109 11-19 846 932 939 789 677 318 33 ESE 47 11-10 846 933 931 978 678 312 30 ENE 46 11-11 844 935 956 957 318 32 8 E 44 11-11 844 936 957 958 959 879 677 338 32 ENE 44 11-11 846 958 958 959 879 679 331 30 ENE 70 11-12 846 959 879 879 670 331 30 ENE 70 11-13 850 959 879 879 670 331 30 ENE 70 11-14 14-15 840 959 879 679 332 338 30 E 3 11-15 850 959 879 879 670 331 30 ENE 46 11-15 850 959 879 879 670 331 30 ENE 46 11-17 840 950 950 950 950 950 950 950 950 950 95	ásM,	,	•		•	•	*				
10-50 922 1000 738 598 316 36 588 572 10-57 908 016 763 600 314 34 5W 34 1179 900 009 778 608 322 34 SSW 24 111-20 903 29998 784 676 340 35 SE 37 111-21 903 29998 784 676 340 35 SE 37 111-31 893 987 788 607 338 35 ESE 27 111-32 985 971 808 607 345 33 S 25 111-43 885 971 808 607 345 33 S 25 111-56 877 955 879 678 336 31 SE 37 111-66 877 955 879 678 336 31 W 0 111-66 877 955 879 678 336 31 W 0 111-67 955 879 678 336 31 W 0 111-68 956 951 827 627 330 30 SW 06 111-69 955 827 627 330 30 ENE 90 111-69 955 827 627 330 30 ENE 90 111-69 955 827 627 330 30 ENE 90 111-69 955 827 627 330 30 ENE 90 111-69 863 943 828 677 335 39 ENE 90 111-69 864 937 783 607 399 33 ESS 411 111-69 865 937 783 607 399 33 ESS 411 111-69 866 937 783 607 399 33 ESS 411 111-69 866 937 783 607 330 S ESS 411 111-69 866 937 783 607 331 30 ESS 411 111-69 866 937 783 607 331 33 ESS 411 111-69 939 989 871 657 338 32 ESS 477 111-69 939 989 871 657 338 32 ESS 477 111-69 939 989 871 657 338 32 ESS 477 111-69 939 989 871 657 338 30 ESS 477 111-69 939 989 871 658 331 30 ESS 477 111-69 939 989 871 658 331 30 ESS 477 111-69 939 989 871 658 331 30 ESS 477 111-69 939 989 871 658 331 30 ESS 477 111-69 939 989 871 658 331 30 ESS 477 111-69 939 989 871 658 331 30 ESS 477 111-69 939 989 871 658 331 30 ESS 477 111-69 939 989 871 658 331 30 ESS 477 111-69 939 939 871 658 331 30 ESS 477 111-69 939 939 871 658 331 30 ESS 477 111-69 939 939 871 658 331 30 ESS 477 111-69 939 939 871 658 331 30 ESS 477 111-69 939 939 871 658 331 30 ESS 477 111-69 939 939 830 653 338 93 ESS 477 111-69 939 939 830 653 338 93 ESS 477 111-69 939 939 830 653 338 93 ESS 477 111-69 939 939 830 653 338 93 ESS 477 111-69 939 939 830 653 338 93 ESS 477 111-69 939 939 830 653 338 93 ESS 477 111-69 939 939 830 653 338 93 ESS 477 111-69 939 939 830 653 338 93 ESS 477 111-69 939 939 830 ESS 479 111-69 939 9	10-27	27.865	29'972	748	588	299	35	SSE		Nil	
10-57 908 10-16 76'5 600 314 31 5W 34 1 11-7 910 1009 778 60'8 322 34 5SW 24 1 11-20 903 29998 764 676 340 35 SE 27 1 11-31 1893 987 788 677 338 35 ESE 22 1 11-43 1897 991 808 677 348 33 S 25 1 11-43 1897 991 808 677 348 33 S 25 1 11-44 1896 995 879 678 336 31 W 0 1 11-21 1896 995 879 678 336 31 W 0 1 11-24 1896 995 879 678 336 31 SW 0 6 1 11-24 1896 995 875 698 362 33 SW 0 6 1 11-24 1896 995 875 698 362 33 SW 0 6 1 11-24 1896 995 875 698 362 33 SW 0 6 1 11-24 1896 995 875 698 362 33 SW 0 6 1 11-25 1896 995 877 677 330 30 ENE 80 1 11-26 1896 995 877 677 335 30 ENE 80 1 11-26 1896 997 897 607 335 30 ESS 41 1 11-26 1896 997 787 605 321 33 ESS 41 1 11-26 1896 999 789 607 338 32 ESS 47 1 11-26 1896 999 789 607 338 32 ESS 47 1 11-26 1896 999 789 607 338 32 ESS 47 1 11-26 1896 999 789 607 338 32 ESS 47 1 11-27 1896 989 879 678 331 30 ENE 90 1 11-28 1896 999 879 679 332 32 ESS 47 1 11-29 1896 889 870 673 331 30 ENE 90 1 11-29 1896 889 870 673 331 30 ENE 90 1 11-29 1897 889 879 678 331 30 ENE 90 1 11-29 1897 889 879 678 331 30 ENE 90 1 11-29 1897 889 870 673 331 30 ENE 90 1 11-29 1897 889 870 673 331 30 ENE 90 1 11-29 1897 889 870 673 331 30 ENE 90 1 11-29 1897 889 870 673 331 30 ENE 90 1 11-29 1897 889 870 673 331 30 ENE 90 1 11-29 1897 889 870 673 331 30 ENE 90 1 11-29 1897 889 870 673 331 30 ENE 90 1 11-29 1897 889 870 673 331 30 ENE 90 1 11-29 1897 889 870 673 331 30 ENE 90 1 11-29 1897 889 870 673 331 30 ENE 90 1 11-29 1897 889 870 673 331 30 ENE 90 1 11-29 1897 889 870 673 331 30 ENE 90 1 11-29 1897 889 870 673 337 30 ENE 90 1 11-29 1897 889 870 673 337 30 ENE 90 1 11-29 1897 889 870 673 337 30 ENE 90 1 11-20 1897 889 870 673 337 30 ENE 90 1 11-20 1897 889 870 673 337 30 ENE 90 1 11-20 1897 889 870 673 337 30 ENE 90 1 11-20 1897 889 870 673 337 30 ENE 90 1 11-20 1897 889 870 673 337 30 ENE 90 1 11-20 1897 889 870 673 337 30 ENE 90 1 11-20 1897 889 870 673 337 30 ENE 90 1 11-20 1897 889 870 673 337 30 ENE 90 1 11-20 1897 889 870 673 337 30 ENE 90 1 11-20 1897 889 870 673 337 30 ENE 90 1 11-20 1897 889 870 673 337	10-37	'916	30'025	75'4	59.5	.315	36	s	36	29	
11-7	10-50	.013	'020	75'8	59'8	316	36	ESE	2,5	27	
11-20 903 29998 784 6r6 340 35 SE 37 " 11-31 1831 987 788 6r7 338 35 ESE 22 " 11-43 185 977 953 8r9 6r8 336 31 SE 37 " 11-55 877 953 8r9 6r8 336 31 SE 37 " 11-56 877 953 8r9 6r8 336 31 W 0 = - 0-4 1876 953 8r1 6r7 330 30 S 0r9 " 0-30 1863 943 8r2 6r7 330 30 S 0r9 " 0-30 1863 943 8r2 6r7 330 30 ENE 80 " 0-30 1863 943 8r2 6r7 330 30 ENE 80 " 0-30 1863 943 8r2 6r7 330 30 ENE 80 " 0-30 1863 943 8r2 6r7 330 30 ENE 80 " 1-20 1846 937 983 8r2 6r7 313 30 E 100 " 1-20 1846 937 983 6r5 6r1 313 30 E 100 " 1-21 1844 183 781 6r2 311 33 E 100 " 1-21 1844 183 781 6r2 311 33 E 100 " 1-21 1844 183 781 6r2 311 33 E 100 " 1-21 1844 185 994 789 6r7 314 30 NE 70 " 2-20 1849 887 879 6r8 331 30 ENE 70 " 2-20 1849 887 887 6r8 331 30 ENE 70 " 2-20 1849 887 887 6r8 331 30 ENE 70 " 2-20 1849 888 835 634 333 90 ENE 46 " 2-21 185 888 835 634 333 90 ENE 70 " 2-22 185 887 686 891 633 337 90 ENE 57 " 2-24 185 888 835 634 333 90 ENE 57 " 2-25 185 186 887 637 337 90 ENE 57 " 2-26 186 887 687 337 90 ENE 57 " 2-27 185 188 887 637 337 90 ENE 57 " 2-28 189 1888 835 634 333 90 ENE 57 " 2-29 189 1888 835 634 333 90 ENE 57 " 2-20 189 1888 835 634 333 90 ENE 57 " 2-21 189 1888 835 634 333 90 ENE 57 " 2-22 189 1888 835 634 333 90 ENE 57 " 2-24 189 1888 835 634 333 90 ENE 57 " 2-25 189 1888 835 634 333 90 ENE 57 " 2-26 189 1888 835 634 333 90 ENE 57 " 2-27 189 1888 835 634 333 90 ENE 57 " 2-28 189 1888 835 634 333 90 ENE 57 " 2-29 189 1888 835 634 333 90 ENE 57 " 2-20 189 1888 835 634 333 90 ENE 57 " 2-21 189 1888 835 634 333 90 ENE 57 " 2-22 189 1888 835 634 333 90 ENE 57 " 2-24 189 1888 835 634 333 90 ENE 57 " 2-25 189 1888 835 634 333 90 ENE 57 " 2-26 189 189 189 189 189 189 189 189 189 189	10-57	'908	910.	76.2	go.a	'314	34		3'4	29	
11-31 1833 987 788 677 338 35 FSE 272 11-43 1859 971 808 677 345 33 S 25 11-56 877 955 879 678 336 31 SE 37 11-56 877 955 879 678 336 31 W 0 11-56 877 955 879 678 336 31 W 0 11-57 955 879 678 336 31 W 0 11-58 878 956 879 678 336 31 W 0 11-59 958 821 627 330 30 S 0 9 11-59 955 821 627 330 30 S 0 9 11-50 1861 938 821 627 330 30 S N	'	.910	- 1			- 1	1		1 1	1)	
1143	11-20	1903	29'998	78.4	61.6	.340	35	SE	37	**	
1143			. J])	j	j				
11-56 877 955 879 678 336 31 SE 32 " 12-14 878 956 879 628 336 31 W 0 0 = 12-14 876 953 821 627 330 30 S 079 = 12-15 861 938 821 627 330 30 S 079 = 12-16 861 938 821 627 330 30 ENE 80	11.31	1893	1987	78·8	61'7	.338	35	FZE	22	"	
0-4	11-43	-887	971	808	62.7	*345	33	s	25	**	At 11-44 A.M. the eclipse was observed to commence in the SSW.
0-4		-877	955	81'9	62.8	'336	31	SE	3.3	n	
0-30 868 943 828 634 334 35 857 330 30 S 579 33 30 S 579 33 561 938 821 627 330 30 ENE 800 328 71. A small cloud eroseing the sun for 20 exceeds,			956	91.0	62.8	- 1	31				
0-30 1868 1943 828 634 1344 31 S8 27 1 236 1948 1851 627 1330 30 ENE 80 175 195 1948 1853 1931 818 621 1315 39 NE 169 175 175 175 175 175 175 175 175 175 175			952	- 1	- 1					*1	j
Post Post	Q-2T	'876	1955	82'1	62'7	,330	30	S	9.0		
Post Post		ĺ	į	i	ſ	- 1	[- 1			[
Post Post			Ţ								
D47 '853 '931 818 621 '315 99 NE 176 " 658 '853 '935 867 617 '315 30 E 1079 " 626 '937 '983 6075 '399 33 ESE 4'1 " 627 '346 '937 '983 6075 '399 33 ESE 4'1 " 628 '939 78'1 6075 '311 33 B 60 6075 '311 33 B 60 6075 '311 33 B 60 6075 '311 33 B 60 6075 '311 33 B 60 6075 '311 33 B 60 6075 '311 33 B 60 6075 '311 33 B 60 60 6075 '311 33 B 60 60 6075 '311 33 B 60 60 6075 '311 33 B 60 60 60 60 60 60 60 60 60 60 60 60 60		1			- 1	.,	- 1				0-38 P.M. A small cloud erossing the sun for 20 seconds.
0.58		. I	- 1		· i		- 1	- 1	- 1	- 1	
1-20		- 1							J		o 57 F.M. Temperature decreasing.
1-31 S44 935 781 60'S '311 33 B 60' 1-40 1840 929 78'9 60'7 '398 32 ESE 47 151 152 ENE 118 FAR. The total disc observed in the second of the s	- 1				- 1			ESE	. [- 1	ter P.M. The run could be seen could with naked eve. its
1.51	{				ĺ		1	[- 1	- {	1-18 F.M. A. S. clouds were visible between East and West.
1.51	1-31	844	'936	78.1	50.2	.gr2	33	E	60	.	I-14 P.M. The man easily visible by naked eyes; its colour was pale sobiase but bright, with one darkish spot on the disc. It looked just like early morning. I-18 P.M. The daylight was invulident for reading.
1-51	1-40	·8,40	.929	78.9	60'7	.308	32	ESE	47		1-19 F.S., The total disc obscured was nine-teaths. 1-24 F.M. The sun could hardly be seen with maked eyes.
2-20 3:19 897 812 6:18 3:12 30 ENE 4:6 " 2-32 3:85 3:97 828 650 3:31 50 ENE 70 " 3-50 3:19 3:89 8:30 6:33 3:38 30 E 50 " 2-10 3:19 3:85 8:37 6:36 3:40 30 ENE 8:8 " 3-27 3:19 3:85 8:37 6:34 3:35 29 SE 4:0 " 3-28 3:16 3:86 8:37 6:34 3:35 29 SE 50 " 3-29 3:16 3:16 3:26 8:37 6:37 3:37 30 E 52 " 4-1 8:20 3:90 8:37 6:37 3:29 29 NE 5T "	1.51	836	924	79'0	- 1	312	- 1	E	44	"	
2-32 885 897 828 630 331 30 ENE 70 2-41 7.12. The clear mo was visible. 3-9 817 885 835 634 335 29 SE 40 3-27 819 885 835 634 335 29 SE 40 3-42 816 886 831 633 337 30 E 52 4-1 820 890 831 631 329 29 NE 57	2-3	- 1	904	80'9	- 1	'314	30	- (1		
2-50 839 830 633 338 30 E 50 241 7.12. The clear man was visible. 3-9 817 885 837 636 340 30 ENE 88 3-27 819 883 835 634 335 29 SE 40 3-28 36 831 633 337 30 E 52 4-1 820 390 831 637 329 29 NE 57	2-20	-819	897	81.3	61.8	'312	30	ENE	4.6	- 1	
3-50 839 830 633 338 30 E 50 41 7.12. The clear man was visible. 3-9 817 885 837 636 340 30 ENE 88 3-27 819 888 835 634 335 29 SE 40 3-27 316 686 831 633 337 30 E 52 4-1 820 890 831 637 329 29 NE 57	}		{	- 1	}	1	1	- 1			,
3-9	2-32	.822	1897	828	630	.331	30	ÈNE	70	,,	·
3-27 819 883 83'5 63'4 335 29 SE 4'0 ,, 342 366 886 83'1 63'3 337 30 E 52 ,, 4-1 820 890 83'1 63'1 329 29 NE 51 ,,	2-50	1	889	83.0	63'3	'338	30	B	50	.,	2-41 P.M. The clear muo was visible.
3:42 St6 686 89t 63'3 337 30 E 52 4-1 820 890 83't 63'1 329 29 NE 51	3-9	817	-885	83'7	63.6	'340	30	ene i	8.8	-	
3:42 3:16 5:85 83t 63:3 3:37 30 E 52 4-1 3:20 3:90 8:3't 6:3'1 3:29 29 NE 5:1			- 1		ĺ	- }	-			- 1]
3:42 St6 686 89t 63'3 337 30 E 52 4-1 820 890 83't 63'1 329 29 NE 51	3-27	1 018	-888	83'5	63.4	335	29	SE		_	
4-1 820 890 83'i 63'1 329 29 NE 5T	1	- 1	1		_			E		- 1	}
	- 1	1	- 1	- 1	- 1	-		. 1	- 1	- 1	}
4-22 826 896 829 629 327 29 NE 37	}	- }					-	1		1	ì
	4-22	*826	896	82.0	62'9	327	29	NE	37	**	
					1		1			1	

CHIKALDA.

Lorig 77° 22 E

Seventy-one miles from central line of totality. Greatest obscuration 9.

	Bance		Degam.	y-vac an	103 7100	Win	t tene of		1	obscuratio	
Hour	Baro- Meter.	Dan balls	etras bank	Aqueous	Relative	WII	Amount	Clottd	Propert on of		
Madras tune	Corrected and reduced to 32° F	Dry balb co rected.	coreacted.	bieganta arbon	hem dity	Drection	sonce pre ceding mierval, m miles per hour	proper- tets	Propert on of eclipse, totality to	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	SATHER AND OTHER REWARES.
			•		*						
10-26	26 480	729	52 7	168	21	Calm		NA		Clear sky, n	ealher fine
10 41	452	72'5	528	174	22	Calm	16	,,,		D'tto	ditto
10-56	482	73'5	53.4	179	21	Calm	270	,		D'ite	eitto.
	479	73.9	24.0	189	22	Calm	20			D (to	dato,
11 26	481	75'1	514	187	21	Calm	113	-		Ditte	disto
11 41	474	749	53 4	163	18	Calm	373			Ditta	ditto
11 50	*471	755	540	171	19	Calm	36	**		Ditto	Dito Eci pse commenced at à 1
PM											
0-1	1 46:	755	540	*171	19	Calm	270	١.	1	Dritto	Weather fine
0-2	43	75'9	548	188	\$1	Catm	200	"	2	Ditto	dato
0-1	44	759	550	192	21	Calm	24		3	Dritto	ditte
los	6 44	751	544	167	21	Calm	24		4	Slightly dus	ky sky, ditto
٠.,	1 43	9 74*8	53'8	175	20	Calm	24		8	r ttn	dato and cool breaze
12	6 43	73.5	53'2	174	20	Calm	32	-		Ditto	d tto drite
1 14	43	5 715	528	186	24	Calm	32		9	Ditto	ditto ditto.
1 1	56 42	6 689	S18	190	27	Calm	32			Clear aky,	weather fine 4
	12 42	5 69%	52 4	194	26	Calm	176	,		D tto	ditto
2-1	a6 42	71 71	52 7	187	23	Calm	3'4			D t.o	ditto
1.	4 1 4:	19 727	9 53%	1 192	24	Cain	40			Ditto	d too.
2	56 4	18 727	53 5	196	24	Cate	574			D'ttu	d tto
3	11 4	21 74	54 4	191	23	Cafe	3'0			D tto	ditto
3-	25 4	74.	5 54 8	305	24	Calm	16			Ditte	ditto
3	41 4	14 73	9 557	, arg	25	Cafe	3-6			Ditte	ditto
3	56 4	12 74	5 557	3 1 31	5 24	Cefn	32			Ditto	ditto.
4	-11 4	10 74	9 55	4 216	5 24	Calm	16	١.		Ditto	d ito

Long. 80° 52' E.

No. 20. Lat. 24° 34'N.

SUTNA.

Seventy-two miles from central line of totality. Greatest obscuration 9.

Hour,	BARO	METER.				1	[W	mo.		i	
Madras time,	Corrected and reduced to 32° F.	Reduced to sea-level and constant gravity,	Dry bulb corrected,	Wet bulb corrected,	Aqueous vapour pressure,	Relative humidity.	Direction,	Amount since preceding interval, in miles. per hour.	Cloud proper-	Proportion of eclipse, totality so.	Weather and other remarks.
		,				×					
л.м. 9-57	29'021	30,023	70'9	543	.219	30	NW		Nil	}	
10-12	1023	1052	71'9	54.8	*220	8e	www	5"2	21	}	
10-27	*023	*050	72.9	55'3	·322·	28	WNW	4:8	,,		•
10-42	810.	'045	73'3	55.1	211	26	N W	5.6		ĺ ·	
10-57	*008	*032	7476	55'5	'206	25	NW	56	*		Fine clear weather.
11-12	*00B	*029	76*1	56.3	310	23	NW	72	*		
11-27	\$8 7999	'020	76'2	56'5	·216	24	N W	68	,,		
13-42	1994	.013	772	56-8	*212	23	NW	6-8	"		
11-57	*987	*005	77 7	56'9	1209	21	wnw	56	*		/
P.M.		}	. }	}	- }	1	nw (64			
0-12	*982	29'936	78.9	57'3	'204	21	- 1	1	"		
0-27	*978	*99 ī	79'3	57 3	199	20	NW	6'4	"	1	Eclipse communiced from the west.
0-42	*963	976	79 I	5618	187	18	NW	12-8	"	•	
0-57	969	'983	78-6	563	179	r8	w	8-4	*	4	
2-7	*959	'974	78'1	56.3	185	19	w	**	*	6	Daylight slightly diminished.
3-17	953	1969	77.6	57'3	.530	23	w		.]	7 .	Daylight pale, atmosphere coal and gloomy, Sun's heat was us mild as it seems at about 5-15 r.m. Surmunding objects looked as it in haze,
1-32	,912	962	77'1	563	197	23	NW	4"1	"	8) is heze,
1+32	'912	*963	75'1	55'3	194	22	w		"	8	. 1
1-42	*938	*959	75'1	35'3	194	23		27	,	9,	,
1-52	1936	- '959	741	56.3	'234	28	w	3.0		8:	•
1-57	'938	*961	74'1	56.3	*234	98	w			7 1	
2-12	·g28	947	75'9	56'3	2213	24	w		-	4	
2-27	934	950	77"	568	-318	22	ИА	53	-	3	<u>'</u> .
2-42	930	944	78'1	57'3	'214	۵	NW	10'4		2	The moon gradually passed across the sun's disc to the south-cast discrion.
2-57	933	'947	78'3	573	211	22	NW			٠,	Eclipse ended.
3-27	'937	'950	79'1	57'3	'201	. 20	NW	ior6	μ.	-	1
3.57	943	-956	79-1	57°t	196	. 19	NW	56	,		·:
	-							-			

ALLAHABAD

Seventy-five mues from central line of totality Greatest obscuration 9

- "	OUE.	BARO		-				T			Wit	10			Ī		ration 9		
Ma	idras re	oud duced 32" F	Reduc to ser level a consta gravit	nd For	y bulb rected	Wel her correc- ted.		18 6	Relative	Direct	1022	Amount face pro- ced ng sterval in siles per hour	proj	oud per-	Pı eclipi	opertion of sectotal ty ac	WEA	THER AND U	THER REMA
14	м		•			в			*		7		-	_					
,	53 29	759	30 03	5 6	91	56 1	1280		39	wn	w		N	,					
10- 10- 10-	23 38	761 763 758 757	031 033 031	70	9 09	553 561 571 571	246 256 269 269		34 34 34 34	WNV WNV WNV	V)	11 6 11 2 10 4 9 2	, ,,						
11-8 11 g 11-8	3	748 739 737 723	022 012 008 991	73 73 75 76	8 4 2 0	57 5 57 1 58 1 58 8	259 252 259 270		31 30 30	W W W W W W W W		08 08 04	, ,		٠				
14 S-0	1.	.,			1							-		1					
0-35	3 / 20	4	98t 973 970	76 77 77		9 3 10 0 19 3	273 284 280			V V VSV	1: 1: 1:	14	# P			s	ky assemed so	menhat f sud	hu.
0 43 0 53	1	- 1	**						- [i			.,						ande.
0-58	•69 69		964 966	77 8 77 2	"	Bg	248	:	26 V	NW	10'	8	,,			1	y more livid ty getting mor	te and more.	t _{er} es
7.3	1697				5	"	263	;	28 W	'NW	14	٠	*		4	1	Dillo	ditto	and ಕೆಚ
18	695		966 964	77 2 77 2	1 -	8	252			ww	10 1	1	10		4		Ditle	dilto	ditte,
1-13	695	1	965	767	59 59	- 1	263	2	- 1	NW	106	-1	•		5	Sky	gethag mots	end more I	ad purple
1 25	1693 601		164	76 a	59	1	276	3	1	NW	744		" [6	gh Sico	Ditto comy an ander	the landse	upo somen
1-28	689	ſ	ا ،	76 o 75'2	59		277	3	- 1	NW	96	1	.		8	ed The	light purple edge of the a same, gloo bly	Y tilan toror uo a dine to nesa decor	n reved dec
1-33	690	9	ا . ا	75.4 74.7	59 58	. 1	293 285	33		W	60	.	.		8	- 1	Titto	d tie	
1 38	688	*91	So .	74 2	58 1		72	32			60	'			8	The it and cast	whole land on neon-lit night I going to rou tower the un warmth of	spe wore a si- approaching st. A dark ishadowed p the our sea	ange aspect , birds chira strap of sha action of su reely felt.
1-43	688	*96	iz ,	73 7	58 1			-			96	"	1		9	The finds	aces of object stinct A st of Thoward	ets al dista range sad s oth of the su	nce keanenb ppearance is scarcely fe
1-48	1686	*95		32			79	34	WN		73	-			9		cape growing		
53	685	95	1.	32	58 r 579	25	- I	35 34	WN		84				9	(Tha :	maximum obs	comet on occu	rred belate:
58	*685	95	7 7	32	58 1	28		35	WN		48 48	' '	1,	01	6	Signs	of cleaning app	eared Cod	crowed.
1-3 1 B	681	95		38	58 I	27	9	33	WNV	[60		ľ			al nky	d landscapet g light purple.	A little was	ler Colour mth felt
18 23 -28	681 677 677 675 675	945 945 946 946	7.	42 42 48 52	59'1 58'9 59'6 60 1	30 39 30 32 32	7	36 35 36 37	WNV VV WNV	v	50 48 48	, ,			5 5 1 3	The Eky	l inndscape gr l ght purple, rapidly grow Ditto	ng brighter. dilto ditto	er Colour
33 38 43 48	671 673 671	041 941 943 941	1	70	60 g 60 g 60 I	307 293 321		37 34 12	WNU		2 2	"		•		Sky bng	Ditto Ditto ht blue with H Ditto	d tto	
53	671	940	78	- 1	60 7	321	3	ž	WNW	9	2	,,				Cheerful	litto and bright a it on less than	ditto. Eppermece	uli resed
-8 23 36 23	667 667 668 675	936 935 937 944	78 78 78 73	9	90.1 90.1 90.1	257 271 278 279	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2	MVM MVM MVM NAM	10 7 12 8	8	:				Sen com	and bright a pletely cleared and tion as bef d clear sky	ppearaore al d at 2-50 P M	I sound

POONA.

Long. 74° 10' E.

Seventy-five miles from central line of totality. Greatest obscuration 9.

Hous,	BARGE	RTEL.								Solar	
Medras time.	Corrected nnd reduced to 32° F.	Reduced to sea- level and constant gravity.	Dry bulb corrected.	Wet boils corrected.	biesznie kaboni kaboni	Relative humidity.	Wind force.	Cloud proper- tion.	Propertion of eclipse, totality 10.	radiation the mo- meter corrected.	WEATHER AND OTHER REMARKS.
	,	,		•	•	%					
A.M. 10-24	28'217	30'034	72'2	53'6	*182	24	Gentle.	Nil,	 . [94'5	The eclipse commenced at 11-47 A M. Sur' dist seemed to the sheared by the shadow it has proporties of 9 to 10 at 1-39 P M., whe the light likened to that of the moon shint. The autronating parts looked dim. The sheadow covering the sun was not exact dark. Stars not visible. Sky clear.
10-39	*214	1022	74'5	54'8	1287	22	Do.	,		1243	
10-54	'209	1011	76'0	55'3	-183	20	Do.	*		129'3	
11-9	'205	,001	77'2	56.0	'18g	20	Do.	*		1328	
11-24	'201	29'994	78'5	568	,191	20	Do.	*		134'7	
11-39	198	'987	797	57'3	.191	18	Do.	•		1373	
11-54	'194	*978	81'2	58.2	1001	19	Do.	•	2	134'3	
F,M. 0-9	*182	'959	82.2	57'8	'175	16	Light,		3	1285	
0-24	*180	'964	807	57'6	,191	19	Do.	29	4	118.8	
0.39	171	'95\$	80'5	57'4	188	18	Do.		5	109,3	
0-54	65	*940	804	57'3	187	18	Do.	**	7	99'7	
1-9	1153	'945	78.7	561	173	17	Do,	*	8	88'5	
1-19								***	9	90.	
1-24	744	'934	78.3	560	'177	18	Light.	Nil	8	86.3	
1-39	137	924	78.8	56-3	176	17	Do.		6	95'7	
(1-54	733	918	797	56-6	174	18	Da.		4	107'5	
2.9	*128	*907	81.1	559	*165	16	Do.	•	3	122'8	
2-24	122	1899	818	572	166	15	Do.	*	1	130.3	
2+39	'119	'893	B2·7	57-6	166	15	Moderate.	P	1	1375	Eclipse terminated at 2-41 2.M.
2-54	1116	1884	837	57'8	158	14	Do.			1363	
3-9	*118	-888	83'2	58°0	'172	15	Do.			135'9	
3*24	1119	-888	\$3'5	58'5	'182	16	Do.	•		134,2	
3*39	1119	*885	84.3	59*2	"195	16	Do.	•		1340	
3*54	121	1886	847	59*3	190	15	Do.	•		132'5	
4-9	122	-890	84"1	59'1	192	16	Do.			1308	
4-24	123	-890	83'9	59'3	'202	17	Do.			125'8	1

Houx.	DARG-	1				W	tim,	1	· .	
Madras Elme,	Corrected and reduced to 32° F.	Dry balb cerrected.	Wet belb corrected.	Aqueous vapour pressure.	Refaires Asmidity.	Direction	Amount since preceding interval, in miles per hour.	Clepd propor- tion.	Proportion of eclipse, totality 10,	Wrather and other remares.
LM.					%					
10-7	26'598	69'0	52'4	205	29	ESE		Nil	***	Fine clear weather,
10-22 10-37	602 600	69'2	53°1	.332	32	Calm	372	"		
10.52	593	70'0	53.3	213	32 29	Calm	24			·
11-7	*501	76'2	a	*228		ENE				Ditto
11-22	587	702	53'8 54'0	.339	31 29	Calm	28	"		Ditto.
11-37	587	71'5	550	*244	32	Calm	0'8	"		
11-52	'585	72'8	54'2	*208	25	NNE	3"2			Ditto.
P.M.									ŀ.	
0-7	'581	73'5	54'4	'205	24	NNE	40			Eclipse commercial,
0-12	'577	72'5	54'2	.311	36	Calm NNE	0	"		
0-22	'573 '573	72'5	53'7 54'4	'203 '217	25	Calm	374	•	1 2	
0-27	'571	72'1	53'3	1192	27 23	Calm	20		2	Little lint of white in the sam.
0.33	569	72'8	51'4	*213	25	WNW	48	"	,]
O-37	'567	728	547	1222	38	NNE	24		3	2
0.43	'565	72"2	54'7	1228	29	Cales	24		3	Ditto,
9-47	565	724	547	*226	29	Calm	0	.,	4	
0-52	'563	72'0	\$4'0	212	27	Calm	1'2	Jo	4	Sun'a lustra decreasing.
P-57	'563	72'0	550	.338	25	Calm	0	"	4	P
1-2	'561	71'9	54'5	1226	29	NNW	36		5	Sun yelioxleh.
1-7	'553	70'8	540	'225	30	Calm	24		5	1 San Attorion
1-13	553	70'5	540	,339	31	Calm	4'8	- 1	6	
t-17 t-23	553	70.0	54'0	235	32	Calm	374	*	6	
1-27	'553 '549	69'7	53'7	*23t	33	Calm Calm	L3	" [7	•
1-32	*547	67'2	53'0	937	35 36	Calm	ا ۽	*	8	
1.37	547	66°a	527	246	39	Calm	٥	:	9.	Greatest abscuration. Light was necessary to barometer in the room. Dull walte star to the S' the sun.
5-42	*545	66·a	527	'246	39	Calm	0	.	763	Obscuration decreased. Barometer read without he light.
1-47	*545	66°o	597	*246	39	Calm		.	8	Lustre increased,
1-52	'543	66-1	52'5	*242	38	Caim	0		,	Ditto.
1-57	'543	67.0	52'4	.338	34	Calm	T2		6	Ditto.
2-2	'545	67.2	527	*233	35	Czim		. 1	5	Ditto,
2.7	545	68:2	5372	'234	34	Calm	24	. i	4	Yellewish tini disappeared,
2-12	537	68.2	53'0	1229	33	NNW	24		3	
2-17 2-22	537	69.0	53'0	1270	31	Calm	2'4		3	
2-32 2-27	537	692	53'4	228	31	WNW	3.6	"		<u>}</u>
2-32	537	70'0	53'4 53'4	310	30	Calm Calm	3'6	**	*	Sea assumed original colour.
237	541	73'0	54'2	228	30	Celm	24	"	3	,
2-42	'545	71'0	54'4	234	31	WNW	48		;	Sua clearing gradually.
2-47	543	70'8	53'4	-210	27	Calm	12		; ;)
2.52	541	71'0	53'4	'208	27	Culm	12	-		Eclipse ended.
3-7	'545	71'8	54'2	-219	28	Calm	or8			
3-22	'551	71.8	54'4	'224	28	Calm	16		. 🖺 🐪	
3:37	*551	72'2	54.8	'231	29	Calm	0'4			
3:52	.221	720	54'8	'234	30	Calm				
4-7	*551	73'0	552	.919	- 1		. 1	-	: 4	

BULDANA.

Seventy nine miles from central line of totality. Greatest obscuration 9.

Houn.	BARO	METER, .					1 79	TKD.			
Madras time.	Corrected and reduced to 32" F.	Reduced to sen- level and constant gravity.	corrected.	Wet balb corrected.	Aquequa Vaponr pressure.	Relative homi- dity.	Direction	Amount since pre- ceding in- terval, in miles per hour.	Cloud proper- tion,	Proportion of eclipse, totality ro,	Weather and other remares,
A.M.					•	74					
10-16 10-31 10-46	27'920 '918 '918	29°996 30°000	78'4 79'1 79'6	564 561 565	184 167 173	18 17 18	SE SE SSE	"" #4 #4	Nil "	=	Sky blan, Do. Do.
11-1 11-16 11-31 11-46 11-58	'918 '906 '898 '''	'992 '983 '970 '967	81.1 83.3 81.1 81.1	56.7 56.1 57.7 56.6	'171 '143 '175 '157	17 13 16 15	SSW ENE E NNE	36 44 32 52)))) () ()	 	Do. Do. Do. Do. Obscuration commenced.
P.M. 0-1 0-7 0-12 0-16 0-21 0-26 0-31 0-41	892 888 890 888 886 886 884 889 878	956 949 952 951 951 947 943 948 938	81'7 82'4 82'3 81'9 81'6 81'7 82'0 81'6 81'5	56-7 57-5 57-5 57-6 57-2 57-8 57-3 57-7 56-7	152 167 174 147 167 182 166 177 152	14 15 16 13 15 17 15 16 14	NW NNW NW NNW Calm NNW N N NE NNW	40 40 24 60 13 24 72 36 60 60	# # # # # # # # # # # # # # # # # # #	0.5 1.3 2.5 3.5 4.5	De. De. De. De. De. Do. Do. Do. Do. Do. Do. Do. Do. Do. Do
0-51	1872	937	81.3	57'7	*157	15	N	4.8	,,	5	diminishing. Usual blus colour of sky changing into diblue.
0.56	'870	1937	80.7	57*0	'173	17	N	60	n	5'5	hipe. Horizon to NE and W. duli (as if foggy misty.) Dutto, ditto, Daylight turned very p and yellowish.
1-1 1-6 1-11	'866 '865 '864	'933 '934 '935	80°6 80°0 79'5	56'9 55'9 56'0	*17t *150 *159	17 15 16	NNB NNW NNW	60 60 48	» «	6 6:5 7	Ditto ditto. Ditto ditto. Ditto ditto. colour of sky blackie
1-16	1862	'934	79'3	55'7	153	16	N	бe		7'5	Ditto ditto. A star (probably Veous) observed to the of the sun with the maked eye.
1-22	·86o	'934	78-7	55'7	*161	17	N	4'0	*	82	gtar visible, colour of the sky dark, quits v and sloister light on all sides, colour of disc of the sun reddish pale and brown r bursting out from the obscured disc. Hori dell to NW and E.
1.28 1-36	'859 '856	.638 .038	77'5 76'7	54'9 54'7	'153 '158	15 17	NNB	6°0 5'3		9 8	Ditto ditto. Sky dark ; slightly changed into bright yellow colon; num's disc reddsh throw bright yellowish rays : star visible. Hori still dull to NE and W.
1-46	·8 ₅₃	'933	77'3	55'0	'158	16	N	5'4	,,	6	Sky blackish or dark blue; light bright yell
1·52 1·57	'853 '849	'930 '923	78°1 78°5	55°0 55°0	'149 '143	15 14	NNE	3.0	#	5 4'3	Ditto light pale bright ditto, Sky blue, daylight bright (white) ditto.
2·2 2·6 2·16 2·21 2·26 2·31 2·36 2·41 2·46	*846 *844 *842 *841 *840 *842 *842 *842 *842	'920 '917 '916 '911 '907 '908 '908 '908	78'5 78'7 79'0 79'8 80'4 79'9 80'5 80'5 80'5	55'0 55'1 55'7 55'7 56'4 56'4 55'9	143 144 137 147 151 146 158 158	14 14 14 15 15 15 15	NNE NNE NNE NNE NNE NNE NNE NNE	72 90 78 84 60 64 60 84	11 21 21 20 27 21 21 21 21 21 21 21 21 21 21 21 21 21	3'5 3 1'5 1 0 6 0'3 0'2 	Ditto ditto ditto. Sky blue. Do. Do. Do. Do. Do. Do. Do. Do. Do. Do
3·16 3·16 3·31 3·46	·840 ·840 ·841 ·843	'903 '900 '901 '903	80'8 81'9 82'1 82'0	56°0 57°0 57°1	143 158 156 160	13 14 14 14	ENE E E NE	68 40 64 32	71 20 21	:: :: ::	Do. Do. Do. Do.
4·1 4·16	·845 •848	'903 '907	82°4 82°3	57'2 56'7	'158 '145	14 13	E ENE	4'4 4'0	, ,	· :::	Do,

GAYA:

Hopa.	BANGE	ETER.		1	: -	<u> </u>		totality		test öbscurat	
Madras time,	Corrected and reduced to 32° F.	Reduced to sea- level and constant gravity.	Dry bulb corrected.	Wet bulb corrected.	Aqueous vapour pressure,	Relative humidity.		Amount since preceding jeterval, in miles per hour.	Cloud proper- tion.	Proportion of eclipse, totality	Weather and other remarks.
4.31. 10-0 10-5 10-10 10-15 10-25 10-35 10-35 10-45 10-55 10-55	29'678 '677 '679 '682 '683 '683 '683 '684 '685	30'019 '017 '019 '021 '021 '022 '022 '023 '023	72'6 73'2 73'6 74'2 74'5 74'6 75'0 75'2 75'3 75'5 75'5	59'0 59'1 59'6 59'7 59'8 60'2 60'2 60'4 60'4 60'6 60'6	320 316 327 320 321 325 326 327 327 333 333	% 41 39 40 38 35 40 37 37 37 37 38 38	SW SW SIV	20°0 3°2 3°5 3°6	N: "" "" "" "" "" "" "" "" "" "" "" "" ""		Fine clear weather from to a.u. to 0-23 a.u.
11-0 11-5 11-10 11-15 11-25 11-30 11-35 11-40 11-45 11-55 11-55 12-0 P.M.	*684 *680 *675 *667 *656 *653 *642 *638 *636 *634 *633	*022 *017 *012 *004 *001 29*992 *089 *981 *978 *978 *979 *970 *969	76 0 76 0 76 2 77 4 78 2 78 6 78 6 78 7 78 7 78 7	60'7 60'7 61'2 60'8 62'2 61'6 61'7 61'4 61'3 61'2 61'2 61'0	329 338 317 354 329 334 314 313 308 308 309	37 37 38 34 38 34 33 31 31 31 31 31	W W W W W	52 ;; 64 ;; 64 ;; 32	# # # # # # # # # # # # # # # # # # #	000 000 000 000 000 000 000 000 000 00	
0-5 0-15 0-15 0-20 0-25 0-35 0-40 0-45 0-55	*630 *629 *628 *628 *629 *624 *618 *596 *596 *599	966 965 964 964 965 953 933 933 933 933	78·6 78·6 78·6 78·6 79·6 79·6 79·6 79·6 79·7 79·8	60'6 60'5 60'4 61'3 61'0 60'8 61'4 61'4 61'6 61'7	288 284 303 303 303 303 303 303 303	30 30 28 31 38 29 30 31 31	siv siv siv :::	4'8 4'0 4'8	77 77 90 90 90 90 91 91 91 91 91 91 91 91 91 91 91 91 91		Dim resides from 0-30 P.M. to Test Fut.
1.0 1.5 1.10 1.15 1.20 1.25 1.30 1.40 1.45 1.55	*598 *597 *596 *596 *594 *594 *592 *592 *594 *594 *592 *594 *594	*932 *931 *939 *939 *929 *929 *927 *927 *925 *920 *919	79'6 79'6 79'6 79'6 79'6 78'2 78'0 71'8 77'8 77'8 77'8 77'8	61'4 61'4 61'4 61'4 61'2 61'0 60'7 60'6 60'5 60'4	303 303 303 303 301 301 306 301 306 301 308 309 309	30 30 30 32 32 32 32 32 32 33 30 30	sw iv iv	32 52 736 64	19 19 19 19 19 19 19 19 19 19	* 17 17 19 0 0 10 10 10 10 10 10 10 10 10 10 10 10	Durktin and newstark veralitor,
2-0 2-5 2-10 2-15 2-20 2-25 2-35 2-40 2-55 2-55	*578 *574 *573 *565 *566 *566 *560 *560 *558 *558	913 909 909 904 903 898 896 896 896 894	77'8 77'6 77'4 77'0 76'8 76'5 76'2 76'2 76'1 76'1 76'0	60°1 60°0 59°8 59°7 59°6 59°2 59°0 58°8 58°8	"285 "285 "281 "283 "285 "287 "278 "272 "270 "267	30 30 31 31 31 32 30 30	W	36. . 36. . 28 	# # # # # # # # # # # # # # # # # # #	7 6 4 3 2 2 1 1 1	Do, Dim and Du. 10x, Do, Do, Do, Do, Do, Do, Do, Do, Do, Do
3.0 3.5 3.15 3.25 3.33 3.33 3.34 3.35 3.45 3.55 4.0	555 554 559	\$94 \$93 \$89 \$91 \$96 \$97 \$98 \$99 \$99 \$99	75'9 75'8 76'8 76'8 76'8 76'9 77'0 77'0 77'2 77'2 77'3	587 587 586 587 595 596 592 603 603 603	267 266 268 256 280 281 300 302 299 297 298	31 32 32 33 30 31 31 31	₩ ₩ ₩ ₩ ₩	44 28 40 36	20 20 20 20 20 20 20 20 20 20 20 20 20 2		

Long. 74° 42'E.

BELGAUM.

Ninety-three miles from central line of totality. Greatest obscuration 9'5.

Hour	D							,		7	\neg		ļ
i	DAKO	ETER.							IND.	-		a decad	
Madras time.	Corrected and reduced to 32" F.	Reduced to sea- level and constant gravity.	Diy bu	b Wet	r paro	Aqueons vapour pressure.	Relative humidity.	Direction.	Amon since precedi Interv in mil per ho	ing P al, les	Cloud ropor- tivs.	Proportion of eclipse, totallty so.	WEATHER AND OTHER REMARKS.
					$\overline{}$		1%		•				
A.M.	•	*	1.	1	55'9	*226	27	ESE	,500	.	Nil		10-23 A.M. to 4-22 P.M. Fine weather and blue sky.
10-22	27'495 '496	29'963	1 .		566	*235	29	ESE	227				
10-37 10-52	'492	'95I	75	5 5	56.7	.530	26 26	ESE	22	1	,,		
11-7 11-22 11-37 11-40	-489 -483 -475 -475	93:	70	5	56'9 56'7 56'5 56'7	'215 '201 '205	23 21 21	ESE ESE ESE	18 18	יסי	27 24 39	::	Eclipse commenced from SSW. Daring eclipse observed portion of sun's due appeared quite dark and the vest white. Eclipse cleared away from SSE.
11-45 11-53 11-58	469	1 20	0 78 4 78		56.7 56.7 56.7 56.9	*205 *195 *189 *197	21 19 19 20	ESE ESE ESE	18 18 18	0	20 20 20	0°5 1 2 2	
P.M. 0-8 0-11 0-17 0-22	7 40	3 '90	nel 18	5 5	56.7 56.6 56.2 55.7	190 186 176	19 20 19 18	ESE ESE ESE	11	80 80 80	10 10 10	1	Light little pale. Cold breeze as to sariy mouning.
0-24 0-3 0-3 0-3 0-4 0-4 0-4 0-5 0-5	4 46 7 45 7 45 5 45 6 45 15 45 16 45 17 45 18 18 45 18	99 99 99 99 99 99 99 99 99 99 99 99 99	77 77 95 77 93 77 94 77 95 79 98 79 94 7	74 77 78 75 75 75 75 75 75 85 85 85 85 85 85 85 85 85 85 85 85 85	5564 564 564 562 562 562 562 562 562 562 564 5562 564 565 564	*190 *193 *191 *190 *189 *198 *198 *198 *198 *180 *180 *181	21	ESI ESI ESI ESI ESI ESI	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	13.0 13.0 13.0 10.0 10.0 10.0 10.0 10.0	# # # # # # # # # # # # # # # # # # #	555555555555555555555555555555555555555	Ditto. Ditto.
0·5	57 4 58 4 2 4 5 4 5 4	49 '9 49 '9	00 7 001 7 003 7	5'9 5'5	557 557 553 547 547	195 195	2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2	ES ES ES ES	E	12.0 13.0 13.0 13.0	* # # # # # # # # # # # # # # # # # # #	8 9 9	Ditto. Ditto. Ditto. Ditto.
141	12 4	45	702 7	50 49 44	547 547	180			E	12'0 12'0	",	9	Light vary pale. Grass and trees in light appeared quite pale.
1+1 1+1 1+1 1+1 1+1 1+1 1+1 1+1	19 4 22 4 29 4 34 37 40 45 49 54 57	37 31 129 129 129 129 129 1425 425 425	897 893 890 890 890 888 884 881	14"1 13 8 13 7 13 7 13 7 13 7 14 2 14 2 74 7 74 8 74 9 75 7	546 544 547 557 557 557 557 557 557 557 557	10 10 20 20 21 21 7 21 7 21 21 21 22 21	5 3 7 7 7 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	1 4 ES ES ES ES ES ES ES ES ES ES ES ES ES	E E E E E	12'0 14'0 14'0 14'0 14'0 14'0 14'0 14'0 16'0	91 607 308 72 90 90 90 91 91 91 91 91 91 91 91 92 92 93 94 94 94 95 95 95 95 95 95 95 95 95 95 95 95 95	8 7 7 65 6 4 3	Ditte. Date. Date. Light imelicient to read with.
2 2 2	1.5 1.5	422		75.7 75.8 76.1 76.6	56°2 56°2 56°2	2 *21 2 *21 1 *21	11	23 E	SE SE SE	16.0 16.0 16.0	١,		
2 2 2	2·19 2·22	'421 '421 '421 '421 '421 '420 '418	*867 *864 *862 *862 *859 *854 *853	76 8 77 3 77 7 77 7 77 8 78 2 78 7 78 7	56° 56° 55° 55° 55° 55° 55°	7 1 7 1 7 1 7 1 7 1 7 1 7 1	92 87	20 E 19 E 18 E 16 E 15 E	SE SE SE SE SE SE SE	16°0 16°0 20°0 20°0 20°0 20°0 20°0		1 1 1 0 5 0 5 0 5 0 5 0 5 0 5 0 5 0 5 0	
	3·7 3·22 3·37 3·52	'417 '417 '417 '417	·853 ·851 ·849 ·854	78°8 79°2 79°5 79°5	55 55 55 55	73 1 14 1	148 146 151	14 E	NE NE NE	14°0 14°0 20°0		B 400 80 400 90 90 400 90 br>90 400 90 br>90 400 90 br>90 400 90 br>90 400 90 400 90 400 90 400 90 400 90 90 400 90 400 90 90 400 90 90 400 90 90 400 90 90 400 90 90 90 90 90 90 90 90 90 90 90 90	
- 1	4·7 4·22	·419 ·417	·853 ·848	79°2 79°7	55 50	77	154 162	16 I	NE NE	161 161	8	n	

DARJEELING.

Ninety-five miles from central line of totality Greatest obscuration 9

Ho	OIR 3	BARO- ETFR					from a	Wiki	7		Cu			_	<u> </u>
Mac	7E 180	ar F	Dry bulb corrected	Wet but corrected	herante Asbon Adneone	Relati hum d	ve ty Directi	Amo ance cedi ater in m per h	pre- ng val Res	Propor tson	K:	nd	Direct on of mol on	Proper- tion of celipre lotal ty	Weather and other remark
9		3 020	46'4	381	1,00	% 45			Т]				
9	43	026	465	381	145	l	- 1	. 1		4	Ci Ci	ı Cı	S		Cloud greatest n SW Dull :
9.	58	030	466	381	144	45		. `	- 1	4	Cu		SR		hazy on far hills Ditto
To:		032	47.4	37 7	127	44	1	4	11		Cu A	s	S		
10-2	28	020	456	41 1	212	39	R	31	5		Cu	i	5		Cloud greatest to SW Colum by pink on far hills to distance Cloudy and hazy clands
10 4	43	016	452	40'8	210	69	NNE	24	1	5	Cu	- 1	5		Cloudy and hazy; clouds tores p ok when approach ng soon Still cloudy and hazy
10 5	8	010	454	403	100	70	NW	74	- 81	6	G	5	E		Sun obscured by dark heavy clouds
11 1	3	010	440	403	211	65	NW	12	1	7	N C	a	N		D tto Clouds oz d
11-2	8	006	44.4	40'3	200	74	NW	1.3	1	7	N,C	۱ (N		D.44- lant bil
11-4	3 .	006	458	425	-	71	NW	2.4	1	7	N. Fr	Cu	E	- 1	vis ble
11 5	в ,	206	454	413	239	77	WNW	1 "	1	8	A Cu,N	CI			Sun re-uppeared atill hazy Dar meass of clouds in S Sonog and hazy Clouds on d star hils
F X			737	41.3	219	71	WNW	28	1	10	S Cu,	N	- 4	- / /	Huzy audden change
0-13	1 .	- 1	442	40'9	223	76	N	20	1	10	S. Cu,	.,	- 1	1	tion was considered was direct
0-28		80	43 8	41 3	°235	82	N	20	1	10	N N	"	- 1	- 1	ou obscured
0-43	1		438	42 3	255	89	N	116		10	N		- 1	1	
0 48	, ,		45 4	41 9	231	76	N	12	1	10	N		- 1		Jely Do
o 53	, ,	- 1	45 2	41'9	233	77	WNW	24		to	N		- 1		Do.
0-58	9	- 1	446	415	,33t	78	WNW	36	l	10	5 Cu f	.		- 1	
1 3	9	- 1	- 1	4T E	233	82	WNW	24			S Cu		- 1		ouds changing slowly and steadly
18	91			48 T	233	82	WNW	24		to	5 Ca	1		- 1	
1 13	90	- (413	231	79	WNW	36	١,	to I	5 Cu	ļ	- 1		
1 18	96	8 4	35	40"7	225	79	WNW	36	,	0	5 Cu	1	- 1	1,2	P M Moon and twn veshie over
1 23	96	8 4	38	109	227		WNW					1	- 1	an m	d byer aga a with the rap d more
1 28	96		1		229		WNW	2.4		- 1	5 Cu				D tto d'tto,
1 33	96	8 4		- 1	225	1	WNW	۰	1	- 1	S Cu	1	1	Ugi	y and bazy ditiod its.
1 38	968	4		- 1	228			12	14		5 Cu		7		Dile ditto
1-43	970	4			130	. 1	WNW	24	10	- 1	Ce 5 C	1	1	1	- 1
1 48	966	49	'	-	·	1	WW	24	Iq	- 1	Cu, N	S	V 9	Ugly	
53	960	42	4 4	- 1		- 1	VNW	•	Io		Co., N	S		Sun	obscured by ordinary basy
58	960	42	4 40	j	·	. 1	VNW	°	10		Cu., N	s	9	LIG K	gluomy and hazy
-3	960	42	6 40			. 1	VNW	•	10	1	Cu N		9	1	tto d lto.
8	*96a	42	6 40	- 1	- 1	- 1	NW		8		Cu N	SE to		D _i	ord nars
13	952	43	2 40	8 2	- 1	- 1	NW	.			Cu., N	SE to	1	D	Pink Pink
18	952	43	2 40	9 23	33 8	3 N	NW	12	8		Cu, N		,	Di	0110
23	95"	43	2 40	9 23	- 1		NW	36	8		u.N	N	5	D	
8	954	433	2 40	9 23	3 8	3 W	NW	24	8		Ca, N	N	1 1	DIE	
33	932	43 :	-	9 23	3 8	w	NW	60	8		S., N	41	1 4	1	cared by clouds.
38	932	43 4	7.		9 8.	W	NW	60	8		Cı			Ditte	
43 58	9 2	440	1		7 8:	W	W		9		G	SE		Ditto	distant housen (N)
13	956 36	43 4	1	1	١ "	N	w .	68	9	C.,	- 1	SW	1 .	A Cu c	louds from north slowly
28	938	43 4 43 6	7.0	1 "	-			12	8	c.c		N		driven.	louds from north slowly by winds taking place of outs, ow A Cu clouds to distant
	335	*30	41 5	241	84	N	V .	8	s /	C	a.		1	hor zuo	Ciouds to dutant

CHANDA.

One hundred and four miles from central line of totality. Greatest obscuration 9.

			C	ne kun	tred and	four n	niles fro		il litte o	, was	,,	
Hot	r.	Baron	FTER.					Wi				
Mad	Can Ca	anected and educed to 32°F.	Reduced to sea- level and constant gravity.	Dry bulb corrected.	Wet bulb corrected.	Aqueona vapour pressure,	Relative humidity	Direction.	Amount mace preceding interval, in miles per hour.	Cloud proper- tion.	Proportion of eclipse, totality 10.	Weather and other remarks.
-	. 13.	,		•			٠/.	WNW.		Nil		Sky clear and weather fine throughout, and
10	1-4	29'477	30.053	70'2	28,1	325	44	WNW	172	, ,,,		sua bright-
	≻19	479	.083	71.6	58°5 59°≃	.319 615.	42 59	WNW	1'2	"		
	34	·472 ·463	°073	74.0	59'7	312	37	wnw	1'2	-	***	
1 "	-49	443	1	/"	***		Ì			1		1
1	1.4	449	°45	76-1	6012	310	34	WNW	0'8		1	
1	1-19	.446	±0.40	776	60°2	*290 *275	30 29	WNW	0'4	,,	1	
	1.34	448	.oto	29'0	60°3	212	30	WNW		,,	1	}
'	1-49	434	.026	39.0	1	-7"	-		į			
1	P.M.							WNW	48	۱.,	0,3	Obscuration commanded from WSW.
1	0-4	431	'022	1	61.7	311	31				0'5	
	0-9	1420	1000		62.3	314	30	"		р	1	
1	0-14	.450 .454	1013		62'2	308	29	Calm	0.1	, ,	1'5	
1	0-19	.430		1	62*2	.308	29			"	2 275	
	0-29	.414.	1 .		627	'317	30	WNW	0.4		2.8	
1	0-24	.410	29 99	818	62.7	.316	30	1	1 1	"	1 3	
ļ	0-39	.410	999	21.e	62'2	,313	29 30	""	"	,,	3'5	
1	0-41	*406			619	304	29	WNW		,,,	4	
-	0-49	.700			619	.304	29				5	
	0-54 0-59	.401		٠	4	'331	32		***	, "	6	
-1	0.39	'	"		1	1		0.1	.		65	
-	1-4	1,400	99.	80'6		331	32	Calm	1 .	l "	7	ļ
Į	1-9	.30			1	.303	30			",	7'5	1
	1-14	39								, ,	7.8	-
	1-19	'39				357	36			,,	8	
ı	1-29	,38 ,38		- 1		'357	36				8.5	
	1.34	38		· l	61.7				ı	1 "	9 8:3	Began to clear from WSW.
- 1	1-39	.39	1 .	7 761					-	"	6.2	Department of the second
1	1-44	.38							, "	, ",	1 .	ļ
	1-49	.28					1		~ <u></u> .	Ή,	1 -	
- 1	1-54	'37			' I . '					,		
- 1	1.59	'37	' '	" ″		1	-	- 1			1	1
- [2-4	-37	5 9	59 76%					1	" "		
١	2-9	'27	7 9	58 78°						"		
- 1	2-14	'37							w 1	6 7	1	
- {	2-19			-1 -			' l .	- 1				1
- [2-24		l i	56 801 50 801				2				
- 1	2 29	1		61 8t	· I .				W o			1
- 1	2-35			65 81°	4 62			р	·] ••			
- 1	2.44			63 81				9 WN		1	n 0.3	
j	2-45			67 81°	6 62	3 30	× ²	9 WN	" "	1	•	
1		1		65 82	6 61	يو. أي	,,) ,	:5 N	4	4	,	
ļ	3.4			65 82 58 82		' I		5 Cal	im o	4		
١	3-1			150 83		7		16 Ca				
1	3.4			62 Sa			Bs 1	75 P	' '	18		
		Ι.				_ _	.	26 1	,	,,,		
	4.4	1 3	377	961 83	r6 62	7 72	91 .	" '	` '	t.o	* "	
١					<u> 1</u> :							

HOSHANGABAD.

Long 77° 46' E.

One hundred and twelve unles from central line of totality Greatest obscuration 9

Houx	- BARU	METER	1					'IKD	_ _	- 1		
Madras time	Corrected and red ced to 32° F	Reduced to sea- level and constant gravity	Dry bulb corrected	Wet bulb corrected	Aqueous vapour pressure	Relative	Direct on	Amous surce preced o solerra so m fe per hou	prot Cia	oud por-	Proport on eclipse total Tu	of ty Weather and other remark
T M						, ×						
10-10	29 079	30'081	679	59 7	413	60	ENE	ł	N	. 1		
10 25	078	076	69'9	600	395	54	NE	36	1	- 1	•	Sky blue,
10-40	1074	oóg	717	61.4	417	53	NE	08		- 1		Deto
10-55	'071	064	727	610	425	53	Calm	44	١,	- 1		Dato
_	1	-				23	1	"	"	'		Ditto
I I-I0	*066	957	73°E	622	424	52	Calm	04	١.	. 1		Ditto
11 25	064	051	749	63 2	435	49	E	08	1 .	- 1		D tie.
11-40	იენ	039	76'9	640	430	47	NE .	24		- [D tto.
11 55	045	1026	78 r	650	456	47	NE	36		-1		Ditta
- 1					- 1		1		1			Ditto
2 14									ĺ			
0-10	043	022	78'9	654	459	47	Calm	16	۱.,			D ito.
0 20	041	019	794	652	446	44	Catra		,,		,	Eclipse commenced from SW to NW
0.25	036	Ol 2	799	668	495	49	Calm	1'2	,,	İ	2	
0-30	030	005	804	67 2	503	48	Calm	•	1	-1	2	1
0 35	7026	100*	80 7	674	506	48	Calm	0	.,	-	3	
040	024	29.999	805	668	488	47	Calm	0			3	
0 45	024	30,000	799	664	481	47	Calm	0		-1	4	1
0 50	018	297993	799	65 8	461	45	Calm	12		1	4	1
0-5 5	016	991	799	658	462	45	Calm	0			5	1
1-0	*016				. 1	- 1	٠. ا			1		2
15	014	'99t	79'9	658	46I	45	Calm Calm	۰	,	1	5	
1*10	010	990 989	79 7 78 1	654	449	44	Calm	۰	,,,		6	
1 15	008	987	77.9	648	442	46	Calm	:	n		6	
1 20	006	986	77.7	618	452	47	Calm		**	1	7	
125	003	983	77.5	646	448	47	Calm		"	1	7 8	
130	100	983	767	6412	446	48	Calm	.	"	1	8	1
1 35	28 999	983	755	638	448	SI	Calm	.			9	
I 40	995	979	75 5	638	448	51	Calm		."		**	Obscuration began to decrease
45	993	977	75'3	634	435	49	Calm					
1 20	*99I	976	75 I	632	431	49	Calm			İ		
55	993	977	75'3	63 6	414	50	Calm	•	27	1		
		_	- 1	- 1	- 1		- 1	ı		i		
2+0	997	981	75 7	638	444	50	Calm	0	77	1		
10	991	974	75 9	640	448	50	Calm	٥	м	1		
15	983 991	905	767	642	446	48	Calm	۰	•	1		
20	991	972	77 7	64 8 65 a	432	47	Caim Caim	°	*		į	
25	986	964	78 3	654	456 46 ₃		Calm		79	1	j	
30	986	964	78 7	658	474	47	Calm		"	1	- 1	
35	988	964	79 7	658	462	45	NE	24				
40	988	963	799	66°o	466	45	NE	96	," I	Ĺ	ļ	
45	-990	956	80°1	66 2	470	45	NE	24			i	
30	990	965		664	475	45	NE	24	,		- 1	
55	988	962	80 7	666	4,8	46	NE	12	*		-	Obscuration ended
10	-986				468	44	NE	28				
25	1988	- 1			476	1	Calm	3.6	•		1	
40	988				473	45	NE	24	-	!	- 1	
55	998	972	809	664	468	"	Calm	¥4	"			
lo l	998	972	809	658 .	40	43 0	alm	24	.			

KHANDWA.

One hundred and twenty miles from central line of totality. Greatest obscuration 9.

lour, I	BAROM						Wind.			ity. Greatest obscuration 9.
- NOK								Amount	Cloud	
	orrected and reduced to 32° F.	Reduced to sea- level and constant gravity.	Dry bulb corrected.	Wet bulb corrected.	Aqueous vapour pressure.	Relative bumidity.	Direction	preced- ing interval, in miles per hour.	proper-	Weather and other remarks.
A.M.		,	,			74				
10-15	29°033	30.020	74'9	56.3	1225	26	Calm		Nil	
10-30	'033	*053	76'4	57.3	*235	26	E	116	,,	
10-45	1029	.012	77'9	588	,5QI	28	Calm	2'4	,	
11.0	'02‡	'037	80.1	59-8	'263	45	E	2'8	p)	
11-15	*020	1030	80.6	59'3	*241	22	E	40	»	Į
11-30	'017	*024	82'6	59°3	'217	19 18	E	372		
11-45	*004	,010	82.8				ESE	4'8		Eclipse commesced from S.W.
12-0	28:997	'000	84'4	596	'204	17	~	1		
P.M.	100-	29'998	846	60.6	1232	20	Calm	1-2	,,	
0·10 0-15	1995	.00g	84'4	60'3	1225	19	ENE	4.8	,,	
0-20	*993 *991	994	84.4	597	1203	18	Calm	172		1
0-25	.020	999	83'9	6or3	'232	20	NE	24	"	1
0-30	.020	-989	83'9	60.3	'232	20	NE	2"4	"	
0-35	1982	1984	84'7	91.8	1266	1	NNE	60	"	İ
0-40	.80	1983	83.0		1232	\$0	ENE	6.0	"	1
0-45	979	1982	841		266	23	NE	1,5	29	1
0.50	975	*978	83.8		1202	1 '	ENE	4.8	"	
O-55	'973	'977	£3.4	58.8	'193	17		1		
1-0	1972	977	83-1			1	ENE	4.8	"	
1-5	1967	'971	82'8		1200		E	3°5	"	
1-10	965		815	1			2	3.6	"	Weather became haty,
1-15	*959						E	43		readed because needs
1-20	958						Calm	24		
1.25	956	1			1 .		E	2'4	,	Blue sky.
1-30 1-35	1957			1			NE	1.3		
1-40	1950 1950						NE	24	"	
1-45	951			_		1	NR	1'2	1 "	1
1.50	950			1 .		21	NE	2'4	۳.	
1.55	'949	1 .			'215	20	E	3.6	*	
2.0	1949	956	81'	58.8	121		ENE		"	
2.5	944		81'				ENE		"	
2-10	'944						ENE		"	
2-15	1941			- 1			NE.	96	"	
2-20	'939				' 1	· I	NE			
2.25	.938						NE	1 '		1 -
2-30	.03		I -			-	Calm		, ,	ĺ
2•35 2•40	1					• •	NE	2'4	, ,	
2.10	'94'						ESE			
2:50	1 "			· 1 -			NE		١,	
2.55							N	376		
3.0	'94						B NE	_2°4 6°0	,,	
3-15	, ,,			. 1	1 7	1	E	48		
3.30	(27	2 '94					NE	40		
3'45	i 93	o '93					NE	76	1	
4-0	191				- 1		NE	40		Eclipse terminated to N.W
4:15	94	. '94	1 86	4 60'	3 '20	1 10	1125	1 7"	1 "	The second secon

RAIPUR

Long 81° 41' E

Hous	BARON	ETER					Wi	NO				
Madras times	Corrected and reduced to 32° F	Reduced to sea level and constant gravity	Dry builb corrected	Wet bulb corrected	bresznie Asbent Vdnedna	Relative hum d ty	Direction	Amount sance preceding saterval in miles per hour	Cloud proper- tion	Proportion of eclipse totality	Tempera- ture of solar radiation corrected	Weather and other remarks
4.W 10 4	29'096	30'034	71.6	593	342	% 46	Celm		Nit		•	
10 14	099	'034	730	599	343	43	Calm		,,		1	
10-24	099	039	740	59'9	330	40	Calm		,,		1	
10-34	100	'032	74.4	59'8	321	3B	Calm	66		}	1	{
10-44	098	1027	750	60'9	335	38	Calm		,,	1	1	ļ
10 54	420	022	76.6	604	311	34	Calm					
55 4	093	019	76'3	603	311	34	K	12	(,			
11-14	086	013			301	33	Calm	0.5	.,		Į	l
11 24	030	_			309		Calm	.	″	1	1	
11 34	075	29'998	78 6	1 1	288	30	E	1.3	,,	1		
11-44	973	995	l '		297		Calm	06	, ,		1	[
11-54	1063	1	1 .	1 1	290	1	Calm		,,	"	1383	
P N 0- 4	062	980	1	1	307	1	Calm	σó	,,			
0 14	ł.		1	1 1	280		Calm		Ι",	}	1	Eclipse commenced from west.
0-19	051			1	302	1	Calm		1	} .	131 3	Semple community in the
0 29		965	1	1	'272	1 '	Calm	06	,	1	1	
0-34	1 "	1	,	1 -	296	į	Colm	12	Į.	1	1	{
0 44	1 7		ļ	1	290		Calm		"	3	1093	[
		1	1	1 '		1	Calm		1	4	,3	
0.49			ł	1	292	1		1	, "	5		
0-54	1 -	i		1	289		Calm	06		3]
1.4	1			1 -	.381		Calm	1	1:	6	833	
1 g		1	. ['''	1	1	1	Calm	24	\ <u>'</u>	7 8	-33	1
1 -		1 "	1 '	1	1		Calm	T4	"	1	j	
1 24	1 '	94	1 78	60 z	277	28	1 8	1 **	'	9	753	
1 29	1	}	}		1			١.	,,	}	/"	
1 3/	1	1 '94	4 77	600	312	33	Calm	"	"	١.	853	}
1 39					-	1		1.			(~ "	
14		7 94	0 77	6 6os	2g:	30	Calm	1 "	,		963	
1 4	1		1.	1.							1	
15		1		1 .		1	Calm] [9	1073	
15	ł		1		1	1	Calm	1] [,	1163	
2 9	1	1		1		1	Calm		1:	4	1233	
2 1	1	` ^	- 1		1		Calm	1	1	3	129'3	
22	i i	1	1		1		Calu	1	,,	1	1	
2 3	- 1	2 92	9 79	8 617	29;	7 29	Calm	1	1 "		1353	
2 4	- 1	2 92	19 8o	o 619	31.	4 31	Calm		١,	}		
3*	9 01	4 '93	p 80	6 61	30;	5 30	Calm		-		1	
3-1		5 92	9 81	5 61	27.	26	Calm	•	,		1223	
32		7 193	3 80	6 61.	27	5 28	SE	o-6	(.			
		5 '93	0 80				Calm				1	
3-3	4 '01	5 9	1 8o	7 61	29	2 29	SSE	0.6) "		4	

PURNEA.

One hundred and thirty-four miles from central line of totality. Greatest obscuration 9'5.

				ne huna	rea ana	inirty-	jour mi					
Hove	<u>.</u> -	BAROL	METER.		1	-	. 1	Wi	Amount			
Mad tim	· ,	orrected und educed 1 32° F.	Reduced to sea- level and constant gravity.	Dry bulb corrected.	Wet bulb corrected.	Aqueous vapuur pressure,	Relative humidity	Direction.		Cloud, kind and proper- tion.	Proportion of eclipse, totality su.	WEATHER AND OTHER REMARKS.
	.м. 31	19'958	30'043	66.8	59.6	416	% 63	sw		Nil		·
وا	39	'954	'039	67'4	'59'6	'408	61					
١,	46	949	*034	67.8	596	'403	59	sw	372	21		
,	56	946	'030	69.6	63.0	'393	54			#		
	0-1	941	*025	70'0	60.0	-386	53	wsw	3.6	,,		
10	-16	938	*022	70'2	бо'4	'396	53	w	20			
10	.31	*930	*014	71.8	61.4	406	52	w	o-8			
10	.41	·928	.013	72'8	биб	*400	50			78		
10	-49	925	*008	73'0	61-8	'404	50	WNW	1.3	"		1
. 1	1-1	' 921	'004	73'8	62'0	'400	48	WNW	1.2	"		
,,,	-11	'914	29'997	73'8	620	*400	48	٠. ا		"		
11	-23	908	1991	74'2	63"1	*398	47	WWW	Г4	, ,	***	
11	-36	-896	979	74.8	63.3	.393	45	WNW	3.3	*		
11	-46	-888	1970	75"0	61.8	'377	44			"		
	-53	·885	*967	75"0	62'0	'384	44	SW	2.2	"	***	
	p.H. o-t	.878	-960	75'8	62.0	*373	42			×	***	
١,	17-	1876	958	75'8	62'4	395	43	sw	2.3	**	***	Eclipse commenced from SW.
١,)-21	1870	'952	76'0	626	.389	44		***	, n	l ".	Penhot Municipes 1107 9 111
	31 I	•866	-918	768	61.8	7853	38	ssw	3.3	Cu,	2	
	o-36	•862	1944	762	62.0	*368	40			Cu.	1	
	5-41	1864	1946	76.3	62'3	374	41	ssw	5'4	Cu.		,
	0-51	•860	.015	1	62'6	.389	44	127		Cu.	3 4	
	o-56	858	.010	1	62'0	'373	42	W	3,3	Cu.	5	
	1-3	1852	'934	1	62'3	.320	43	WNW	37	Cu	6	
	1-9	*850	7932		61'4	357	39		37	Cu.	,	
	1-16	-850	'932	1	61'4	359	40		23	Nil	8	
	1-22	*848	1	ì	61.3	358	42	Calm	1	,,,,	9	
	1.31	.821		1 -	61'1	'363	44	1	"	, "	9.5	
	1-37	-847		1	61.0	367	46	Calm		1 .	9	Air cool and sky dark, daylight diminished so as to resemble the dim light imparted by a setting sun after heavy shower in the
	1-43	*844		ı	61.0	*378	52			, ,	8	by a setting sun after heavy shower in the
	1-51	*842		· I	61.3	.406 .711	54	Calm	1	",		
-	1-56	*84	1 '	1	,61.0	415	56		֓֟֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	37	7	
-	2-1	*84	1	1	61.6	ł	59	1	1	l l		'
ļ	2-6	*84	1		1		60	1	`	,	6	}
	2-13 2-18	*83					58	•••			5	
	2-26		· ·	2 71 8	63.1	463	59			"	4	
1	2-31	-83	5 '91	8 7218		4			' r2		3	
	2-39 2-46	·83				1 .			, "	"	2	
	2-56		8 '92	10 753	624	.392	44	· I		. "	<u>'</u>	Relipse terminated.
	3-1										:::	
	3-16 3-26				1 -			5		,,		
1	3-31			24 74		393	1 4	5 WN	W r	, ز	10	P.C.
-												

KARWAR.

One hundred and thirty-six miles from central line of totality Greatest obscuration 9

Hour.		HETER.				1	W	ints		1	
Mad as time.	Corrected and reduced to 32° F	Reduced to see level ned constant gravity	Dry bulb corrected	Wet bulb corrected.	Aqueous vapour pressure	Relative humidity	Duection	Amount s ace preceding interval, in miles per hour	Cloud proper tran	Properties of eci pse, totality in	W eather and other remarks.
A,DI					,	%					
10-24	29'985	29'962	736	653	514	62	Calm		Nd		1
10-39	'990	966	766	655	482	-	Calm				b
10 54	*988	964	776	663	496	53 52	NW	°			(
11-0	977			-				16	et .		Fine clear weather
11 24	974	953 950	79°6 80°7	66 5 66 7	476	46	NW	20	*		1)
11 39	969	930	81 5	664	468	45	NW.	370	10		
11-44	954	940	824	667	448	42	NW	48	90		
11-10	967	943	826	668	445	41	NW	60	1)		Eclipse commenced Low westerly direction
11 54	901	940	82 0	66.1	447 418	40	NW	24	,	1	
11 50	964	940	826	666		37		60	**	1	
2 X		-,-			439	40	w	36	77	2	
										l	
0-4	961	937	82 0	66 3	427	40	w	424	,	2	
o- 9	9.8	924	82 1	66'3	436	39	W	20	,,	3	1
0-14	'956	932	826	67.5	473	43	W	24		3	
0119	952	928	820	666	447	41	w	36	**	4	1
0-24	952	928	819	66.6	449	41	w	48		4	
- 1	'954	930	811	668	454	41	W	60		5	Pale rose colour of the sun changing he saffron red
0-34	954	930	815	674	453	45	WNW	60	,	5	saliron red
0.39	952	'92€	81.6	67 6	496	47	NW	60	,	6	Son began to lose brilliancy
0 44	950	926	8org	67.5	495	47	w	36		6	
0-49	918	924	Boz	673	499	48	w				Atmosphere dall and hezy Appearance the sun deep saffron red Sun looked like new moon
0-54	947							48	'	7	Sun looked like new moon Darkoms increasing
0-59	947	923	78 9	668	497	51	WNW	24	,,	7	•
- 1		933	773	67.6	547	58	w	48		8	Colour changing to dark sallion Corona rink
1-4 1-9	917	923	77 1	685	583	62	w	24	, [8	
1 14	943	919	753	67.5	571	65	Calm	12	-,	9	Darknese (revailed
1-19	943	916	74 4	66 8	557	66	Calm			ģ	
- 1	0to	916	74 1	66:8	562	66	Calm	•	.	9	
1-24	'937	913	733	658	536	65	Calm		. 1		runsh ne increasing Colour of the su salf an red Perfectly culm
1-29	935	911	742	66 r	£34	63	Calm		:		
1.34	932	908	746	665	544	61	Calm		"		
1 39	928	904	75 5	673	529	63	Calm		,		
I 44 I 19	928	904	76.4	68 2	581	63	Calm		:		
I 19	924	*90p	77 3	68 5	553	55	Calm		·, [
1 50	916	892	789	68 2	547	55	Calm		.		
	918	891	79 5	67 B	524	52	WYW	48	,	- 1	
24	915	891	804	68 2	527	51	10	60			
2-9	913	889	811	683	522	49	w	84	:		
2 14	911	887	81 G	68 7	529	49	w	36	·		
2 24	909	885	821	68 3	508	46	w	60	٠, ا	i i	
2-29	905	881	824	68 2	500	45	17	60			
2 34	900	880	83 6	68 3	488	42	w	72	٠, ا	1	
2-39	899	876 875	84 I 84 I	679	467	40	w	48			
2 54	894	870	854	67 2	441	37	W	10-8	.,		Echipse terminated Sun zes me b illing
3-9	802	868	1	68-3	464	38	W	44		J	· ····································
3-24	889	86g	86.0	67 6	430	35	w	40	. 1	ì	
3 39	887	863	85 g	678	439	36	w	48	٠	Ι.	
3 54	893	860	85.5 85'4	675	437	36	W	68]	
4-9	897	- }	- 1	67 G	438	36	W	44		}{	Fine clear weatl er
4 24	897	873 873	8 ₅ 8	66 9 67 5	407	33	w	32		l l	- tea more Mostlet
4 44 1					439	37	w				

26° 10′ N. BHAGALPUR.

One hundred and forty-four miles from central line of totality. Greatest obscuration 9.

		One h	undred	and for	ty-four	miles f	rom cent	TEL DING	0) 50516		t obscuration 9.
Hous.	Валон	ETER.			- 1		Wi	ND.			J.
Madras time,	Corrected and reduced to 32° F.	Reduced to sea-level ond constant gravity.	Dry bath corrected.	Wet bulb corrected.	A queous vapour pressure.	Relativa humi- dity.	Direction.	Amount since preceding interval, in miles per hoor.	Cloud proper- tion.	Proportion of eclipse, totality ec.	Weather and other rem. E25.
A.M.	,	,,				%					
100	25,001	30.018	72'4	60'3	'363	46	Calm		Nil.		
10-15	'892	'009	73'4	60'9	*369	45	Calm	۰		- 1	
10-30	*886	.003	747	6019	'351	41	Calm	•	,	\ i	
10-45	-884	.000	75'1	6274	396	45	S	0'4	"	· •	
11-0	876	297993	74'9	6r4	-366	42	Calm	0.8	,,	,	
11-15	1 .	*988	761	62'1	'372	41	sw	28	-	•••	
11-30	1	'976	76'1	61'7	-360	40	ssw	1.6	-	•••	
11-45		972	76.2	61'9	362	40	ssw	۰	-	***	
12-0		1957	78.2	63.1	'378	39	Calm	6"4		-	
P.M.				1							
0.1	*833	*949	78°3	62'4	*353	1	WNW	}	"		First contact took place at 0 30 P.M.
0-30	'823	1939	77*8	6119	*344	1	WNW		"	. "	
0-4	1821	1937	78.0	61.0	'342		sw	1.8	"	2	
0-5	1817	7933	78.4	62'5	'355	37	Calm	1.8	"	1	
0-5	s				"		-			3	
1-0	*802	916	78.0	62'4	357	37	Calm		, "	4	
1.0	1802	918	77'8	61.0	344	36	W	06	,,	5	
1-2	o . '8a:	1 '928	77'4	62'9	38:	41	Celm	1.3	"	6	
1-3	0 '791	1902	7779	61'9	355	5 38	1	Ι.	"	7 8	
1-4	0 '79	91.	¢ 76":	627	39	a 44	Calm	1	*	1 '	
1-5	179	91.	75	62"	7 '40	5 40	Calm	· °	-	9 at 1-55P.1	
2*0	779	6 '91;	73	7 61°2	7 '39	2 47	Calm	1			Greatest phase at 1-57 P.M. The eclopic occupied oltographe 3 hours 36 The color hours of the suo was covered at 1-to P.M. and almost immediately, the shadows of the color of the color of the color of the color of the sun and the lease one of the sun and the lease one of the sun and the lease of the sun and the lease of the sun and the lease of the sun and the lease of the sun and the lease of the sun and the lease of the sun and the lease of the sun and the lease of the sun and th
2-1	0 179	191	731	63"	3 '44	2 53	1		*	***	The centre of the suo was covered at 1-10 P.M. and almost immediately, the shadows P.M. and almost immediately, the sun's rays
2-2	0 79	5 gt;	3 74	637	9 '45	9 55	1	1	"	***	became appreciable. The dark haze which obscured the N. and N.E.
2 2	0 79	10.	4 75	63:	3 42	6 49	Catn	۰ ۱	"	. "	horieons intensibed gradosly, and S. and S. W. horieous lucked dull yellowish. Colours were
2	10 '79	8 '91.	4 75	9 62	5 '38	8 44		1	"	·	bow coloured paper during the time of great
2-1	79	191	2 76	1 611	9 '36	7 4	Caln		-		besine appreciable. The fash has which endeally and S. sod S.W. The fash has which endeally and S. sod S.W. In the second section of the second section of the second section in the second section is section in the second section in the second section in the second section is section in the second section in the second section is section in the second section in the second section is section in the second section in the second section is section in the second section in the second section is section in the second section in the second section is section in the second section in the second section is section in the second section in the second section is section in the second section in the section is section in the section in the second section in the section is section in the section in the section in the section is section in the section in the section in the section is section in the section in the section in the section in the section is section in the section in the section in the section is section in the section in the section in the section in the section in the section in the section in the section in the section in the section in the section in the section in the section in the section in the section in the section in the section in the section i
3	'78	90' 9	5 77	62	9 -38	37 4		1			gular circus appears neor the commons fringes and coop and irradiated. Luminous fringes seemed to very indistinct oscillating shadows seemed to be a seemed
3.	10 179	3 90	9 77	o 62	7 38	lo 4			1.		travel across the horizon during the greates phase. This was observed by projection or large white sheet spread on the ground their width being obout 2 inches and seeme theted. Tha fringes appeared to be bands or pink, orange and red, separated by dark stricts.
3-	25 79	19. 91	5 77	3 63	1 '3E	9 4	2 N	۰ ا		'''	theh width heing obout 21 inches and seeme tinted. The fringes appeared to be bands of
·3·		10 10	6 77	0 62	.36	50 3			"		stripes.
ì	55 '79	19' 19'	5 77	-8 63	.2 .38	95 4	Calc	n 0	"	,	strices. The haze depend and covered the sky to N. and N.R., subsiding graduolly after the time of greatest phase till 3-6 2.51, when it quite sunshed.
4	10 . 8	92	13 76	8 .63	4 4	o6 4	4 Calı	n 0	.,	-	,
1							.			1	<u> </u> ,

One hundred and forty-eight miles from central line of lotality. Greatest obscuration 9.

	tion of totality Weather and other semant.
1. 1. 1. 1. 1. 1. 1. 1.	
9-54	
10-9	
10-24	
10-39	
10.54 27997 '983 73'0 56'4 '251 31 NW 14'4 " 11-9 '991 '976 73'1 56'4 '250 31 NW 16'3 " 11-24 '765 '967 73'7 56'4 '242 28 NW 18'8 " 11-39 '1978 '958 74'1 57'0 '255 30 NNW 14'3 " 11-54 '968 '946 74'4 56'9 '243 29 NW 14'4 " 11-39 '968 '946 74'4 56'9 '243 29 NW 14'4 " 11-54 '968 '950 '937 74'9 57'2 '251 29 NW 14'4 " 11-54 '968 '950 '937 74'9 57'2 '251 29 NW 14'4 " 11-39 '952 '931 74'9 57'2 '251 29 NW 14'4 " 11-39 '950 '921 76'0 57'8 '255 29 NW 22'5 " 11 0-34 '950 '923 75'6 57'1 '239 27 NW 9'0 " 12 0-39 '948 '9.3 75'9 57'6 '250 28 NW 12'0 " 12 0-44 '933 '916 75'8 56'9 '233 27 NWW 15'6 " 13 0-49 '925 '917 75'6 56'9 '233 27 NWW 12'0 " 14 '941 '915 75'2 57'1 '245 28 NNW 14'4 " 15 0-59 '943 '915 75'5 57'1 '245 28 NNW 14'4 " 16 '941 '915 74'9 56'9 '242 28 NNW 14'4 " 17 0-59 '943 '915 75'5 57'5 '245 29 NNW 14'4 " 18 0-59 '943 '915 75'5 57'5 '245 29 NNW 14'4 " 19 0-59 '943 '915 75'9 56'9 '242 28 NNW 14'4 " 19 0-59 '943 '915 75'9 56'9 '242 28 NNW 14'4 " 10 '937 '911 '240 56'9 '242 28 NNW 13'2 " 10 '937 '911 '240 56'9 '242 28 NNW 13'2 " 10 '937 '911 '240 56'9 '242 28 NNW 13'2 " 10 '937 '911 '240 56'9 '242 28 NNW 13'2 " 10 '937 '911 '240 56'9 '242 28 NNW 13'2 " 10 '937 '911 '240 56'9 '242 28 NNW 13'2 "	
11-9	
11-24	
11:39	
11:54	
7.31. o-9	
0-24 939 934 749 572 251 29 NW 112 0-28 950 921 760 578 255 29 NW 2275 0-34 950 923 756 571 239 27 NW 90 0-39 948 918 759 576 250 28 NW 120 0-44 945 915 758 569 229 26 NNW 120 0-49 945 917 756 569 233 27 WNW 120 0-54 945 913 752 571 245 28 NNW 144 0-59 943 915 755 575 245 29 NNW 120 0-49 1945 915 755 575 245 29 NNW 120 0-54 945 915 755 575 245 29 NNW 120 0-59 943 915 759 569 242 28 NNW 120 0-59 943 915 759 569 342 28 NNW 120 0-59 943 915 759 569 342 28 NNW 120 0-59 943 915 759 569 342 28 NNW 120 0-59 943 915 759 569 342 28 NNW 132	
0-24 939 934 749 572 251 29 NW 14'4 " 0-36 950 921 76'0 57'8 255 39 NW 22'5 " 1 0-34 950 923 75'6 57'1 239 27 NW 9'0 " 2 0-39 948 948 75'8 56'9 250 28 NW 12'0 " 0-49 945 916 75'8 56'9 223 27 NNW 15'0 " 0-49 945 917 75'6 56'9 233 27 NNW 15'0 " 0-54 945 915 75'2 55'1 245 28 NNW 14'4 " 0-54 945 915 75'5 57'5 245 29 NNW 14'4 " 1-4 941 915 75'9 56'9 242 28 NNW 14'4 " 1-4 941 915 75'9 56'9 242 28 NNW 14'4 " 1-4 941 915 75'9 56'9 242 28 NNW 13'2 " 1-4 937 937 915 75'9 56'9 242 28 NNW 13'2 "	
0-38 950 921 760 576 255 29 NW 225 " I 0-34 950 923 756 571 239 27 NW 990 " 2 0-39 945 917 756 569 233 27 NWW 120 " 3 0-49 945 917 756 569 233 27 NWW 120 " 3 0-49 945 917 756 569 233 27 WNW 120 " 4 0-55 945 918 752 571 245 28 NNW 144 " 4 0-59 943 915 755 575 245 29 NNW 120 " 4 1-4 941 915 749 569 242 28 NNW 130 " 4	Fine, clear weather.
0-34 '950 '923 756 '571 '239 27 NW 90 " 2 0-39 '948 '948 759 576 '250 28 NW 12'0 " 2 0-44 '945 '946 758 569 '229 26 NNW 15'0 " 3 0-49 '945 '947 756 569 '233 27 WNW 12'0 " 4 0-54 '945 '913 752 571 '245 28 NNW 14'4 " 4 0-59 '943 '915 755 575 '245 29 NNW 120 " 4 1-4 '941 '915 74'9 569 '242 28 NNW 13'2 " 4	They clear weather.
0-39	
0-44 '9-15 '916 756 569 '229 16 NNW 156 " 3 0-49 '9-15 '917 756 569 '233 27 WNW 1220 " 4 0-54 '9-15 '9-15 752 571 '2-15 28 NNW 14'4 " 4 0-59 '9-13 '9-15 755 575 '2-15 29 NNW 120 " 4 1-4 '9-11 '9-15 749 569 '2-12 28 NNW 132 " 4 1-0 '9-17 '9-17 749 569 '2-12 28 NNW 132 " 4	-
0-49 '945 '917 75'6 56'9 '333 27 WNW 12'0 " 4 0-54 '945 '913 752 57'1 '245 28 NNW 14'4 " 4 0-59 '943 '915 755 575 '245 29 NNW 120 " 4 1-4 '941 '915 74'9 56'9 '242 28 NNW 13'2 " 4 1-0 '937 '911 74'9 56'9 '242 28 NNW 13'2 " 4	
0-54 '945 '913 '752 '571 '245 28 NNW 14'4 " 4 '0-59 '943 '915 '755 '575 '245 29 NNW 120 " 4 '14'4 '941 '941 '750 '242 28 NNW 13'2 " 4 '14'4 '941 '750 '242 28 NNW 13'2 " 4 '14'4 '941 '750 '750 '750 '750 '750 '750 '750 '750	
0-59 943 915 755 575 245 39 NNW 132 4 1:4 911 915 749 569 242 38 NNW 132 4 1:0 937 911 769 460 480 880 880 880 880 880 880 880 880 88	
1-4 '941 '915 749 569 '242 38 NNW 1372 " 4	
1.0 937 911 749 560 1844 10 818111 11 4	
1-14 030 1000 1000 1 1 1 1 1 1	
1/10 tata ata 740 501 223 26 NNW 132 " 5	
3121 mass 317 739 559 220 27 NNV 150 " 6	
1970 1971 1972 1973 1974 1975 1975 1975 1975 1975 1975 1975 1975	
700 924 729 550 230 28 NW 1372 " 1.	
937 914 720 550 234 29 NNW 120 " 9	
1-39 '931 '916 71'9 55"2 '231 29 NW 9'6 h 9	5unlight gleemy.
1-44 '932 '919 71'5 54'9 '227 30 NW 14'4 ", 9	
1·49 932 922 70°9 54'9 229 31 NW 10'8 " 9	
1-54 '931 '912 70'6 552 '245 '23 NW 12'0 , 8	
251 192 1939 1939 251 257 35 NW 4/8 # 8	-h
2-9 929 918 709 559 267 35 NW 69 27	
2°14 '9°8 916 71'3 56'0 460 34 NW 7.2 " 4	
2-24 926 OT 727 504 207 34 WW 84 " 3	
2-20 925 926 72-6 568 265 33 WNW 66 " 3.	
2·34 925 905 73'3 57'1 268 33 NW 96 2	
2-39 923 992 7376 569 264 31 NW 976 - I	Pine, clear weather.
2-49 920 895 739 509 255 40 NW 700	
2-54 926 903 74'0 56'9 254 30 WNW 156 "	
3-14 '925 '901 '76'3 '76'5 '252 30 WWW 13'2	
3-29 927 '901 739 566 '246 70 WNW 124 " -7"	
3-39 930 907 74: 569 253 30 WNW 120	

One hundred and seventy-six miles from central line of totality. Greatest obscuration 9.

Hour.	BARO	METER.			Г	1	w	IND.			
Madius time,	Corrected and reduced to 32° F.	Reduced to sca-level and constant gravity.	Dry builb corrected.	Wet bulb corrected.	Aqueous vapour pressure.	Relative humid- ity.	Direction	Amount since preceding interval, in miles per hour.	Cloud proper- tion.	Proportion of eclipse, totality 10.	Weather and diver remarks.
	٠,				•	×					
9·39	27-856	30'003					" .		Nil	•••	Blue sky, no cloud; sun shines brightly, wind blows gently.
9-49 9-54	::		69:5	54'3	°236		Niv		,,		Do. Do. Do. Do. Do. Do.
10-4	-881	29'991							.]	•	Do. Do. wind blown a little
10-14]	71'0	550	.536	31	NÏW	77		***	Do, Do, Do. Do, Do, Do,
10-19	1865	966			***	***		"	: (***	Do. Do. Do.
10-39	{3		727	557	*235	29	NW	62		•••	Do. Do. Do.
10-24	:836	.956	::	=		***		***	:	***	Do, Do, Do.
11-4			73'1	55'9	*236	28	พัพ	98	,,	,	Do. Do. De. Do. Do. Do.
117-9	*855	****		***					31 19	***	Do, Do, Do,
11-19	005	949	74'5	563	'230	27	พัพ	i I	- *]	-	Do. Do. Do.
11-34		`		***		***	NW	7'9			Do. Do. Do.
11-14	*849	938	75'4	56.5	223	26		1 1	- : }		Da. Do. Da. Da. Do. Da.
11-59	::	=		1		•	WNW	9.6	"	}	Do. Do. Do.
₽.X. 0-9	638	1921	,				į		.		The sur- looks to though black class bu
6-19 0-24	::		768	57'5	'236 '''	16 	Ϋ́й	79		1 1	Do. Do. Do. Obscuration from S, obscured part bluck but the rest red Blue aby. In cloud, one abinus brightly, who
0-34 0-44	*824 ***	*907 ***	76 6	57:2	'228	124		::.	"	3	blow gently. Do. Do. Do. Do. Do. Do. Do. Jo. Do. Do. Do. Jo. Do. Do. Do. Jo. Do. Do. Do. Jo. Do. Do. Do. Jo. Do. Do. Do. Jo. Do. Do. Do. Jo. Do. Do. Do. Jo. Do. Do. Do. Jo. Do. Do. Do. Jo. Do. Do. Do. Jo. Do. Do. Do. Jo. Do. Do. Do. Jo. Do. Do. Jo. Do. Do. Jo. Do. Do. Jo. Do. Do. Jo. Do. Do. Jo. Do. Do. Jo. Do. Jo. Do. Do. Jo. Do.
0-49	/	}			- 1	***	NW	77		3	
0-59	822	.909	75.8	563	214	23	***	***	~	3 4 4 5 6	
1-7	\ \	1	75.0	503	***	~3	NW	9"2		5	
1-19 1-27	*604	895	74'2	 55'4	207	~ 74	·:::	- 1		6	1.27 PM. The sun shices as he shines after
	"		. }	- 1	1 1		WNW	8.1	- 1	,	5 P.M. Gentle breeze,
1-31 2-39	808	904	-::		:::	***	***	J	27	7 8	Do-
1-47			72'9	55'3	'222	27	***		,,	9	. Do. The obscaration goes away from
1-51 1-59	*815		::	»·	=	::	 WNW	54 	:	8	Do. Sun's rays increasing. Do. Half of sun's obsequation disappeared.
2-7			73°2	55.8	230	28				6	
2.11	["	1	1	1			WW	r8	. 1	6	De.
2-19	813	905			L.,)	***		}	"	5	Do.
2-27	1]		74'2	56.5	'230	27	иw	ži		3	Do. По,
2:37	:813	1900	:::		~ [2	Do,
2-47	3	***	75'4	563	*219	25	Ν̈́W	96		1	Do.
2-51 2-59	·819	903	::·		=	- :::				i	Do, Do,
3-9			7G·1	569	*227	25	/		,		3-9 r.m. to 3-39 r.m. Hise sky, no cloud but dust have in horizon. The sun zhines
3-14	l l	}		ا ا	1		WNW	75)	(مہ	brightly and the wind blows gently.
1 3-24	816	902)	100	1.5			
3-34 3-39	(••• [75'8	56'2	21'1	23	WNW	84	*		
] ""	"	Ì			-		1		-		

No. 37. Lat 26° 26' N.

CAWNPORE.

Long. 80 25 E

One hundred and ninety-one miles from central line of totality. Greatest obscuration.9.

Houn	BARON	RTER.				<u> </u>	Wi	н.		1	,
Madras time.	Corrected and reduced to 32° V.	Redaced to see- level and constant gravity.	Dry bulb corrected.	Wet hulb corrected.	Aqueons vapour pressure.	Relative humidity.	Direction	Amount more preceding interval, in piles per boar.	Cloud prepor- ties.	Proportion of edipse, totality,	Weather and other remarks
A.N. B-o	29'605	30.004	60.0	507	237	% 44	wnw		MI		3 Agu. to orgo e u, fine, cleur netlber,
10-0 10-15 10-27 10-43 10-58	637 637 641 640 635	1027 1026 1029 1026 1021	71°2 72°0 73.4 73.7 75°0	56 5 56 8 57 5 57 5 57 8	254 252 254 251 253	35 34 32 32 29	WNW WNW WNW WNW WNW	4°2 6°0 75 6°8 88	% " " "		Wind yace oscillating from WNW to NY
11-8 11-13 11-28 11-36 11-43 11-54 11-58	629 628 621 617 614 610 607	014 005 29'999 990 992 988	75 9 968 17 2 77 5 77 5	29'1 28'3 28'8 28'8 28'8 28'3	'255 '243 '253 '242 '234 	28 26 27 26 25 25	WNW NNW WNW NNW WNW WNW	84 6-8 28	20 AP 10 20 20 20 41	,	Ditts ditto ;
9 M. 0- 8 0-13 0-21 0-28 0-39	*599 595 *591 *599	982 979 975 972 972	79.7 79.3 79.4	597 591 594	*** *246 *235 *229	25 24 23	WNW WNW WNW WNW	100 105	# # #	1 at 0-27 FM. 2 at 0-35 FM.	
0.50 1.0 1.3	581 579	'966 '962 '960	79°1 78 6 79°3	59 I 58 5 58 6	'237 '226 '210	24 23	wsw www	94		3 at 0-43 P.M 4 at 0-53 P.M 5 at 1-2 P.M.	Wind vane oscillating from SSW to Wi WNW. Wind vane oscillating, meth distorbed. Wind vane oscillating, from NNE, throng NNW, to WNW.
1-13 1-20 1-30 1-43	577 573 571 566	959 '955 '955 '951	775 763 751	58 I 58 I 58 I	227 241 260	24 27 30	WNW WNW Calm	77 60 37	" " "	6 at 1:12 P.N 7 at 1:22 P N 8 at 1:32 P N 9 at 1:39 P.M	Sky looked very gloomy, Sky dall, all still, not a breath of wi altring
1-56	362 364	947 949	74'9	58 1	'261	30	Calm	=		7 at 1-50 f.M	Wind wane moves gestly for a impact ort
2-3 2-8 2-13	'564 S60 '560	'949 '944 '944		59'7	306	35	Calm Calm IVNIV	1'3 54	10.79	S 2 2-10 F 14 4 21 2-20 F.M.	and then stands calm.
2-23 2-33	'562 '557	'94°	768	588	,428	28	WNW Calm	376	:	3 at 2-25 P m. 2 at 2-30 P.m.	
2-35	550	'939	778	289	*246	26	Calm	56		1	Fire, clear recather. Wind variable
2'5'	1 -		1				-	-			Sky gaste blue all over and appears unusual bright. Fino, clear weather. Sun's full due visit at 2:55 p %.
3-1 3-8 3-1 3-2	'55 '3 56 18 '56	1 94 1 94 1 '94	793 795 11 797	50°7 50°8 60 7	*256 *250 *254 279 248	26 26 28	MWW MWW MWW MWW	130		*** *** *** ***	Wind was reciliating from NN V to SN and then to WNW. and then to WNW. Wind was greatly mores from WNW WIND was greatly more from WNW WIND was received and was received from WNW to WSW, and were series. Fine, clear seather, we was a fine of the work of th
3'3		("	1 .	}) '	1 1	1	1	,	-	Fine, clear weather.
4	3 5	59 79.	50 781	59'8	261	27	wsw	/		- '	Fine, clear weather.

INDORE.

One hundred and ninty-two miles from central line of totality. Greatest obscuration 9.

			undred	and nit	uy-two	miles fr		ral line	of total	uy.	Greatis	t obscuration 9.
Hour.	BAROS	ETNR.					W	IND,				
Mndras time,	Corrected and reduced to 32° F.	Reduced to sea- tevel and constant gravity.	Dry bulb corrected.	Wet bulb corrected.	Aqueous vapour pressure.	Relative humidity.	Direction.	Amount aloce preceding interval, in miles per hout.	Cloud propor- tion.	Prop eclipse	erties of totality.	Weather and other remarks.
4.K.	•	. •	•	•	•	7/.				٠ ٠	· Ì	
10-17	28249	30,011	76'9	56'9	`21 7	23	NNE		Nil			•
10-32	*251	.014	77°0	561	193	20	NE	o-8	,			,
10-47	*247	*937	774	561	*188	19	NNE	e-8	٠,			}
11-2	.578	'034	78-7	57'7	.318	22	Calm	0.8				
11-17	7242	1025	79.6	57'9	213	91	NNE	0.8	,,			
11-32	*231	*016	79'1	570	193	19	Calm	2'0	•	j		
11-47	'223	*000	81.0	58'4	'211	19	Calm	0'4				Weather fine, except slight and shorp breeze occasionally.
P.M. 0-2	'218	29'994	81'2	57.6	184	18	Caim	1'2		t, at	0-8 F.M.	1
0-12	'215	.989	81'7	57'7	181	17	Cates	016	•	2, at	0-15 P.W.	Weather calm; no change is the appearanc or color of the sna and sky.
0-21	*209	.982	81-1	57"7	*188	18	Catm	0.6	,	3, at	Q-23 P,M.	
0-31	.302	979	81:4	56.7	156	15	Calm	•		4, at	0-31 P.M.	/
0-42	1199	'975	81"1	57*7	188	18	Calm	۰	•	3, at	0-41 P.M.	Lustre of the sun diminished and the sky dull.
0-52	194	966	81.6	58;1	*192	18	Calm	1.3	,,	6, at	0•50 P.M.	The sun became vary mild.
1-2	.180	1965	80-6	57'9	'201	19	Calm		*	7, at	0·59 P.M.	
1-12	185	'963	80-1	58.6	*227	32	Calm	۰		8, at	1-7 2.31	
1.22	178	*958	79'1	57'9	*219	22	Calm	•		9, at	1-20 P. M	Sno was almost obscured, and the lower pa began to clear up.
1-32	176	1950	78:0	59-4	*277	29	Calm	•	. "	8, at	1-37 P N	
1-42	172	*96t	76.5	58.3	*260	28	Calm	•	,,,	7, at	1-44 P.M.	Obscuration reached the upper end of the su and the lower end cleared up. Day light we no bright as at 5-30 P.M.
1-57	171	*951	78'9	59'4	*266	26	Calm		".	6, at 5, at	1-51 P.M 1-59 P.M 2-7 P.M 2-16 P.M	Weather calm.
2-12	'164	.011	80-1	57.6	198	19	Calm	•	v		2-16 P.M 2-25 P.M 2-35 P.M	
2-27	*166	939	51.1	5811	,300	19	Calm	r6			35 r.M.	
2-42	166	.936	81.0	58.1	*190	17	Calm	20	"			
2-57	'166	1934	82.2	57'9	177	16	Calm	0/8	."			
3-12		936	8272	582	.189	17	Calm	0-8	"			Eclipse ended and the nun began to shine a usual. No change in the wind or in the sky
3-27	169	'937	82.2	57'9	177	16	NNE	116				
3-42	174	.940	83.1	58*1	*176	15	Calm		-			
3:57	1	.915	83.1	29.3	'208	18	N	0'8	, ,			
4-17	178	. '944	82.0	59'6	*222	20	Catm	0.6		1		

SECUNDERABAD

Long. 78° 33'L,

One hundred and uinty-five unles from central line of totality Gieatest obscuration 9

Hour	BARON	BIER					W	D)				
Madrae t mu	Corrected and reduced to 32° F	Reduced to sea level and constant gray ty	Dry bulb corrected	Wet bulb corrected,	Aqueous vapour pressare	Relative hom d ty	Duction	Amount nace preced ng interval, in miles per bour	Cloud proper- tion	Proportion of eclipse, totality to	Weather and othe	a Remares
A.M	•	•	l t		•	*						
10-7	28250	300003	75'3	57'9	267	30	ENE		Nil	14	Fine, clear weather	
10-23	251	29'999	765	588	278	30	ENE	3.5			D ₀	
10-37	250	998	767	58 7	272	30	ENE	3'6	,,		Do	
10-52	*243	989	76'9	589	276	30	ENE	3.6	•		Do	
11-7	240	978	793	6017	302	30	ENE	40	•		De	
11-22	237	980	775	587	263	28	FNE	40	93	1	Do	
11-37	235	968	80-5	599	264	25	ENE	32 48	n		Do.	
11 52	228	960	8o 8	59 5	247	23			"		Do Eclose began 51V	nt 1154Au from
11 57	228	960	8or5	57 7	197	19	ENE	36	н	1	D ₀	
P M 0-2	226	956	80'9	585	215	19	ENE	36	,	1	Do	
07	223	955	80'5	58 1	208	19	ENE	12		2	Do.	
0-12	223	9,1	815	593	232	21	ENE	60	"	2	D ₀	
0-17	222	956	80° 1	58 t	213	20	ENE	36	,	2	Do	
0-22	330	955	798	57 9	211	20	ENE	24	19	3	Do Appearance o	the sky, pale
0 27	218	946	81 S	59 7	245	22	ENE	12		3	Do	
0-32	314	949	79'8	584	225	21	ENE	12		3	Do	
0 37	212	1944	805	58.9	232	21	ENE	12	,	4	Do	
0 43	*212	915	803	57 3	187	18	ENE	36		 	Do Appearance immedute pals dack	of the sun and its ne ghbourhood yellow colour
0-47	210	945	198	57 7	302	19	ENE	48	•	5	Do	
0.53	310	945	797	590	241	24	BNE	12	٠ ا	5	Do Trees elc g	ppeared pale yellow
• 57	206	945	783	57 2	208	21	ENE	36	"	6	Do Appsarance gloomy we	of the day lik ather
13	301	7912	785	57 3	200	21	ENE	48		6	Do .	
17	500	938	78 5	1	209	21	Calm	60	"	7 8	Do. Do	
1 12	108	941	1	1	219 226	23	ENE	24	١.	8	Do	
1 22	108	939		1	240	25	ENE	60		9	De Carl App	arance l'he very
1-27	1	1			274	1 -	Calm	48	i		De bright mo	onlight a ght.
1-32	194	937				23	ENE		;	,	D _k	
1 37	100	933	1				Calm	24	'	8		ased southwards
1 12	190	933				1 '	ENE			8	Do.	
1-47	188	928		57 7			ENE	48		7	Do	
1 52	!	923	779	579	235	24	ENE			6	Do Do	
1 57	186	925	77 9	57 1	211	21	ENE	1 "	ļ	4		
22	182	921			214	21	ENE		١,	4	Do.	
27	182	, .					EVE	1 -	١,	3 2	Do.	
2 12					. } -3-		ENE		٠.	1 1	Do.	
2 17	1	1			1 -0		E	48	1		Do.	
2 "	./3					'	ENE		"	1	D ₀	
2 3		_	- [BNE		, ,	1	Do	
2 3						' I	ENE	60	"	1	Do Relmon disan-	
0-4				- 1			ENE	1 -		1	N E direct	eared at 2 45 F M
24	.]						ENE			1	Do	
1 1	1 1		- 1			1	1	1 1			Do	
3-2		. 1					ENE		1		Do.	
3-2		1 .				_	ENE			1	Do	
33		- 1					ENE				Do.	
47	- 1			1.	' [ENE			_	Do	

One hundred and ninety-eight miles from central line of totality. Greatest obscuration 9.

Hour.	BARO	MEYER.	ī	<u> </u>	1	Γ	1 77	(KD		7	
Madras time.	Corrected and reduced to 32° F.	Reduced to sea- level and constant gravity.	Dry bulk corrected.	Wet built	Aqueous Vapour pressure.	Relative	Direction	Amount since proceding interval, in miles per hour.	Clend propor- tion.	Proportion of eclipse, totality	Weather and other remarks.
A.M. 9*57	29'676	30'018	683	57'1	* '321	% 46	₩		Nit		Sky clear and bright and wind variable in the morning.
10-12	-686	1026	69.4	57'4	.313	43	NNW	1.6			
10-27	-677	.010	702	575	.300	41	Calm	372	,,	('	•
10-42	677	*014	72.4	59'5	.338	43	NW	2*4	•	[[]
10-57	-671	*007	73 2	58-6	.300	38	Calm	1.6	*	\ 	
11-12	-659	29'995	73'2	57'9	*278	33	w	28	4		Gentle west wind commenced and velocity gradually increased.
11-27	·655	-989	752	600	'317	36	W	3,5	,	••-	
11-42	*648	1982	75'3	59'4	⁻² 95	33	W	4.0	**		
11-57	*634	1968	75.4	601	.303	33	w	5'2	27	***	,
r.M.				_ [Į		w	1			Ecliose commenced,
0-12	·623	950	77'5	60.1	.599	31	NW	40	"	***	Chibot postar-area
0-27	*624	,326	780	6014	'293	30	14	,36	"	2	
0-42	*615 *607	947	18.1	Co-5	'295	3I 28	w	12	**	٠	,
. 0-57	007	939	7812	00.0	778	20	**	4.0	".	5	
1.2	-603	'935	780	60'5	1296	31	w	72	,,		
1.7	1603	1936	766	39.1	.510	29			,,,	6	
1-12	*602	936	76'5	59'2	277	30					
1-17	1599	931	762	39'1	276	31	w	5'2	Ntt	,	
1.22	.595	928	74'9	59'1	294	34		[
1-27	594	927	74·8	59'1	-294	34		{]	8	
1-32	594	1927	747	5972	'297	35	w	3-8	Nil		
1-37	*597	-930	74'5	59'2	.301	35		i]		9	
1-42	-600	•935	74"1	59'1	.301	36)		?	
1-47	-602	·937	74'0	58'3	-278	33	Celm	2-8	Mt	8	
1-22	594	927	74'0	591	.303	35	***	}		8	
1-57	1596	-929	74"1	5971	.303	36	•			?	
2-2	596	·929	74'3	58-6	.282	34	w	28	Nel	P	
2-17	-591	926	75'2	59'2	-292	33	w	r6	,,	P	
2-32	.202	923	77'0	60.2	.309	34	w	72	p	7	
- 2-47	*596	'927	17'5	60')	-288	30	W	72	,	•••	Eclipse terminated.
3-2	'593	1924	776	602	·2g0	30	w	20	92		
3-17	.202	-923	777	60'5	1299	31	W	40			
3.32	'592	923	777	бо 4	*296	30	W	10.8	,,	•••	}
3:47	'596	928	764	603	.311	34	W	12'0	,,	,	•
3:57	-600	1934	769	60.1	298	3z	W	go		·	
1	1			ì	1	- 1					

BAHRAICH

Two hundred and seven miles from central line of totality Greatest obscuration q

Hour	BAROI	JETBR			l	l	w	IND			
Madras time	Corrected and reduced to 32° F	Reduced to sea lovel and constant gravity	Dry bulb corrected	Wet bulb corrected	Aqueous vapour pressure.	Relative humidity	D rection	Amount since preced ag sterval so solles per hour	Cloud p appr- tion.	Propo tion of college total ty to	Weather and other remarks,
YM						%					
10-0	20'622	30 003	674	594	402	60	ESE]	Nil		Dust haze no cloud
10-10	621	100	679	598	408	60	s	48	,		Ditto
10-20	620	297999	68.5	599	406	58	SE	42	,		Ditto,
10 30	616	995	68g	60 B	399	56	ESE	48	ï		Ditto
10 40	616	994	701	60°8	410	56	s	48	,	i	Ditto
10-50	615	992	707	60-8	40t	53	E	42	,,	i	Ditto
110	_				ł		ESE	1 3		1	D He
11 10	614	'990 987	71 6	615	414	54	E	42	•	1	D tto
11-20	fit z		718	61 6	394	51	s		"	1	Ditto
	613	'989	720		409	52	ESE	36	'	i	Ditto
11 30	613	988	730	621	412	50	S	36	,,		Duto
11 40	598	973	73 4	621	409	50	s	42	"	1	Dito
11 50	594	968	739	62 2	495	48	s	•	,	1	Ditto
	585	959	73'9	620	397	47	1 3	24	"	l	
r M		}						1	l	ł	[
0110	580	1954	74.4	625	407	48	S	84		1	Ditte
0.20	578	951	75 t	62 3	392	45	sw	06			The eclipse began from the nost Dust haze
0-25	574	,518	739	620	* 397	47	SW	144	,,	1	And moved towards south
0-30	572	945	744	62 2	398	46	sw	0	[g	
0 35	579	953	744	62 5	407	48	SE	66	,,	3	
0-40	566	'939	753	632	420	48	SE	ا ہ ا	l	3	(
0-45	564	'938	74.4	62'9	424	48	SE	0		4	i
a 5 0	566	940	74 I	62 2	401	47	sw	24	١.	4	1
o 55	564	937	74'9	62 6	400	47	Calm	•		5	
10	566	940	739	622	405	48	s	18	,	5	}
15	563	935	74 8	628	413	48	Calm	ا ه ا		5	
1 10	558	933	734	620	404	49	Calm	0		6	Ti s horsen on the west and north dark
1-15	562	937	729	620	397	47	sw	08		,	
1 20	554	1929	729	6ro	410	51	sw	12		7	1
1-25	550	925	729	620	410	51	SW	12		8	j
1 30	554	929	730	619	400	51	Calm	0		8	ì
1-35	552	928	717	61 B	420	54	Caim	i .		9	}
1 40	554	931	710	620	437	57	S	04		9	
1 45	554	'931	709	6:8	439	57	Calm	ا ہ ا	, ,	9	l.,
1 50	555	912	709	628	465	61	Calm		, ,	8	Hazy and a I ttle dusty
1 55	549	926	71.5	627	458	59	Calan	•		7	Drtto
	1	1	1	}	1		j				Ditto
20	548	925	70'9	629	470	61	Calm	0		6	
2 5	549	925	719	630	457	58	Calm	0		5	D tto
2 Jo	547	922	72 7	63.5	464	58	Calm	•		4	D tto
2 15	548	923	728	622	420	25	Calm	•	,,	3	Ditto
2 20	545	920	72 6	624	431	54	Calm	0	,,	2	D ito.
2-25	546	'gat	729	626	432	54	SW	24		15	D ito.
2 30	548	'923	73'3	630	440	55	SW	24	1 1	1	D tto.
2.35	546	*920	73 7	63.3	443	53	SW	12		1	Dita.
2 40	549	'923	739	634	445	53	WSW	1.3		05	Dito
2 45	545	920	731	62.5	426	52	wsw	12		03	Dite
2 50	544	919	734	636	458	56	wsw	12	- 1	02	Echipse cleared from the west edge of the su
2 55	541	915	73.5	638	465	56	WSW	24	ſ		
3 10	549	923	73'9	638	459	55	sw	32			
3-25		922	72'9	630	444	55	WSW	8.4	,		
3-10	534	929	72 7	628	440	52	WSW	40	. 1		
4-0	530		724	619	417	52	WSW	30	1	1	

RANGPUR.

Two hundred and fourteen miles from central line of totality. Greotest obscuration 9.

		;	Two hun	dred an	d fourte	en mile	s from	central l	ine of t	otality. Gre	otest obscuration 9.
Houz.	BAROL	ETER,					191	MD.			. 1
Mudras time.	Corrected And reduced to 32 F.	Reduced to sea- level and constant gravity.	Dry bulb corrected,	Wet bulb corrected,	Aqueous sapour pressure.	Relative bumid- ky,	Direction	Amount slace preceding interval, in miles per hour.	Cloud proper- tion.	Proportion of eclipse, totality 20.	Weather and other remarks
A.M.	•	•	0	•	•	1.					
9:21	29'91'I	30'024	66-6	60'5	'448	-69	Calm		Nil	***	
9-19	'947	'029	688	615	'451	64	ENE		29		Greyish pink haze in horizon.
9-54	'937	.019	700	61.6	*436	59	NE.		*		
10-9	7941	~023	70'8	614	'419	55	NE	44	30		
10-24	1929	1011	71.8	61'7	'418	54	NNE WNW		n		Pinklib haze disappearing and turning blue.
10-39	1923	1005	72'7	63.0	448	55	WINW		19	(
10-49	'920 '915	29'997	73'0	62'9	441	55	Calm	24	" "		
							l www		İ	!	l
11-9 11-24	-912	*994 *978	736	63°2 63°5	'441 '441	53 52	WNW		12		}
11-39	1893	'973	748	63'2	427	50	ENE	,	",		l l
31-44	1835	7965							,		Come doubt accepted from south
11:54	-882	'962	756	63.0	'439	50	wsw	2'6	2		Circus clouds appearing from snath,
P.M.			[(Do, and scattering.
0-9	,,,		762	63'9	'431	48	w		2]	Clouds passing over sun.
0-14	875	7955			***	***	:::				Eclipse commenced at 0-31 r.M. from the
0-24	*872	1952	75'8	640	*426	46	w	•••	2		south-west
0-29 0-34	-870 -869	*950	768	64.0	 '426	46	wsw		3		
0-39	866	*949 *946	770	67.1	426	46	sw		3	1	
0:44	865	945	777	63.8	416	45	s		3	2	Cirro cumulus elouds.
0.49	•861	*941	77'9	647	*436	45	Calm		3	3	Do. do.
0-51	-858	. '938	768	637	*417	46	Calm	40	3	3	
0-59	421	'934	76-7	63%	415	46	WNW		3	3	
1-4	853	1933	76.1	63.2	'407	45	14		3	3	
1.9	1852	'932	151	62*7	'397	45	MMM		3	4	Į.
2-14	250	930		***			WNW		-		
1-19	*848 *842	'928 '927	75 ⁸	63'4 67'1	'418 '416	46 47	Calm	50	3 3	5	Cumules clouds usby white and sky bluish
1-29	*846	925	74'9	63'1	422	49	WNW		3	6	• • • •
1.34	1 '845	925	74'5	63'5	'441	52	WNW		3	,	1
1-37	1846	'926	74'0	63'5	'447	54	WNW		3	8	Cumulus clouds of ashy white and sky simost grey. Greatest obscarity at 1-46 P.M.
1-44	'845	1926	73'5	63'2	*444	54	WNW		3	9	Greatest unscarry at 1-40 P.M.
1 49	845	1926	72'8	63 2	453	56 60	MM	26	3 2	9	
1.59	'814 '843	925 924	71-9	63'4	*472						
2.1	1		1	1	1	l .	Colm		١,		
2-0	*841 *840	922	71'3	63'7	'490 '491	64	Calm		1	7 6	
2-14		,,,,,,	7172	64.2	*508	66	Colm			5]
2-19	*839	1920	71'9	64.9	1523	67	Calm	-	Nil	4	
2-2	1838	919	72.8	649	'510	63	Calm			1	1
2-29	1837	'918	73"1	65'3	'521	64	Calm	•••	Nil		
2-34	1836	'917					Calan	""	-	"	1
2-39	-837 -837	'918 '917	73'8	64.7 65.0	491	59 57	Calm	l	"	1 1	
2.49	1838	918	74'8	64'7	478	56	NW		,,	i	1
2-54	.810	920	750	64.7	475	55	WNW		,,,	0'5	
2-59	ļ		753	64.4	'459	52	W	0'5	, ,	۰	Eclipse ended.
3-9	'842	922	75.6	63'7	'437	49	WNW				
3-24	847	'927	757	649	*472	53	WNW	3'4	,		Fine clear weather,
		1	1	<u> </u>							1

Two hundred and eighteen miles from central line of totality Greatest obscuration 9

Hour	BARON	eter .	1	(!	((IA1	NO N		
Madras Ume	Corrected and raduced in 32° F	Reduced to sea- level and constant gravity	Dry balb corrected	Wet bulb corrected	Aqueous vapour pressure	Relat ve hum dity	Descrian	Amonat s not preceding interval in miles per honr	Proportion of ect pso, total ty co.	Weather and other remains
ТИ	,,					7.				
9 45	29'599	30 053	69'5	60.9	422	59	SE	}		Fine clear weather
10-0	597	2-23	70'8	60.4	388	51	NW	24		D tto
10 15	593	044	716	61 0	397	52	410	24		Ditto,
10-30	591	,013	723	607	378	48	NW	20		D tto
10 45	582	1031	743	607	351	42	W	28		Ditte
10 43	302	-3-	,,,			1-				
11 0	576	025	74 1	6t 2	370	43	N	20		Pitto.
11 15	567	014	75 a	61.4	358	40	s	20		Date
11 30		2000	763	614	347	38	s	20		
- 1	559	pot		614			NW	28		Ditto
11-45 12-0	555	29'989	77 3	622	331	35	۱۷			Ditto
1340	545	29 909	775	022	358	37	"	20		Ditto
PM				<u> </u>	i ']		
		983	-0-	614			SW	176		Ditto
0-15	539		78 o 18 8	61.3	325	34	NW			Ditto. Eclipse commenced between the hear
030	519	972	1	622	311	31	NNE	60		D tto
0 45	+21	964	79'0		338	33		20		
o 55	511	951	78 9	614	313	31	NNW	24	3	Hazy and sky yellowsh colour
				4		Ì	NW		,	Dites
15	503	946	783	61 2	,341	35	W	24	6	
1 15	497	941	179	012	' 320 	33	"	30	٠	D ito So dim that a man too spaces d stant can properly be recognized.
1 20	495	1939	77 7	61 7	338	36	Calm	0	7	Dite dite.
1 25	490	935	76 5	614	345	38	Calm		8	Ditto ditte
1 30	480	926	75 8	612	350	39	Calm		9	Ditle d tto
1 35	482	928	755	615	361	41	Calm		8	D tto d tt
1 40	484	768	753	620	380	43	Calm	,	7	Ditto ditto
1 45	485	933	753	620	380	43	Calm		6	D'ito d'ito
1 55	490	1936	75.5	6:8	271	42	Calm	0	2	Asby hasiness
	ļ						[
2 5	490	935	77 1	630	389	41	w	36	4	Date
2 15	491	937	781	632	382	38	W	18	3	Ditto
2 25	49a	939	791	634	376	38	wsw	72	2	
2 35	493	935	795	620	324	32	sw	36	1	Ecupse ended at 2-45 f M on the N E
2 45	497	939	797	62 1	J25	32	sw	42		Fine clear weather
			1	1				l		
3.0	497	939	801	63 0	349	34	sw	56		Ditto
3 15	49:	9.37	803	626	333	33	2/1	270	}	D tto
3 30	497	938	806	627	332	32	sw	24		Ditte
3 45	49	939	801	619	345	34	SSW	36		Ditto
		1	1	1		1	1	1	1	

CHAIBASSA.

Two hundred and thirty-eight miles from central line of totality. Greatest obscuration 9.

		Troc	hund	red and	thirty	-etgn	t viite			1	7		
Hour.	BARO	METER.		T		1			IND.	4	- 1		
Madras time.	Corrected and reduced to 32° F.	Reduced to sea- level and constant gravity.		h Wet bu	ped. press	our h	Relativo umidity.	Direction	Amour since precedi interva in mile per hor	ng ti	oud opor- en.	Proportion of eclipse, totality	WEATHER AND OTHER REMARKS.
		,	1		7.	.	%		1				. 1
¥.31.	ļ		1	١		.			ĺ	١. ٠			1
9.45	297282	30'017	71.3			06	53	ENE	-	1	N#I		l l
10-I	-284	'017		·	١.	.	•••		-	1	*	•••	1
10-6			72'	61°	3 3	93	49	Calm	07	١ ١	*		1
10-16	.381	-011		. 62	. :	 198	 46	NE	0.	.	,,		1
10-22	'275	'00;	74		- 1 '		***		١				i i
10-31 10-41	2/3		75	- 1	•	192	44	ENE	3	•			
10-51	*268			-			•••	ENE	,	.	,	::	1
11-t		ļ	15		- 1	383	43		1	·	"		- 1
11-11		. 1	- 1	1	·		***		"		,,		
11-16	1			1	1]				
11-21	1	97	9	' 1 .		348	35	WN		8	20	- '	
11-36			79	0 6	14	344	34	Cala	. 1	<u>•</u>	».		
11-41		-	19			345	34		` <u>'</u>	"	**		•
11.21		-	- 1		:		1		"	- 1	,,	٠	'
11-56 P.M.	5 '23	5 '9	; ∣ ;	. .	"	••	"	1	1	- 1		l	
0-1	'23	9 '9	53 ·	" 1 .	٠. ا	•••	***	EN	ε !	r6	p+		
01			، ا		1.6	'302 '309	30	' I	I '	74	,,		•
0.1	- 1			}	21	312	30		<i>t</i> .	2.4	*	***	Relipse commenced.
0-2	- 1	"							·	.	**	•••	
0-3	3I '2	14 3	33				-		- 1		,,	2	Periot calmness in the atmosphere pravailed during and after the cell pres. The sky was perfectly fears, and blue all through. The sun at first termed beight and red, but an isated the colour changed to yellow, but atterwards it resumed its brightness.
		ì						. EN	E	rs			
) o.		- t			62°8 62°8	329		N		12	n	3	
	46		922	80'9 		'334	1	١	.	\	99		
	٠.١		921		\		١.	. .::			n	4	1
	-6	1		80.1	63'0	'344		33 1	NE	09	30	5	
1	-11			79.8	627	.343	1	۴۱.	.		,,	6	
			910					1.			,,,		1
			922			,	1	•	:				
	*.			784	62.8	-36	· I	37	dm slm	0			
١,	1-48			777	62'9	'37		4° c	alm	0			
		-184		76 6	62-9	.39	•	43			;	1 -	
		185	'9t9 '9t9				- 1				,		
	- 1			75'8	61.7	*39	6	44 1 -	alm alm	0		"	
	- 1		\	76'7	630	*39	- 1	43	aim	0	1	"	
	2-16	•••	. \		•••	-	ì					" 8 " 6	
	2-26	.179 '179	·903			:	1	_		***	1	. 5	
	2-31	9		79'4	62.2	3		34 0	intm	0		" 3	
	2.46			19'5	62'5	.3	to	34	Calm	a		" 2	
- 1	2*51					1	-		=	•••		* 1	At about 3-r.u. the sun was again full
1	3-1	181	9.10		٠	1 :	- 1			,		;	tound.
- 1			897		•••	1 .	.	·· L.	1	•••	1	~ i	
	3-15	181		81.7	63'8	١.,	54	33 1	Calm	0	1	,	1

RAMPUR BOALIA.

Two hundred and fifty-three miles from central line of totality. Greatest obscuration 9,

Hour.	HARO	DHETER,	-	1	1			WIND,	_			
Madras time,	Corrected and reduced to 32° F,	level and	corrected	b Wet bulb	Aqueous vapour pressure.	bum dit	ty. Direction	Amour since preceding isterva in mili- per hou	ing Pi	Cloud proper- tion.	Proportion oclipse, totals	of Weather and other general
A.M.	,] . [1.			T			
9-26	29'996	30 027		630	473	63	ESE			N:1	1	
9-41	992	.013	71'8	640	'493	63	E	0.8				Sky very clear,
9-56	988	'009	72'8	64'0	480	59	ESE			. 1		Ditto, Ditto,
10-11	1986	'007	73'8	64'5	.484	58	SSE	12		- 1		
10-26	931	'002	74.6	63'0	423	51	SSW	r6	J	:		Ditto.
10.41	'976	29'997	748	62'0	386	44	sw	or8	1	.		Ditto,
10-56	972	993	758	63.0	406	45	sw	08	1	.		Ditto,
11-11	962	982	76 7	63'5	'412	45	SSW	0'4	1	,		Ditto.
£1-26	'955	975	777	62'0	*348	37	ssw	16				Ditto.
11-11	942	962	779	62'5	'360	38	ssw	28	1	"		Ditto.
11.26	936	'956	782	62.2	358	37	wsw	1'6		,,	-	Ditto.
P.N.	1	1	1 1	1	- 1	1	1					
0-81	926	946	28'2	62'0	341		w		1	- 1		
0.25		1	/"	1 020	341	35		1.3	, ,		••	Ditto,
0-26	,018	938	782	62'5	358	38	w	20	"		-	Dikto, eclipse commenced from 5\V.
0-3E	916	1936	78 2	62'5	'358	36			"	· i		Ditte.
0-36	916	936	78 2	630	374	39			,,	- 1	1	
59.0	916	936	785	63.1	'372	38	w	44	, ,		***	
0-46 0-51	914	934	78-2	63.0	374	38			, ,,		***	
0-56	912	932	777	620	'348	37			, "		•••	
- 1			7 7	630	'38t	40	W	08	,		4	,
1-1	906	1926	77		*348	37			١.	.		1
1-11	904	924	777		397	42			,,		5	Sky hary.
1.16	900	'920 '920	775		367	**	SSW	274	19		6	
1-22	900	920	767	,	'361 '361	39	***		*	1		
1-26	1902	923	758		366	39	wsw		*	1	7	Sky all round the horizon dasky colour
1-31	902	'923	758			41	WSW	3,3	*		8	
1.36	900	921	74 8			43			77			The rays of the aun at times somew bright and ot times hazy and dim.
1-41	'900	'921	74'3	- 1		50	Calm	0.8	19	- [. 1	
1-46	901	922	73'8	.			- · · · · · · · · · · · · · · · · · · ·	۱ "	*	1	9	Sky over head perfectly blue,
1-49			/3"	· 1	- 1	52	·	-	"		***	Greatest obscurption.
1-51	899	1920	73'3			54			2"		, ,	Greatest obscuration.
1-56	899		- 1	- 1			Calm	"	••			
- 1	899	·	· 1	.		٠ ا		°			•••	
2-6	897			- I		٠- ا	Calm		,,		9	
2-11	895	916		.) '	'	I	Calm Calm	-	20		8	
2-16	·895	916	74'6	64'0	`		Caim		*		6	
	893			64.0	. 1 -	53			"	ĺ	4	
	.893 .893				447 5	51 (Calm		39		3	
		- 1 '		! '					**	1	2	
- 1	SgI			- 1	1 '	46	-: l	•••	n			ŧ
2-46	.89z						Calm	۰	•	1	1	•
		'911	76.7			i	- 1		"	1		
	·891	911 7							*	1		
					1			D 6		1	" }	
					674 A	!			:	1	•	
					381 4	to .	3	_	"	ĺ		
	.093 1	313	77'7 6	63.0	38r 4	to Ca	nlan i			1	(

No. 46. Lat. 12° 52' N.

lova.	BARO	METER.			ı —		L w	IND.			
'adeas time.	Corrected and re- duced to 32" F.	Reduced to ten- level and constant gravity.	Diy bulb corrected,	Wet bulb corrected.	Aqueoza vapour pressure.	Relative humi- dity.	Direction.	Amount since pre- ceding in- terval, in miles per hour.	Cloud proper- tion	Proportion of eclipse, totality to.	WEATHER AND OTHER REMARKS.
A.M. 10-21	29'968	29.964	81°4	1 635	347	% 33	ESE	28	Nit		Fire clear weather throughout the day, At 19-21 A.K. hary appearance over the tern horizon with small patches of ci camulus clouds in the west.
10-36 10-51	.967 .962	*963 *963	82.6 83.2	64.6 65.2	-369 -382	33 33	NNE ESH	52 44	n n	• ""	Sky perfectly char towards east the out- of the high hills being clearly defined.
11- 6 11-21 11-36 11-41 11-46 11-56	962 960 956 954 951 948 946	958 956 951 949 946 943	84.1 84.6 85.1 85.5 85.7 85.3 85.2	64:5 64:5 64:0 63:9 63:4 63:3 64:0	345 327 316 307 287 289 334	30 27 26 25 22 23 28	ESE ENE ENE ENE ENE E SSK Calm	36 32 16 48 36 24 12	20 20 20 20 20 20	110 120 111 111 111 111	
8,M. 0- 1	'947 `	'942	85.1	641	elt.	26	. \$	1'2	83	1	At 0-1 r.u. watched the sky and small clo- but no change of colour visible
0-6 0-11 0-16 0-21 0-30 0-30 0-41 0-51	945 '942 '943 '943 '939 '937 '933 '939 '936	940 937 937 939 939 933 927 927 925 926	8550 2 7 7 0 8 4 5 5 5 5 6 5 6 5 6 5 6 5 6 5 6 5 6 5 6	64'2 64'0 66'7 66'7 67'5 66'5 66'5 66'5	*311 *313 *411 *446 *453 *450 *438 *434 *434	25 34 35 39 39 39 39 39 39 39 39 39 39 39 39 39	Calm S WNW WSW ENE WNW WNW WNW WNW WNW	2'4 2'4 1'2 1'2 3'6 3'6 3'6 3'6 3'6 3'6	5) 50 23 24 24 29 21 21 20 27 27	» 1 » 2 % 5154 5150	
1- 1 1- 6 1-11 1-16 1-21 1-26 1-31 1-36 1-41 1-46 1-51	924 922 918 918 914 912 910 906 904 904 902	'920 '918 '914 '914 '908 '908 '900 '900 '900 '898 '898	82.3 81.0 81.0 81.3 81.3 81.3 81.3	66°3 65°8 66°4 66°7 66°8 67°4 66°7	435 439 437 438 455 452 451 454 438 455 460 474	39 40 40 41 43 43 43 43 43 43 43 43	WSW WSW SSW Calm Calm WNW NNW NNW NNW NNW NNW NNW WNW	2'4 1'2 1'2 1'2 1'2 1'2 2'4 1'2 2'4 3'4 3'6 3'6	27 21 21 22 22 22 22 22 22 22 22 22 22 22	78 9 9 8 8 7 7 6 6 5 4 .	
2- 1 2- 6 2-11 2-16 2-21 2-21 2-31 2-31 2-41 2-46 2-51	*900 *900 *900 *897 *897 *897 *897 *894 *892	*896 *896 *896 *893 *893 *893 *893 *893 *898 *888 *888	822 824 828 832 8332 8335 840 841	66.9 66.8 67.4 66.9 67.3 67.2 67.2 67.4 68.1	455 431 444 460 441 438 448 446 453 474 449	41 39 40 40 38 38 39 40 38	WNW WSW WNW WNW WNW WNW WNW WNW WNW WNW	24 36 24 36 36 36 48 48 48 48	11 11 11 11 11 11 11 11 11 11 11 11 11	4 3 2 2 1	
3- 6 3-21 3-36 3-51	*892 *892 *892 *892	-888 -888 -888	83'5 83'7 83'3 83'9	67.7 67.3 68 t 67 2	467 448 413 444	40 38 35 38	NNW WNW NW WNW	4'4 4'9 4'4 4'8	11 40 11	···	
4- 6 4-21	'895 '895	.881 .801	83'6 83'2	67'3 66'6	'451 '432	39 39	NNW NW	4'4 3'2	;	. o en	

BOGRA.

Hoo	R DAR	OMETER	1	Γ			Τ_	$\overline{}$	_	of totality	Greatest obscuration 9
Madra time		Reduced to sea level and constant gravity	corrected	Wet build corrected	Aqueons vapour pressure	Relates humidet	y di ect	on Pro	oud Por-	Proportion e school setal (WEATHER AND DIMER REMARKS
A M 9 2;	3 29.997	30 012	707	59 B	370	% 50	NE		ru		
9 38	30 001	-016	709	60°0	374	49	NE	. "		•	Fine, clear weather, blue sky
9.53	297998	013	717	61.0	393	52	NE	. ['	٦	•	Ditto
10 8	998	013	727	616	401	51	Calm	. ['	ı	••	D tto
10-23	991	009	73'3	60-8	367	45	Calm		.	•	D tto
10-38	-990	∞ 5	74 1	61.3	369	43	N	1	- 1	•	Ditto
10 53	986	1002	74 6	61 2	363	42	N	1.	Ί.		Delte
11 8	976	29 991	74 8	614	367	42	N	1'			D tto
11 23	967	981	754	61'0	345	39	Calm	.] '	- 1		D tto
11 33	957	1971	764	61 6	352	38	Calm		١,	***	Date
11 53 P M	951	963	764	614	346	38	Çalm		-	•	Di to
08	943	957	776	628	356	40	Calca	"	1	•	Dato
0 23	933	947	27.4	6re	351	37	Calm	. "	1		D the
o 38	927	941	778	618	340	36		*	- [D tto
o 53	923	937	780	626	363	38	Calm	*	1	0.5	Dato
0.58	918	931	77'8	618	340	36	Calm	"	1	· .	
1.3	916	. 1932	27 6	618	342		Calm	"	1	,	At the commoncement of the ell pas the sky grade
1.8	914	928	768	610	327	36	Calm			2	At the commencement of the of past his sky grade changed in colour into a leaden has and during the tobscuration the sky assumed a land a past and I ght was very considerably dun unhed
1+13	914	928	268	608	· ·	35	Calm	"	1	3	•
2 28	910	924	766	614	313	35	Calm	-		3	
£ 23	910	92	77.0	62 6	343	37	Calm	*	1	4'5	•
I 28	910	924	768	62 2	376	41	Calm	, ,		45	
£-33	910	924	76.6	62 0	367	40	Calm	-		6	
1 38	908	922	75 8	61 B	363 366	40	Calm		1	7	
1-43	906	gat	74 5	614	372	41	Calm	"	1	8	
2-48	902	917		61 2	- 1	43	Calm		1	8	
1 53	902	- 1	- 1	61 0	375 382	45	Calm	"		8	
1 58	902	1		618	405	47	Calm	*		9	
3 3	907	- 1		61 2	396	5t	Calm	17		8	
28	907	922	- 1	61-8	420	50	Calm	,	1	,	
2 13	907	922	- 1	62 2	431	54	Calm Calm	,.	Ĺ	6	
2 13	910	925	719	626	445	55	Calm	**	l	S	
2-23	913	927	72 5	63'0	450	••	Calm	*	l	4	
1-23	905	920	727	5a 8	440	- 1	Calm	*		3	
2 33	903	918	737		448	- 1	Calm	-	j i	2	
2 38	903	918			469		Calm	,	-	*	
2 43	904	919	- 1	1	447		Lalm	,,	ĺ	15	
a 48	906	920 3	75'4	. 1	118	- 1	Calm	•		1	
2 53 2 58	904			38	. 1	- 1	Calm	"		08	
33	904 904				396	45 (Calm	**		o5	
3 8	2of	918 7	66 6				alm alm		!	01	
3 23	905	1920 7	66 6		- 1		alm alm			. 1	ł

lour.	BARDI	HETER,)	1			J. v	VIKD.]	1	T
Madras time,	Corrected and reduced to 32°F.	Reduced to sea- level and constant gravity,	Dry bulb corrected,	Wet bulb corrected.	Aqueous vapour pressure.	Relative humi- dity.	Direction,	Amount since pre- ceding in- terest, in miles per hour,	Cloud peopor- tion,	Proportion of eclipse, totality in.	WEATHER AND OTHER REMARKS.
A.41.	•	•				%					
9•28	30.018	30'035	69'7	60'4	'403	55	Calm		m		1
9-43	110.	*028	71.6	61.8	'422	55	Calm				,
9.58	.002	'022	72'7	62'4	428	53	Calm	0'4	-	***	ļ
10-13	'001	*018	74"1	63.0	'430	51	Calm	04	,,	•••	Į
10-28	29.995	.011	75'0	63.1	419	48	S	074	.,	***	1
10-43	.090	,000	75"1	63.1	'419	48	SSW	0.8	*	***	İ
10-58	-984	'000	75'9	62·6	.39z	44	wsw	12	"	***	•
It-13	1971	29 987	76°9	641	428	46	Calm	116	., (***	
11-28	'970	7988	77'2	64.6	441	48	W Calm	1'2	* [•••	ſ
11-43	. '959	973	77'8	64'4	426	44	SW	1'2	"	•••	}
11-58 P.M.	'949	7955	.78'1	64.1	'412	43	317		"	•••	
0-13	. '938	954	78'4	64.0	104	41	SW	4'4		***	
0-18	.032	816	789	63'4	378	38	SSW	96	. 1	0.2	Erlipse began from S. W.
Q-28	,833	.018	79"4	64.0	.390	38	Calm	30	,,	ī	
0.33	,630	.016	79 2	64.0	'394	39	Calm	24	*	₁ -5	
0-38	,631	9+7	79'1	61.0	396	40	SW SSW	3.6	*	2	
D-43	928	'944	79'0	63'9	394	40	SSW	3.6	"	3	ļ
0-48	3022	.938	78.9	63 9	395	40	SSW	3.8	"	3'5	
0-53 0-58	'921 '920	937	79'5	63.7 63.9	'384 '387	38 38	SSW	60	"	4 4'5	
30	"	330	ا دور	-3,	301	30			" {	7.5	
1-3	918	*934	79'1	63'2	367	37	w	4'8	,	5	
1-8	915	933	28.9	63.3	375	38	ssw	36		53	Hazy. Dim light.
1-13	*913	929	78*8	63.1	'369	38	Calm	1'2	n	6	n n
1-18	*914	.830	789	63.0	395	40	SSW	4°8	₩ [7	to the state of the
1-23	grı	927	786	63.1	372	38	SSW	4'8	}	8	Light getting dark, still darker.
1-28	-910	925	776	63'1	.382	41	sw	48	*	9	25 Mitto.
1-33	*909	925	77'7	63.1	384	41	Calm	0	"	9	" Something like light cloud pas
1-38	911	927	777	639	'411	43	Calm Calm		" }	9	Carons visible.
1-43 1-48	1907	925	77.6	63'7	404	43	Calm		"	9	Light brighter.
1.53	. '905	923	769 759	642	'436 '445	47 50	Calm	٥	"	9	s still brighter.
1.58	,3at	920	75'5	Q1.t	446	50	Calm			8-5	., getting brighter,
2.3	1904	921	748	64.3	'462	54	Calm		,,	8	
2-8	*go6	922	75'0	6379	448	52	Culm		"	7	
2-13	905	922	75'0	651	487	56	Calm		,	6	
2-18	1906	'92z	75'6	65'0	'477	54	Culm	0		4-5	
2-23	906	922	761	65.1	'474	53	Calm	0	· · [4	
2-28	·906	1922	· 76'1	651	474	53	Calm	0	*	3	•
2-33	ę "cos	919	77.0	64.6	'443	48	Calm	•	n	3	
2-38	303	919	77'4	644	'432	46	Calm	۰	20	2	•
2.43	903	.919	77'6	6,12	422	44	Calm	0	•	1.5	
2-48	903	616.	77'g	64.a	443	46	Calm Calm			0-5	
2·53 2-58	,000	916	78·4 78·8	64'9 64'6	'436 '421	45 42	SSW	3.6			Eclipse ended.
	1			1		- {		- 1	ł	1	
3-13	902	918	78.9	641	.403	40	Calm	172	"		
3-58	-906	922	78.9	641	'402	40	Calm	1.6	•		

MERCARA.

Long. 75° 48' E.

Three hundred and sixteen miles from central line of totality. Greatest obscuration 9.

Hour.	BARONE TER.	<u>'</u>				1	Itua.	_		.ovo			seuration 9.
Madras time.	Conscie and reduced to 32° F		Wet build corrected.	Aqueous vapour pressure	Relative hun idity.	Direction	Amount since preceding interval, in miles per hour	Prope	Kin	u.	irection of motion.	Proportion ecclipse, total	MEATHER AND OTHER BENAN
A,M.			•	,	%								
10-0 10-15 10-30 10-45	26'279 '283 '283 '282	67'7 68'0 68'5 68 0	57°2 57°5 57°9 57°2	'348 '354 '353 344	51 52 52 50	SE S SE	76 32 88	Na.		:	::	::- ::-	
11-0 11-15 11-30 11-43 11-48 11-53 11-58	282 278 274 272 272 273 273	68 7 69 2 70 0 72 0 72 0 72 2 72 4	57*7 59*2 58 8 59 6 59 6 59 7 59 7	352 390 367 367 367 370 363	50 54 51 46 46 47 46	SE SE SE SE SE SE	10'8 72 36 83 72 60 48	## ## ## ##				 !!!	Eclipse commenced at about 11
P.M. 0-3 0-8	*269	70°0 73°2	58 8 59 8	367 359	50	SE SE	24	<i>3</i> 4					
0-13 0-18 0-23 0-28 0-33 0-35 0-43	271 271 269 262 260 256	727 723 73°0 72°0 72 6 72°0	59 9 59 9 50 5 59 8 59 8	369 372 375 377 367 371 372	43 46 46 47 48 46 47	SE E E ESE ESE	2.5 0.0 0.0 0.0 0.0 1.3	n n n	či.			3	
0·53 0·58	253 249 246 241	72'5 71 4 71.3 71 3	59 9 59 7 59 8 60 1	378 382 391	47 50 50 51	ESE ESE ESE ESE	0 1,3 3 0 5,4	;; ;;	3			5 5	Correctionds were some very as the houses 0.53 F.M. to 2.8 F.M. Wied cale
1·3 1·13 1·13 1·18	240 241 239 238 238	70 3 70 3 70 3 69 3 69 3	59 5 59 7 59 8 59 3 59 2	386 391 391 394	53 53 54 54	ese ese ese ese	1°2	** ** ** **	či. :::			:: :	
1-28 1-33 1-38 1-43 1-48 1-53 1-58	234 230 230 231 231 231 231	69 7 69 8 70 0 70 3 70 3 71 0 70 0	59 7 59 9 60 6 60 7 60 5 60 9 50 8	'399 '401 '420 '421 '415 '415 '419	55 55 58 57 56	CSE ESE ESE ESE ESE ESE	0 0	" "				. 9 8 7 6 5 4	Maximum observation at year me Maximum observation at year me Maximum of Maximum observation of Maximum observation of Maximum observation of Maximum observation of Maximum observation of Maximum observation of Maximum observation of Maximum observation of Maximum observation of Maximum observation of Maximum observation of Maximum observation of Maximum observation of Maximum observation observation of Maximum observation observation of Maximum observation
2-3 2-8	'228 227	69.7	59.6 59.8	396	54 55 54	ESE SR		1	Ci. Cu	١.		 2	
2-13	*226	703	59 9	396	53	SE	0	1	Cı. Cı.	N'	W 1		
2 -18	.223	70 2	60.1	405	55	SE	34	•	Ci. Cu	SE NV SE	v v	1	
2.23	.223	71'0	6018	415	55	SE	24	1	Ci. Cu.	N SE	V	0.6	
2-28	321	70'4	60'7	·41g	56	ssw	48	I	Ci., Ci.	NV SE	v to		
-3 3	'220	72'5	61.1	·407	51 3	ssw	24		Cu, Ci. Cu, Ci.	NV SE NV	Io I		
-38	.218	73'2	62 2	434	53 5	sw	12	.	Ct, Ci.	SB	to		
*43	21.7	74'0	623	427	51 8	sw	•	٠,	G.G	SE:			1-42 P.M. eclipse anded.
-58	.316	740	52'2	424	50 5	sw	80	,	Cu, Ci.	SEI			•
13	.313	72'7	51'2	409	51 5	w	04		Ci, Ci.	SE I	0		
-28	210			418	53	s	28	2	G. Ci	SE t	ł	.	
-43 -58		- 1	- 1	440	53	W	28	3	Ca Ca	SE to	•	-	
**3	- }	1		- 1	49 W	WW	16	3 0	i.c.	SE to		1.	
٠"		733	2.2	41	54 N	w	44	3 0	i ci	SE 16			

Long. 78° 5' E.

Three hundred and twenty-five miles from central line of totality. Greatest obscuration 9.

Madrians	Hour.] BAR	DMSTER.	ī	1	,	_		1sto,		l sociality.	, matest boscarazion 9.
10-33	Madras time.	- med	level and constant	corrected.	corrected.	Vapour	Relative homidity		Amount since preceding interval in miles per	Bropar-	eclipse, totality	Weather and other remarrs.
10-33		,	1 -	1 -		-	7.					
10-39 '3-09 '0-11 74" 60"3 '338 40 N.W 83 ## 11-9 '502 '0-20 76"2 67"5 '336 39 N.W 80 ## 11-21 '405 '0-20 77"2 67"3 '35"3 39 N.W 80 ## 11-22 '405 '0-21 77"3 67"3 '35"3 38 N.W 84 ## 11-23 '491 '0-17 77"3 67"3 '35"3 38 N.W 80 ## 11-24 '405 '0-11 '780 67"5 '35"0 38 N.W 80 ## 11-25 '405 '0-11 '780 67"5 '35"0 38 N.W 80 ## 11-26 '405 '0-11 '780 67"5 '35"0 35 N.W 96 ## 1-27 '407 '408 '77"1 67"3 '335 38 N.W 96 ## 1-28 '406 '9-11 '87" 67"3 '339 36 N.W 96 ## 1-29 '406 '9-11 '87" 67"3 '339 36 N.W 96 ## 1-20 '407 '9-19 '9-10 '8-			1				42			NII		The sky was perfectly clear during the whole day.
11-9		1										
11-24			1 .									
11-24	11.0	'502		76.0	fre	·ara	**	NW				
11-54	_	1 -			- 1		-					
11 54			'017		62'3			N				ŀ
0-9 483 008 782 674 354 335 37 NW 80 1 479 10-05 774 675 335 37 NW 96 1 1 2 2 3 3 3 1		'486	110		62.5			NW	72			
0-14	r.M.	1										
0-19		1		- 1					1 1			Eclipse was seen to commence from south-west
C-24 '471 '996 782 673 '359 36 NW 72 " 3 3 3 3 3 3 NW 72 " 3 3 3 3 3 3 NW 72 " 3 3 3 3 3 3 3 3 3		1	-						1 - 1		1	
0-93	-									.]		
0-34				' '								
0-39	-					***	-			- 1	,	
0-44	_							NW				
0-54	0.44			79'2	63'3	'369	37	NW				
0-59 485 7982 7972 634 374 37 NW 48 11 1-4 455 7980 7972 633 7569 37 NW 36 60 77 114 454 7979 777 625 336 38 NW 60 11 114 454 7979 777 625 336 38 NW 60 11 114 454 7979 777 625 336 38 NW 36 11 114 454 7979 777 625 336 38 NW 36 11 114 454 7970 76 625 336 38 NW 36 11 114 454 7970 76 625 336 48 NW 36 11 114 47 70 70 625 336 48 NW 36 11 114 47 70 70 625 336 48 NW 48 11 1154 47 70 70 625 336 48 NW 48 11 1154 47 70 70 625 336 48 NW 36 11 1154 47 70 70 625 336 48 NW 48 11 1154 47 70 70 625 336 48 NW 36 11 1154 47 70 70 625 336 48 NW 36 11 1154 48 707 70 625 336 48 NW 36 11 1154 48 707 70 625 336 48 NW 36 11 1154 48 707 70 625 336 48 NW 36 11 1154 48 707 70 627 627 408 NW 36 11 1155 70 70 627 74 90 80 70 627 74 90 NW 36 11 1155 74 1155 75 1	-					- 1				,	4	
1-14				,		. 1				,		
1-9 455 '981 782 651 378 39 NW 60 7 1-14 434 '979 777 625 334 38 NW 48 1 1-29 435 '978 779 625 '331 40 NW 24 8 1-29 448 '973 772 625 '331 40 NW 36 8 1-34 444 '970 76 625 '384 43 N 72 8 1-35 444 '970 76 625 '384 43 N 72 8 1-35 443 '970 756 637 '412 46 NW 48 9 1-36 433 '971 752 633 '423 48 NW 36 8 1-36 438 '973 772 625 '384 43 N W 36 8 1-36 443 '970 756 637 '442 46 NW 48 9 1-36 438 '971 752 633 '423 48 NW 36 8 1-36 438 '967 749 627 4405 47 NW 36 8 1-36 438 '967 749 627 4405 47 NW 36 7 1-39 436 '968 750 633 '427 49 NW 36 7 1-59 436 '968 772 637 447 NW 36 4 1-39 434 '959 768 633 '423 48 NW 24 4 1-30 '968 750 633 '427 40 NW 36 4 1-30 '968 750 633 '427 40 NW 36 4 1-30 '968 750 633 '427 40 NW 24 4 1-30 '968 750 633 '427 40 NW 24 4 1-30 '968 750 633 '427 40 NW 24 4 1-30 '968 750 633 '427 40 NW 24 4 1-30 '968 750 633 '427 40 NW 24 4 1-30 '968 750 633 '427 40 NW 24 4 1-30 '968 750 633 '427 40 NW 24 4 1-30 '968 750 633 '427 40 NW 24 4 1-30 '968 750 633 '427 40 NW 24 4 1-30 '968 750 633 '427 40 NW 24 4 1-30 '968 750 633 '427 40 NW 24 4 1-30 '968 750 633 '427 40 NW 24 4 1-30 '968 750 633 '427 40 NW 24 4 1-30 '968 750 633 '427 46 NW 12 4 1-30 '968 750 633 '427 46 NW 12 4 1-30 '968 750 633 '427 46 NW 12 4 1-30 '968 750 633 '427 46 NW 12 4 1-30 '968 750 633 '427 46 NW 24 4 1-30 '968 750 633 '428 45 NW 48 4 1-30 '434 '958 750 633 '638 '373 36 NW 48 4 1-30 '434 '956 803 638 '373 36 NW 48 4 1-30 '434 '956 803 638 '373 36 NW 48 4 1-30 '434 '956 803 638 '373 36 NW 48 4 1-30 '434 '955 805 664 674 '389 37 SW 48 4 1-30 '434 '955 805 664 674 '389 37 SW 48 4 1-30 '434 '955 805 664 674 '389 37 SW 48 4 1-30 '434 '955 805 664 674 '389 37 SW 48 4 1-30 '434 '955 805 664 674 '389 37 SW 48 4 1-30 '434 '955 805 664 674 '402 40 NW 56 8 4 1-30 '434 '955 805 664 674 '402 40 NW 56 8 4 1-30 '434 '955 805 664 674 '402 40 NW 56 8 4 1-30 '434 '955 805 664 674	0.59	458	982	75.3	03'4	'374	37	NW ,	4.8]		·
1-14	14		- 1			'369	37		3.6		6	The sunshine began to fade and turned greyish
1-19	- 1		- 1	'	-					"	7	h hand to make the
1-29										n	}	it began to grow stightly dusky.
1-29 1448 1973 777 657 336 42 NW 36	- 1										Í	•
1-39		148					· 1				8 .	It became quite dusky,
1-39										,		
1-49	1.30		970	756	63'1	'412	46	NW		.	1	If began to clear.
1-54	2-44					'423				,,	8	
1-59							. ,			*	. 1	
2-4 '436 '963 759 63'5 '420 47 NW 36 " 3 2-9 '434 '959 768 63'3 '403 44 NW 24 " 2 2-14 '434 '959 768 63'3 '403 44 NW 12 " 2-19 '436 '961 772 63'9 '416 43 NW 24 " 2-2-24 '434 '958 78" 64'3 '416 43 NW 24 " 2-2-29 '434 '958 78" 64'3 '416 43 NW 24 " 2-3-29 '434 '958 78" 64'3 '416 43 NW 24 " 2-3-29 '434 '958 78" 65'3 '35' 50 NW 48 " 2-3-30 '434 '956 80'3 638 '373 36 NW 48 " 2-40 '434 '956 80'3 638 '373 36 NW 48 " 2-41 '434 '956 80'3 638 '373 36 NW 48 " 2-42 '434 '956 80'4 61" '385 36 NW 48 " 2-43 '434 '956 80'4 61" '385 36 NW 48 " 3-44 '434 '956 80'4 61" '385 36 NW 48 " 3-45 '434 '956 80'4 61" '385 36 NW 48 " 3-46 '434 '956 80'4 61" '385 36 NW 48 " 3-47 '434 '956 80'4 61" '385 36 NW 48 " 3-48 '434 '956 80'4 61" '385 36 NW 48 " 3-49 '433 '955 80'6 66'4 '402 40 NW 56 " 3-49 '434 '955 80'5 66'6 402 40 NW 56 " 3-49 '433 '955 798 633 '356 35 NW 68 " 3-40 '434 '437 '959 798 633 '356 35 NW 58 " 3-44 '437 '959 798 633 '356 35 NW 58 " 3-44 '437 '959 798 633 '356 35 NW 58 " 3-44 '437 '959 798 633 '356 35 NW 58 " 3-44 '437 '959 798 633 '356 35 NW 58 " 3-44 '437 '959 798 633 '356 35 NW 58 " 3-44 '437 '959 798 633 '356 35 NW 58 " 3-44 '437 '959 798 633 '356 35 NW 58 " 3-44 '437 '959 798 633 '356 35 NW 58 " 3-44 '437 '959 798 633 '356 35 NW 58 " 3-44 '437 '959 798 633 '356 35 NW 58 " 3-44 '437 '959 798 633 '356 35 NW 58 " 3-44 '437 '959 798 633 '356 35 NW 58 " 3-44 '437 '959 798 633 '356 35 NW 58 " 3-44 '437 '959 798 633 '356 35 NW 58 " 3-44 '437 '959 798 633 '356 35 NW 58 " 3-44 '437 '959 798 633 '356 35 NW 58 " 3-44 '437 '959 798 633 '356 35 NW 58 " 3-44 '437 '959 798 633 '356 35 NW 58 "	- 1									.)	7	Reight sunshine began to prevail.
2-9 434 959 768 633 403 44 NW 3-4 " 2 2-14 434 959 768 639 422 46 NW 12 " 2-19 436 951 762 639 425 416 8 NW 48 " 2-29 434 955 762 643 416 43 NW 3-4 " 2-29 434 955 762 643 416 43 NW 3-4 " 2-29 434 955 762 633 416 43 SW 2-4 " 2-34 434 955 762 633 365 36 NW 48 " 2-34 434 955 765 633 365 36 NW 36 " 2-44 434 956 863 638 373 36 NW 36 " 2-44 434 956 863 638 373 36 NW 36 " 2-45 434 955 866 674 389 37 SW 48 " 3-59 434 955 866 674 389 37 SW 48 " 3-14 434 955 866 674 389 37 SW 48 " 3-14 434 955 862 646 402 40 NW 56 " 3-19 433 955 798 633 363 35 NW 68 " 3-14 434 955 862 646 402 40 NW 56 " 3-14 434 955 862 646 402 40 NW 56 " 3-14 434 955 862 666 462 389 37 SW 48 "	1-59	430	904	75"	03.3	423	40	NW	24	"	1	- 110 perum
2-14 (434) 950 768 639 (422) 46 NW 122 2 2-19 (434) 958 782 643 (416) 43 NW 24 2 2-29 (434) 958 782 643 (416) 43 NW 24 2 2-39 (434) 958 782 643 (416) 43 NW 24 2 2-39 (434) 958 782 643 (416) 43 SW 24 2 2-39 (434) 958 782 643 (416) 43 SW 24 2 2-39 (434) 958 782 643 (416) 43 SW 24 2 2-39 (434) 958 796 673 356 36 NW 48 2 2-39 (434) 958 804 672 (385) 36 NW 36 2 2-40 (434) 958 804 672 (385) 36 NW 36 2 2-59 (434) 958 804 672 (385) 37 SW 48 2 2-59 (434) 958 804 672 (385) 37 SW 48 2 2-59 (434) 958 804 672 (385) 37 SW 48 2 2-59 (434) 958 806 664 (428) 37 SW 48 2 2-59 (434) 958 807 664 (402) 40 NW 56 2 2-59 (434) 958 807 666 (402) 40 NW 56 2 2-59 (434) 958 807 666 (402) 40 NW 56 2 2-59 (434) 958 807 666 (402) 40 NW 56 2 2-59 (434) 958 807 666 (674) 389 37 SW 48 2 2-59 (434) 958 807 666 (674) 389 37 SW 48 2 2-59 (434) 958 807 666 (674) 389 37 SW 48 2 2-59 (434) 958 807 666 (674) 389 37 SW 48 2 2-59 (434) 958 807 666 (674) 389 37 SW 48 2 2-59 (434) 958 807 666 (674) 389 37 SW 48 2 2-60 (434) 958 807 666 (674) 389 37 SW 48 2 2-70 (434) 958 807 666 (674) 389 37 SW 48 2 2-70 (434) 958 807 666 (674) 389 37 SW 48 2 2-70 (434) 958 807 666 (674) 389 37 SW 48 2 2-70 (434) 958 807 666 (674) 389 37 SW 48 2 2-70 (434) 958 807 666 (674) 389 37 SW 48 2 2-70 (434) 958 807 678 807 807 807 807 807 807 807 807 807 8									36	,		
2-19 436 961 77-2 639 418 45 NW 48 " 2-29 434 955 78-9 643 416 43 NW 24 " 2-29 434 955 78-9 643 416 43 SW 24 " 2-34 434 956 79-6 633 355 36 NW 48 " 2-39 434 956 80-3 638 73-3 36 NW 48 " 2-41 434 956 80-3 638 73-3 36 NW 48 " 2-40 434 956 80-3 638 73-3 36 NW 48 " 2-41 434 956 80-5 647 401 39 NW 48 " 2-53 434 956 80-6 674 389 37 SW 48 " 3-14 434 955 80-6 674 389 37 SW 48 " 3-14 434 955 80-6 674 389 37 SW 48 " 3-14 437 955 80-6 674 389 37 SW 48 " 3-14 437 956 80-2 646 402 40 NW 56 " 3-19 433 955 798 633 353 35 NW 68 " 3-14 437 959 998 633 355 35 NW 68 " 3-14 437 959 998 633 355 35 NW 84 "	- 1	- 1			}				- 1		2	
2-24	- 1									- 1	}	i
2-29 434 958 789 643 416 43 SW 24 2 SW 48 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				1							, [ſ
2-34 434 955 79°2 64°3 155 36 NW 48 " 2-40 434 956 80°3 63 8°373 36 NW 48 " 2-40 434 956 80°3 63 8°373 36 NW 48 " 2-40 434 956 80°4 60°3 38 NW 48 " 2-54 434 956 80°4 60°3 38 NW 48 " 2-54 434 956 80°4 60°3 38 35 NW 48 " 3-54 434 955 80°6 66°4 38°9 37 SW 48 " 3-14 434 955 80°6 66°4 38°9 37 SW 48 " 3-14 434 955 80°2 64°6 40°2 40 NW 56 " 3-14 434 955 80°2 64°6 33 35°5 NW 68 " 3-14 437 959 798 633 35°5 35 NW 68 " 3-14 437 959 798 633 35°5 35 NW 68 " 3-14 437 959 798 633 35°5 35 NW 84 "										- 1	1	j
2-39	- 1									- 1		j
2-44							36					}
2-54 '434 '965 804 617 '385 36 NW 36 " At regs r.m. cellipse extend at north-resst 2-59 '434 '955 806 644 '389 37 SW 48 " At regs r.m. cellipse extend at north-resst 3-14 '434 '966 802 646 '402 40 NW 56 " 3-29 '433 '953 798 633 '363 35 NW 68 " 3-44 '437 '959 798 633 '365 35 NW 84 "	2-41	'434	.026				- 1				- 1	
2-59 434 955 806 664 389 37 SW 48 ,, 3-14 434 955 802 666 402 40 NW 56 ,, 3-29 433 955 798 633 363 35 NW 68 ,, 3-44 437 959 798 633 355 NW 84 ,,										. }	Ĺ	
3-14 '434 '986 80'2 64'6 '402 40 NW 56 3 3-29 '433 '985 79'8 633 '36'5 35 NW 68 " 3-44 '437 '999 79'8 633 '36'5 35 NW 84 "		1		- 15		1	- 1			. }]/	it 2-56 P.M. eclipse ended at north-east.
3-29 433 955 798 633 363 35 NW 63 ,, 3-44 437 959 798 633 365 35 NW 84 ,,	2.59	434	955	e0.6	04'4	389	37	·	48	"	-	
3:14 '437 '959 798 63'3 136'3 35 NW 84	- '				' 1	. 1				,	·	
man tan total and fout total of NEET	}						·- I.	,	- 1	- 1)	}
	1									1	. }	
									*	"		
49 '440 '362 801 623 '326 31 NW 36	49	'440	962	Bort (i23 ·	326	31 1	W	3.6]	1	

No 51 Lat 23° 3' N

AHMEDABAD

Long. 72° 36 E.

Three hundred and forty miles from central line of totality Greatest obscuration 9

Hour	BARON	RETER			l		Į v	/IND	1	1	t obscuration 9
Madras time	Co rected and reduced to 32 r	Reduced to sea level and constant gravity	D y bulb Corrected	Wet bulb Corrected	Aqueeus rapour pressure	Relative hum dity	Direct on	Amount a nce preceding interval in miles per hour	Cloud proper t on	Proportion of eclipse, lotality 10	Weathle and other revarks
a ni		,	•		•	*					
10 31	29 912	29 978	82 1	59'9	223	21	ENE		Nel		The sky was clear throughout Brds cea fi) no do no the eclipse of the son (in proportion 4 to 9) and rested in their ac
10 46	913	1979	83 2	60'2	215	19	ENE	32	•		or freez etc
11 1 11 16 11 31 11 41 11 46 11 51 11 56	913 908 901 896 892 890 887	9 8 973 960 959 456 954 951	84 5 8 ₃ 2 86 t 86 5 87 t 87 3 87 7	61 2 60 9 60 9 61 7 62 2 62 4 62 7	231 215 202 220 220 229 132 237	17 16 17 18 18 18	ENC E SSE SSE SE SE SSE	48 44 76 60 119 37 48	" ; " ; " ; " ; " ; " ; " ; " ; " ; " ;	01 03 05 08	
PII										Į.	
0 1 0 0 0 11 0 16 0 21 0 26 0 31 0 31 0 46 0 50	885 884 884 874 874 867 864 862 861 850	949 948 948 935 933 931 938 920 920 920	85 1 88 2 88 3 88 9 88 9 88 9 87 9 88 9 87 9 87 9 87 5	62 9 63 0 62 7 62 7 62 2 61 8 62 8 62 8 62 8 62 9	240 240 235 236 205 207 205 215 237 234 235 248	18 18 18 17 15 16 16 18 18 18	ESE ESE ESE ESE ESE ESE ESE ESE ESE ESE	56 40 56 56 56 41 73 56 57 57 57 57 57 57 57 57 57 57 57 57 57	15 20 20 21 25 25 25 26 21	1 1 8 0 3 5 7 0 5 0 5 0 5 0 5 0 5 5 5 5 5 5 5 5 5	
1-1 1 0 1 11 1 16 1 21 1 26 1 31 1 30 1 41 1 -46 1 51 1 50	856 851 845 845 845 844 844 844 836 833	923 920 916 914 910 909 910 909 901 897 897	36 7 86 5 86 1 85 9 85 8 85 7 85 8 86 1 86 8	618 616 617 627 638 637 645 645 645 645	221 217 213 228 263 273 300 299 295 322 324 260	17 17 16 19 22 22 24 24 24 25 26	ESE SSE SSE SSE SSE SSE SSE SSE SSE SSE	34 33 17 29 13 18 01 02 04 02	2) 27 17 19 19 19 19 19 21 24	66 65 70 90 85 85 75 70 60	
2 I 2 6 2 II 2 Ib 2 2I 2 26 2 3I 2 76 2 46	834 834 832 831 833 830 830 827 828	898 896 896 897 8 7 894 893 890 891	86.5 87.6 87.6 87.8 88.3 89.0 88.9	61 9 62 7 63 1 62 5 61 8 62 8 64 3 63 1 61 8	228 250 252 230 206 232 273 234 189	18 19 18 16 18 20 17	SSE SSE SSE SSE SSE SSE SSE SSE SSE	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	P # 1 # 1 # 2 # 2 P # 2	3°0 2°0 13 1°0 08 05 05	
3-1 3-16 3-31 3-46	\$29 826 825 825	802 880 888 859	90 I 90 I 90 I	64 6 64 3 63 8 64 5	267 260 242 368	19 18 17	ENE FVE ENE ENE	2 2 2 5 2 5 2 5 2 5 3 5 3 5 3 5 3 5 3 5 3 5 3 5 3 5 3 5 3	n		
4 I 4 16 4 31	831 835 835	259 259	89 6 89 0 88 6	63.7 62'9 63'9	245 228 266	18 17 20	NE ENE NNE	24 18 08	:	_	

DARBHANGA:

Long. 86° o' E.

Forty-seven miles from central line of lotality. Greatest obscuration 8.

Hauz.	BARGE	TETEK.				1	W	Dep.		,	
Madras time.	Corrected and reduced to 32° F.	Reduced to sea- level and constant	Dry bulb corrected.	Wet bolb carrected.	Aqueous vapour pressuro.	Relative humi- dity.	Direction.	Amount since proceeding interval, in males	Cloud proper- tion.	Proportion of eclipse, totality	Wrather and other remarks.
	32° F.	gravity.		1		1		but pont-			
А.М.	,		-		,			1			N
9-37	29'902	30 028	68.9	6o ⁴	414	% 58	ESE		Nil		
9-52	*893	*019	69'1	60.4	411	57	SSE	16	,		
10-7	·890	dro.	69'9	61'4	433	59	SSE	22.87			<u> </u>
10-22	-885	110'	71'1	62'0	'437	57	SSE	6.8			<u>{</u> }
10-37	-881	1006	72'3	62'3	*430	54	SSE	0.4		{	.:
10-52	-869	29'994	7279	62'3	-422	52	SSE	2'0	,		'
11-7	-864	1989	73 '3	623	7416	51	SSE	40	,,		11
11-32	850	975	74'9	62'9	425	48	SSB	3.6	,,,		!
11-37	850	975	74'9	62'9	'415	48	SSE	0			1
11-52	*843	*967	75'3	63.0	'413	47	SSE	2'4	. "		1
F.M. 0·7	1839	.064	74'9	630	'418	48	SSE	1.6			1
0.13	*837	962	749	63'0	418	48	SSE	24	,,	}	†
0-17	1830	954	75"	6370	416	48	SSE	48	"	}	}
0-22	-828	952	75"1	63'0	416	48	•••			2	ł
0-27	825	•950	75"1	63°0	416	48	}		,		}
0-32	*824	948	75°I	631	*419	48	SSE	48			}
0-37	*822	-946	757	633	'417	46	٠	}	"		1
0-43	·817	·941	757	63'9	'438	49	SSE	· }	"	- 1	1
0-47 0-52	·817	*941 *939	. 757	63.6	*448 * *438	49		18.0	"	4	}
0.52	-812	939	757 753	633	430	49		<u> </u>			ļ
1.2	-813				i ` 1	1	SZB		- 1]
1-7	*808	1936 1932	75°3 75°7	63'3	'423 '417	48 46		20	*.	:::	ļ
1-12	-807	932	757 75'4	63.1	417	40			"	6	
1-17	-807	931	749	62'9	415	48	SSE	24	7,		}
1-12	*805	*930	745	62-1	'393	45		}	- n		F ne slear weethar
1-27	-805	-930	74'5	62.1	'393	45		- (., (***	
1-32,	803	928	74"1	65.1	*399	47	SSE	08		8	1
1.37	*800	925	73'9	621	402	48	•••		"	•••	
1-42	798	7923	73'4	63'1	*442 *468	54	SSB	 8'8			1
1-47	797	'922 '919	72.4	63°5 63°5	481	58 62	22.8	9.8	#		\
1-57	794	921	71.1	63,1	472	62			"		1
1-2	797	'022	69'9	63'1	488	69	SSE			Ì	"(
2-7	797	922	72.0 72.0	63.5	461	57	356)3 34		1
2-12	197	921	70'5	641	514	68					1
2-17	195	920	71'1	64.9	533	69	Calm				1 .
1-22	791	915	71.7	649	.526	67 .	***				1
2-27	.792	7914	729	64'9	'510	63				•••	1
2.32	7790	914	73'3	649	'504	60	SSE	2'0	39		\{
1-37	790	914	747	637	* *444	\$ 2	~		-		1
2-42	789	913	74'9	63*5	*435	50	SSE	-	•		1
2-47	789	913	74°9 74°9	63'3	'435 '429	30 5u			*	""	1
2.57	789	913	74'9	63'3	432	50 50		-	20		∦.
3.2	789	1		ł	}	1 1	Calm				
3.7	789	.013	74'9	63'1	'422 '422	49	-am	°	-	**	
3-12	789	.913	74'9 24'9	631	422	49	- 1		-	_ 1	
3-17	789	913	749	627	408	49	SSE	3.2		- 1	
3.22	789	913	749	62.7	'408	46		-	,		
3-27	'789	'913	74'9	62.7	408	46		_		4	ų.
3-32	789	*913	749	62.7	'408	46	SSB	20	- 1		
3:37	.789	-913	74'9	62.2	'401	45	SSE	24			/

GORAKHPUR

Ninety-one miles from central line of totality Greatest obscuration 8

nou	B	ARONE				T	T		V	#b			Greatest obscuration 8
Afadra tume		red se	educed to a-level and ostant avery	Dry buil correct	bul ed correc	et b b ted. pres	eous R cour I	elative um dity	Direction	Ame ste preces inter in m per b	e l ag	Cloud propor- I on	" EATHER AND OTHER REMARKS.
AM			•	۰			•	%				Nil	
9 48 9 53 9 58	77	1 29	000 999	63 64 65	1	6	366 375 376	63 63 61	SSE R NNE	ı"	2 2		Fire clear weather throughout,
10 3 10 13 10 13 10 13 10 28 10 33 10 38 10 43 10 45 10 53 10 58	76 76 76 76 76 76 76 75 758		998 996 996 993 993 993 993 992 990 986	65°6 66°5 67°6 67°6 67°6 68°5 69°6 69°6	59 59 59	33 33 33 33 34 34 34 34 34 34	14 14	61 59 59 66 59 57 56 57 55 55 55 55 55 55 55 55 55 55 55 55	ANE NNE Colm SSE SSE E Colm SE NNE	91 24 0 12 24 12 0 12 24		1 11 11 11 11 11 11 11 11 11 11 11 11 1	
ti 3 11 8 11 18 11 18 11 28 11 28 11 33 11 38 11 43 11 45 11 58	758 758 754 754 753 745 745 739 739 733 733	999999999999999999999999999999999999999	84 84 80 80 79 71 71 65 58	69 7 70 2 70 5 70 7 71 0 71 7 71 7 71 7 71 7 71 7 72 4 72 8	60 2 60 3 60 4 60 6 61 t 61 t 61 t 61 t 61 t	38		54 54 52 52 51 51 51 52 52 52	E Calm NE NE Calm NE SE NNE SE NNE Calm	12 0 12 12 0 24 12 12 12 12		3) 30 4) 37 39 10 17	
0 3 0 8 0 13 0 18 0 23 0 28 0 33 0 33 0 43 0 43 0 45	725 725 725 714 714 719 710 676 676	95 95 93 93 93 93 93 93 90 90	9984	73 t 73 t 73 t 73 2 73 2 73 3 73 3 73 3 73 3 73 3 73 2 73 7	61 1 61 1 61 2 61 3 61 9 62 0 62 6 62 6	376 376 382 385 403 403 406 428 428 421	44 44 46 49 50 50 53 53	6	Calm NVV SSW SSE S SSE Selm SE SE Selm alm	0 12 12 36 12 12 0 24 12 72		* D:	of pee communiced Creave in brightness of day communiced to be avaled Crease in brightness marked
3 *13 *18 *23 28 33 43 44 48 53 58	675 677 677 677 678 678 678 676 708 708 708	891 900 900 901 901 899 899 933 933	77 77 77 77 77 77 77 77 77 77 77 77 77	73 7 73 2 73 2 73 2 73 9 73 9 73 9 73 9 73 9 73 9 73 9 73 9	62 6 62 1 62 t 62 t 61 9 61 9 61 9 62 6 62 0 62 0 62 0	421 411 411 407 407 407 418 435 400 406	51 51 51 51 51 52 53 50 50	CNN	alen IW W W W W W W W	0 12 12 12 12 12 12 12 12 12 12	,		obscined decrease in b lightness ve y marked to commenced to ct a
20	700 698 698 699 693 693 693 687 687 689 689	925 923 93 974 918 918 912 912 913	7: 7: 7: 7: 6: 6: 6: 6:	12	613 613 613 613 613 621 621 621 621 619 619	388 391 396 398 438 445 451 452 459	47 48 48 50 57 59 61 62 64	Cal Cal Cal Cal Cal Cal Cal Cal			;	Ed ps	e term caled
3 8	684 681 681 681 681 678 676 676	909 909 905 905 905 905 905	69 69 70 71 71 72 72 72 72	7 7 9 2 2	62 1 62 6 62 9 63 1 63 1 63 1 63 1 63 1 63 1	463 475 478 478 465 462 458 458 458 451	64 65 65 65 65 65 65 65 65 65 65 65 65 65	Cain Cain Cain Cain Cain Cain Cain Cain	0 0 0		, ,		

DALTONGANJ.

Ninety-three miles from central line of totality. Greatest obscuration 8.

,			34274	sty-inre	e mittes j	7 5 117 50.		e of tol		
Hous.	BAROS	ETER.					W	Np.		
Madras time.	Corrected and reduced to 35° F.	Reduced to sex- level and constant gravity.	Dry bolb corrected.	Wet bulb corrected.	Aqueous vapour pressure.	Relative humidity.	Direction.	Amount succe preceding interval, in mites per hour.	Claud proper- tion-	Weather and other remarks.
A.M.	29'326	30'040	67'9	574	*334	% 48	VIZ	***	NS	· .]
9-45	*326	30 040	68.9	57'9	*337	47	sw	o-8	,]
10-15	*326	*035	70'9	584	*324	43	sw	3"2	"	
10-30	.326	.034	71.0	28.9	'327	42	SW	1'6	"	
10-45	1322	*028	. 72.4	58.0	.310	41	W	36 28	["	·
11-0	.318	*013	1	58.0	*313	39	W W	40	,,	
11-15	'313	*015	75'4	28.0	*267	29	w	76	,,	The meather was calm from morning to 11-30 A.M., when a sudden loarst of wind continued blowing III 3-45 P.M., with force, increasing an decreasing at short intervals. The sky was clear and quite free from crowls throughout.
11.30	1		' '	-]	w	12'0	,,	creating and decreasing at short untervals. The sky was created and quite free from clouds throughout.
11-45	'297	29,096	1	28.0	*254 *247	27 16	w	100	,	
22-0 2.K. 0-15	*293 *285	990	1	59'9	251	25	w	972	,,	
0-30	1	1 ***	1	59'9	1251	25	WWW	1 '	,,	The eclipse commenced at 0-25 P.M., and the greatest obscurity was in proportion eight-tenths.
0-35	1	'965	80°1	59'9	*248	25	WWW	1	-	The ske should were engreeding its full extent, a sudden
0-40	*268	·96i	8014	59'7	*239	24	WSW	13'0	"	When the obcurity was approaching its full extent, a sudden coldness of the air was felt, which gradually disappeared with the celepte. The daylight during highest clusterity was like thant electric light.
0-45	*265	1961	80'4	59'7	*239	24	wsw	120	"	
0.50	'265	96	809	59'7	*231	*3	wsw	15'6	"	}
0-5	1	1	1	59'4	-119	22	WNV	84	"	1
1+0	1 .	~		59'4	'233 '435	23	WNV	1		
1.3	1	1 ~	1 .	59'4 59'4	1235	23	WNV			
1-1			1	58'0	1227	23	WNV	V 12'0	-	
1-2	* I .	1		58 7	*227	24	1VS11	240	"	
1-2	5 .36	95	4 75.7	58.7	.530	24	W	3.6	,,	
1-3	o '25	4 55	0 7779	57'9	917	23	1	96	"	
1-3	\$ '25	94	1	1	*224	1			1 "	
1-4		Hight trome-	76'9	1	*230 *237			72		
1-4	1,05	122	75'9 75'7	1	.540	27	W	8.4		
1+5	is sign	incufficient i	74'9	577	*250			4.8		1
2 2	{ F. 44.5	in d	74'9 2 75'0		247	29	W	41		. [
2-1	in little	Owing to	75'4	57'9						•
2.1		· 84	75'9							
2*1		₁₂ 9	1 .		1 .	1	1 17	T	1	
2:					250			7		
2.	35 12.						'	77		
2.		- 1 -	43 78°9 41 78°9				' I	8.		
1	45 °2.		43 79'4				4 W	137		
	55 2	. 1	42 79	594		1		91		
	3-0 -2	, ,	39 79				, i			
	20 2	٠,	43 80°				2 W	127	١,	
- 1	- 1		40 80			8 2	a W	8.	1	•

BIJAPUR.

Ninely five miles from central line of totality Greatest obscuration 8

				,			,				
Hous	BARG	HETER	l	ĺ			w	ato	1		
Madras time,	Corrected and reduced to 32° F	Reduced to sea level and constant grevity	Dry bulb corrected	Wet bulb corrected,	Aqueous vapour pressurs	Rolative humidity	Direction	Amount since pre- ceding interval, in miles per hour	Cloud proper- ties	Propertion of edipse, totality To	Wrather and other remark
	1										
AM	'	'	•	٠.	•	7°	İ				
10 15	28 094	30'003	754	57 I	242	27	ESE	,	Nıt		
10-25	95	002	75'9	57.5	246	28	ESE	60			Ì
10-35	'097	000	759	581	252	27	ESE	73	"		
10-45	ogó	29 998	77'2	579	212	27 26	ESE	72	,,		
10-55	1093	004	77.5	58.5	257	28	ENE	72	×		
33	-53	997	//3	303	-3/		JANS	72	~		
11 5	-087	g88	776	585	256	28	ENE	48	,,		
11 15	087	986	78 t	57'9	232	24	ESE	96	10		
11-25	083	979	78 7	58 2	' 233	23	E.	48	,		
11 35	080	7974	79 2	589	247	24	ESE	13 2			}
11 45	*076	969	79 3	59 I	*253	25	ESE	78			At 11 47 A at the sun began to be obscured from SW, the sky was clear and blee without any cloud
11 55	071	953	794	59'1	251	24	ENE	60	,,	1	without any cloud
P M											
1	064						P.10		i		
0 5	062	956	793	58.9	245	24	ENE	84	"		
0-15	1	951	80 D	59 1	342	23	E	5'4	*	,	o-to PM suchight became little d'm e brezze began to blow, wasther was chilly and sky cloudiese and blue in the middle god whil sh sear the borizon
0 25	955	946	795	58 9	244	24	ENE	54	"	3	whil sh sear the borizon
0 35	051	943	79 3	58 7	*241	24	ENE	δo	٠ ا	4	
0 45	050	943	79 I	58 1	225	22	EAS	54	"	5	
o 55	043	937	785	57 7	230	22	ENE	78	"	7	
1- 5	040	938	77.5	157 1	215	22	NE	42	., 1	75	1-6 P. a. The sky dark blee as the middle and while he me the formor, meather more chilly and sky chinglest because most extra present and all around supparent gloonsy. Understanding the state of the supparent gloonsy. Understanding appeared red at the time of som set. One are was seen in the SE about 3 or 4 see from the sun and plee hopes to decrease, the start dampeared is about 1 40 P M 1-45 P M Weather little hot.
1 15	032	1933	76 5	563	205	21	NE	66	.	8	whitish near the hursion, weather more chilly and sky cloudless
t 25	030	934	757	569	231	26	NE	42		7	somewhat blackish The scene all around appeared gloomy. Unobscured nart of sun
1-35	*026	927	762	5618	222	24	F	24	. [6	appeared red at the time of sun set. Ose star was seen to the SE about 3 or 4 feet
1 45	022	919	77.2	57 0	217	32	ENE	6.6		5	t 27 a w The sel pse began to decrease, the
1 55	022	918	77.4	57 I	217	22	ENE	36	. [4	1-45 r M Weather little hot.
						-		ļ	- 1		
2- 5 2 IS	022	917	77.7	57 4	223	22	ENE	48	•	3	
2 25	*016	'911	78 I	57 7	224	23	ENE	42	и	2	
- [Į.	'906	787	580	227	23	ENE	96	•	1	
2 35	*016	1901	800	58 2	216	20	ENE	72	•	1	date P.M. The con become more tale about
2-45 2-55	016	899	80-6	589	230	21	ENE	48	•		244 PM The sue became completely clear by the NE side. The eclipse lasted 2 hours and 57 minutes and the sky was cloudless during the home.
- 33	010	898	8o 8	59 1	234	22	ENE	54	* }	.	during the hims
3* 5	016	8g8	81 0	591	230	21	ESE	48			
3 15	'015	897	81 1	59 1	230	21	ESE	48	. 1		
3-25	015	896	81 3	59'1	228	20	NE	78		- 1	i
3•35	017	-897	81 5	59 1	4224	20	ENE	42	.		
3 45	017	897	81:6	59 1	274	20	ENE	72		-	
3 55	019	*898	817	59 I	'224	20	ESE	54	,,	- [
4 5	019	*898	81 S	591	222	19	ESE	00	.		
						"		"	7		j

°49' N. SAUGOR.

Hour.	BARO	ETER.		1				nio.	_	oup.	1	obscuration 8.
Madras time,	Corrected and reduced to 32° F.	Reduced to sca- level and constant gravity.	Dry bulb corrected.	Wet bulb corrected,	Aqueous vapous pressure.	Relativa humdity.	Direction.	Amount tince proceeding interval, in miles per hour,	Propor- tion.	kind,	Propostion of eclipse, totality 10.	Weather and other remarks.
		,			•							
10-6	28.259	30'047	747	550	1100	% 22	NNE		Nil			
10-21	*260	.044	75'2	55'8	.207	23	ENE	14'8	**			
10-36	*262	*040	77'1	560	189	20	NE	10'0				
10-51	-260	-642	759	55'0	175	19	NNE	64	n			•
11-6	254	*036	76-2	553	·i79	19	N	76	,	٠.,		,
11-21	250	'024	78-4	57'0	201	20	N	2172	,			
11-36	'240	'014	78.2	560	1176	18	NNE	23.6	,			•
11-51	1238	.003	78.5	56.2	.186	19	N	272	,			
P,M.			```	-5		1		'			{	
0-6	228	291996	800	57'0	182	18	ENE	216	, ,		4 77	Eclipse-commenced at o-11 P.M.
0-16	,357	1993	79:2	57'3	.199	19	ENE	9'6	,,			
o-2 6	1220	.985	79'9	577	203	20	E	178				
0-36	*216	·985	79'0	560	'165	17	NE	126				
0-45	214	983	78.9	560	1166	17	N	54	,			
1-6	1198	-970	77*8	550	1253	15	NNE	9'3	. "		}	
1-16	196	1969	780	56°0	178	16	ENE	40'8	,	S. Cu.		Strong wind.
1-26	1192	969	76'5	558	191	21	ENE	3976	,,	S. Cu.	***	Strong wind. The atmosphere
1-41	1794	974	756	55'7	197	22	ENE	2372	,,	S. Cu,		Strong wind. The atmosphere at enol as it generally gets dur cloudy weather and before a commences.
1-56	-178	1960	746	582	'262	33	NNE	56	.,			
2-11	-180	950	78.2	57'8	·226	23	ENE	2'4	, ,		}	
2-26	'174	*937	79'4	57*2	195	19	Calm	11'2				Ì
2-41	178	1941	79°4	56.7	*180	18	E	32,3	ъ.		***	Relipse terminated at 2-51 2.11.
2-56	173	934	80.4	576	195	19	ESE	260	,,			
3-11	177	1939	80,1	57'2	-186	16	WNW	164	л			
3-26	185	*950	79'9	56.6	*177	18	и	164	,	***		•
3-41	185	,020	80°a	56.6	170	17	N	152	,	,		
3:56	187	952	80'1	576	1198	19	NNW	76	,			
4-6	;189	951	80°4	580	'206	10	WWN	25'8	. 1			

MALEGAON.

Long. 74° 22 E One hundred and thirty foe miles from central line of totality Greatest obscuration 8

			nunarea	and the	rty fioe	mile	s from			ne oj	f tot	ality	Greatest obscuration 8
Hour.	BAR	OHRTER,	-			Г		Win	10	\sqsubset	Cto	UĐ	
Madras time	Correcte and reduced 32° F	Reduced to sen leve and consian gravity	Dry bull corrected	Vet buil Corrected	Aqueous vapour pressure	Refu	t re I ty D rect	508	Amount since occiling interval in m les per hour	Pro	por	Kind	Weather and gener remarks
A M			•			%							
10-23	28 627	30 026	77 7	563	189	19	NN.	E	٥	M	ı		
10-43	619	014	789	572	201	20	EN	E	6.8	,			Fine clear weather
10 58	628	921	79 5	59 a	247	~4	NNE	3	16	11			D tin
11 13	615	002	817	565	147	14	ENE		1.6				h
11-28	604	297988	82 8	569	144	13	ENE		36				
11 43	603	984	837	58 o	163	14	ESE		36	,			
	599	977	85 t	58'2	152	12	28	İ	28	n			
PM					İ								
0-13	596	972	857	598	192	12	SSE		28	**			
0 28	595	972	85'3	589	170	ıø	NNE		24	n			
0 43	590 585	*966 95a	85.5	600	202	14	NE	l	28	*			
		902	845	592	191	17	NNE		32	•		-	
1 13	586	964	843	20.8	211	19	NE		44	9	P	k	Strong wand
1-43	577	938	833	586	194	17	N	l	14	9	P	- {	
58	548	930	823	58 8	207	20 IQ	ENE NE	ł	ro	9	ľ		
						.9			14]	9	'		
28	539	919	. 1			21	NNE NE		17	7	Po		
43	539	914			1	20 21	NE	2	8	8	Pc		
58	535	·910				21	NE	9		7	Pc	- 11	
13	543	918	85 1	619	256	22	NNE	5	6	7	Per	.	
28	535	*908	85'7	621	i	22	ENE	7	1	5	Pc.	- []	
43	543	914	862	62 2 g	61 :	11	ENE	3	5 ,	з	Pc (.	
58	538	1908	86'5	52*7 -2	73 :	12	SSE	08	- 1	- 1			Fine, clear weather
25	546	915	869 6	30 -2	57 2	4	NNE	2 2		.			D tio.

No. 58. Lat. 18° 54' N. BOMBAY, METEOROLOGICAL OFFICE.

Long. 72° 49.E.

One hundred and thirty-five miles from central line of totality. Greatest obscuration 8.5.

			nunare	a ana	earry je	re muse	s from	centrat t	ine of totality. Greatest obscuration 8.5.
Hors	. DAR	HETER.	-	1		T	1	T	
1	Commis	Reduced	Day	350	Aques	e Refati	re Win	Clou	
Madra	and reduced		ernreted.	correcte	d tressor	humid	al Girect	ne tion,	Weather and other behares.
	32° F.	Corstant Cravity.	1	1	1		ı	- 1	
	1.	T.		-	·	-	-		
A. M.	1			1	1	×	1	Ĺ	
9-0	50.018	29,925	76-1	673	1	61	"	Nil	1
9-10	.919	925	7770	65.	'570	61		*	
9-10	952	6:0.	7772	65-1	'568	G		,,,	}
9.30	'955	732	77.6	65.7	.223	61	-	1	
9-40	.922	925	77°S	690	1593	61	-		
9.50	'959	-936	77.7	Coo	.201	62			
10-0	7561	.636	75.0	65.5	3571	60		"	
10-10	360	'937	75.0	690	,2S,	61	-		İ
10-20	1953	'935	753	693	379	60			1
10-30	826.	'935	787	688	'579	60	ł		
10-40	757	934	790	65:2	'547	55			
10-30	952	1929	790	G o	'531	54		,	ł
11-0	951	1928	79'3	65'0	332	53			Į
11-10	949	9:6	Siro	65 0	5:5	S1	NW	"	ł
11-25	915	213	60.0	65-6	'547	53		1	; :
33130	304	נגונ	See.	STAT .	335	1	1	1	•
11:40	911	918	\$ro	(3.5			ſ	j "	
11-50	,010	317	í	' '	558	23		Ϊ.	
	940	377	815	65.5	524	43		"	At \$20,28 eclous round the sun faint, whilitie, (At \$10.53
1200	'934	'9t1	52°0	65-2	.So2	45	SW		What light to grathe at intervals. At one n, so have of non-yellowish and knownth and at my F.M. sky colour and blue as belant.
2.31.	i	. ;	1	1	{		[net blue as belast.
o-to	'928	202	81'5	150	.505	47	5511	. :	Wied light to gentle at intervals,
0-10	7727	374	Esto	670	'519	32	55%] ,	w genile.
0-30	7514	1875	Ser.E	70.0	.501	56	SSW	, 1	At 0-35 P.M. et kun reund the 202 whilish, and at 0-35 p. 11, whilish and brown. Marroys to first breezes at interests. At 0-34 p. m. colors round the run advery.
c-10	916	·F93	503	70.5	627	60	SSW		At 0-37 r w. colour roand the sun edvery, At 0-47 r.w. ety colour blue-black.
0.50	907	454	797	700	605	So	SSW	,	Medicate to gentle tool breter.
1.0	'ont	-251	797	70'3	616	60	SSW.		
3-10	1692	260	790	71.0	653	66	SSW		Do, Do, and sky colour blackub.
1-20	837	1864	791	71'1	-655	65	. 55/V	"	Do. No.
1:32	151	258	790	71'3	1664	67	SSW	1	uo. uv.
1-42	-578	·855	.)	72"1	1625	· 1	SSW		
~ I	·875	- 1	79"1	ı		70	SSW	"	i
2.50	4/3	·ES2	79'6	7170	.646	G,	3314	- " j	1
2-0	270	-247	foo	21'3	1551	63	SSW		}
2-10	·£73	£23	800	720	619	60	SSW	[į
2-20	-863	-815	800	72'0	679	65	SSW	,,	
2-20	.857	·845	₹a'\$	72'0	1667	63	ssw	. 1	ſ
3.40	E701	£47	610	725	-656	65	SSTY		
2.50	£20	-647	Eq 8	72'0	166)	63	55W	- [{	j
		-				7		- }	ł
3~	-871	*845	Errs	72'0	-66S	61	SSW		i
3-to	·£71	8:8	81.3	71'3	163	57	22.M	- 1	i
3-20	-871	-848	81.2	702	382	53	SSW		i

No. 59 Lat. 25° 38' N.

DINAJPUR.

Long. 88° 41' E

One hundred and eighty-nine miles from Central line of totality. Greatest obscuration 8.

			unarea	and eig	tty-nine	miles	from Ce		line	of	tota	lity.	Greatest obscuration 8.
Hount Madres time.	Corrected and reduced to 32° F.	TO.	Dry built corrected	Wet bulb corrected.	Aquebus ve pour pressure	Rejoti bumidi	ive -	Amer 8mc preced intervent	ing al,	Proportion.	CLOT	Direction of methon.	Waather and other behavely
9 26 9 31 9 36 9 41 9 46 9 51 9 56	29 948 950 949 949 948 947 947	30 031 032 031 031 030 029	67 2 68 5 69 5 69 5 69 5 69 5	60 5 60 7 60 9 61 2 61 2 61 2 60 9	*440 429 423 427 *431 *431 *415	56 62 59 58 60 60	ENE	1 2 1 2 1 2 1 2 0 0 2 4 4		N:1	11111		Before 906 A.M.—Weather clevilless and very data 926 A.M.—Sty very data and day very does, 1026 A.M.—Gentle wind continuing lill 157 and 1195 A.M.—Belle patches of clean pattings in and there over the day full 46 and 120 were featherfule at the 120 were featherfule at the 120 colour rat he early panel the col- 121 M.—Belle Stephen S
10 1 10- 6 10-11 10-16 10-21 10-26 10-31 10-36 10-46 10-51 10-56	941 941 941 930 935 935 928 928 926 925 923	*023 *023 *018 *018 *016 *012 *009 *007 *006 *004 29 999	71 5 7 79 71 1 71 5 72 3 72 9 72 5 73 3 71 5 73 5 73 5 73 5	61'5 61'5 61'5 61'5 62'5 61'7 62'5 61'9 62'3 61'5	425 409 420 415 411 428 415 398 407 402 414 367	54 54 55 54 52 53 52 49 48 49 50 43	NE NE NE NE SSE SSE SSE SSE SSE SSE	12 0 12 0 12 24 12 0 0		***************************************			colour is the early partfol the offi- ratio was proposed by the proposed of the colour present the colour part of the colour present theorety was eight- the colour partfold the colour partfold th
11 - 6 11 - 16 11 - 16 11 - 21 12 - 26 11 - 31 11 - 36 12 - 46 13 - 51 13 - 56 13 - 56 14 - 56	*916 *911 *9 9 *904 902 900 *899 *895 *893 891 888 885	997 992 990 984 982 980 980 974 972 969 966	74 1 74 5 74 5 75 3 75 2 75 3 75 3 75 3 75 3 75 3 76 5	62 5 62 5 62 5 62 5 62 5 62 3 62 3 62 5 61 7 61 9	'413 '375 407 396 '391 387 395 375 304 '394 358 362	50 44 8 45 44 45 42 42 45 40 40	SSE W W W W W W W W W W W W W W W W W W W	0 24 13 24 12 36 12 24 24 24 24 12	[•			toE	
0- 1 0- 6 0-11 0-16 0-21 0-26 0-31 0-36 0-46 0-51 0-56	881 878 878 875 875 868 863 864 858 858 858 858	961 958 958 955 950 948 943 944 938 938 938	76 5 75 9 77 1 76 7 76 7 76 7 75 5 76 3 77 1 77 2 76 9 76 3	62 1 61 3 61 5 60 2 61 3 60 9 62 3 62 1 62 3 61 7 61 7	367 350 340 304 338 341 376 373 359 364 348 357	40 39 37 33 30 41 33 38 40	SSW SW WSW SSW WSW SSW SSW WSW WSW WSW	2444660 2444660 1244666 2336	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0000000	********	toE toE toE	iouds white, moving from weet to east ,
1- 1 1- 6 1-11 1-16 1-21 1-26 1-31 1-36 1-41 1-46 1-51	854 852 845 845 845 846 847 845 843 842 841	934 932 930 925 925 926 926 926 924 923 922 922	76 5 76 5 76 5 75 7 75 7 75 5 74 1 74 5 74 1 73 5 73 1 72 1 71 7	62 1 61 7 60 7 61 1 61 1 61 3 61 3 61 2 61 2 61 3 61 5	367 355 329 346 347 360 361 359 378 387 407	40 30 36 39 41 42 43 45 52 52	SSW SSW SSW SSW SW SW SW SW WSW WSW WSW	24 12 14 48 36 24 12 24 24 12 13	1 1 1/2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	CC: : : : : : : : :	W	.	
1- 6 1-16 1-16 1-21 1-26 1-31 1-36 1-31 1-36 1-31 1-40 1-56	841 842 843 841 841 836 836 838 840 839 838	923 924 925 922 922 917 918 920 919 918	76 2 76 1	60°9 62 5 62 9 63 2 63 9 63 1 63 1 62 5 61 9 62 1 61 5	415 452 461 457 469 435 396 478 394 369 371 354	52 59 60 57 57 51 46 48 45 41 41	WSW WSW WSW SIV SIV SIV SIV SIV SIV WSIV W	12 24 0 12 12 12 12 24 36 36	***************************************	: : : : : : : : : : : : : : : : : : : :			-
11 11 16 16 121 126	\$36 838 838 840 840 841	916 918 918 92) 91 91	76 1 75 9 76 3	619	358 353 354 369 373 379	40 39 40	wsw	24 36 36	10 20 21 21 21 21 21		:.		

Two hundred and eight miles from central line of totality. Greatest obscuration 8.

			D.	Win		ETER,	Ваком	Hous.
Weather and other remares.	Proportion of celipse, lotably 10.	Cloud proper- tion.	Amount since preceding interval, in miles per hont.	Direction.	Dry balb correct- ed.	Reduced to sea- level and constant gravity.	Corrected	
·		- 1			۰		,,	
l)		NII				30.012	29'552	A.M. 9·32
I .	₩.			WNW	71'2	·		9.58
11	•••	23	1'2	ssw	72'4			10-13
	***		2.0	Calm	72'7			10-28
	•••		1'2	SSW	73'9			10-38
						'005	'542	10-47
The sky slightly blue but bright.	ben.	,,	3.0	SSE .	742			10.52
II.	***		0.6	SSE	74'9			11-2
N.		n	1'2	SSB	75"2			21-12
	•••	31	1'8	SSE	75'0			11-22
II.	***	»	1'2	SSE	75'7		i .	11-32
	***	39	30	SSE	764			11-42
γ	***		1,3	sw	759		i	11-52
h			l	ssw	Ì	1	1	P.N.
to increase t		"	24	1	77'2			0-2
The eclipse began at about 0-27 P.M. and continued to increase to 15-37 P. M. Greatest obscuration of the sun was between eight an eight land.		,	0'6	SSW	77'2			0-1:
nine tangtas.		"	1.8	ssw	1	29'94	1486	0-1
l)	, ,,	,,,		1	78'2	"	:	0-2
ĺ,	3	"	1,3	Calm	779		a	0-3
]]	1 4	0	1	Calm	77'2	"	2	0'4
1]	"	1	Calm	77'7	•••	2	0.5
Sky basy.	1	"		WNV	77'7			1.2
			V 24	WNV	77'4		-	1.7
	-	*		411	2	5 '91	2 45	1-1
Sky brown.	5	"	- 1		763		7	1-1
b.	. 6	,			76.3		7	1-1
Sky and weather gloomy.		P		WN	75'2		37	12
	7 8	1 "			74"		17	1-
		39			741		57	2.
11		9	1	2 Calr	737	-	2	2.
1	,	"	-		18	57 '9	12 '45	2-
{{L		"			1 -		17	2.
	\ .	n	1	- 1	75		27	2
Sky and weather fair. The ann was fully clear at about 3-7 reli-		1			75		37	2
OXY and meature mit. 10s and	1 '	- 1 "	- 1			.	-47	2
	-	"	•	1	1	. -	-57	2
ľ	-	1	w r	4 WN	. 76	.	p2	:
		-	- 1	- 1	900	443	12 4	:
·					. 76	. -	3-17	- :
-	-				76	. .	3-27	- [:
· ''		: »	γļī	s SV	76	. 1	3-32	- 1

DHUBRI.

Madras	1	METER.									
	Corrected and reduced to 32° F.	Reduced to sca-level and constant gravity.	Dry buib corrected.	Wel bulb corrected.	Aqueous vapous pressure.	Relative he midity-	Direction	Amount since preceding interval, in miles per hour	Cloud proper- tion.	Proportion of eclipse, totality	WEATHER AND OTHER REMARKS,
4.K. 9-22	29962	30 o38	637	29,1	" '412	% 75	ENE		Nıl		Fino clear weather throughout,
9-32	*960	'036	64.6	59 5	443	73	ENE	3.0	.,		1
9-42	1958	-033	654	59 7	'439	70	ENE	30	,,		•
9-52	960	*035	66.3	59*9	'430	66	ENE	1.8	11	,	•
10-2	955	*030	67 z	бот	'428	64	ENE	172	.,	ļ	
10-12	'95I	*026	68 o	6a 6	'432	63	ENE	1'2	ı,		İ
10-22	'949	1023	68 7	61:2	'452	64	Calm,	٥	t	٠٠٠ سد	
10-32	1942	.010	69 2	61.3	'438	61	ENE	06	*		,
10-42	-940	*014	696	61.3	446	Ğι	Calm	610	*	,,,	
10-52	'934	1003	705	G2'0	'414	59	Calm	۰	11		
11-2	'926	1000	71'3	620	433	56	ENE	1'2	"	•	1
11-13	'920	29'994	71'5	62 I	'433	56	ENE	18			
11-22	'912	'985	72'3	60'4	'366	46	s	42	u		
11-32	1996	979	73 4	62'0	*405	49	wsw	36	**		
11-42	900	'973	73'5	60'3	'348	42	SW	30	p		, ,
11-52	*893	966	744	61 5	'376	44	w	თნ	*		
2 M. C-2	885	1958	746	62'3	'399	45	w	1.8			ĺ
0:12	-883	1956	74'6	61'7	'380	44	Calm	18	19		ļ
0-22	1879	952	74'7	61.8	'382	44	Calm	r 8	,,		
0 32	'877	'950	75°0	61'5	368	43	SSW	30	,,	141	
0.42	870	942	751	61'5	*367	43	s	06	p	ī	
0-52	866	938	764	629	*395	44	wnw	5'4	н	2 at 0.57 P M.	,
112	1862	*934	759	61'1	'341	38	w	274	,,	3	,
1-12	858	930	757	60 B	'334	38	SW	1.8	٠,	4	
1:22	1854	1926	75'5	60-8	1337	39	ssw	3.0	,	5	Liftle darkish
1-32	'852	'925	747	60'3	.332	38	ssw	24	,,	6	Little darkish. A fachle shock of-earthq was felt.
1-42	•846	919	74 2	60'1	'334	40	5	24	,,	7 at 1-37 P.M.	
1-52	*850	*923	73 3	60°E	345	42	sw	172	"	8	Ditto.
2+2	849	'922	71 8	60'7	385	50	wsw	ø'6	,		
2-12	'845	918	72'2	60.3	'365	46	Calm	06	*	7	Little darkish
2-22	*845	1918	72 I	б1 2	•396	50	Calm	96	"	6	Dato.
2-32	*845	918	735	61'3	*381	46	Calm	•	-	5 at 2-17 P.M.	Ditto.
2-42	*843	*916	744	61.3	'370	43	Calm	۰	"	4	
2-52	*843	'916	746	61.1	'360	4z	WSW	σσ	"	3 at 2.32 P.M.	
3-2	*843	. 012	753	62-1	-383	44	WSW	12	ь,	2 at 2·37 F.W.	
3-12	*843	,*915	75 3	6r'7	373	43	Culm	18	4	z at 2-47 P M.	
3-22	'845	-917	75'5	61.8	371	42	w	06	-		
	849	,032	721	61.8	375	43	Calm	06	19		

JHANSI.

Long. 78° 37' E.

Two hundred and fourteen miles from central line of totality. Greatest obscuration 8.

Hour.	BA	ROMET	ER.		- 1	T ₁		Win	D.		1	
Madras time.	Corre	cted s	educed	Dry bulb corrected.	Wet bulb corrected.	Aqueods vapour pressure.	Relative bumidits-	Direction.	Amount since preceding interval, in mics per hour,	Cloud proper- tion.	Proportion of echipse, totality 10,	Weather and other remarks.
n.M. 10-6	29.3	21 0	0.067	75'9	57'9	*242	% 27	Calm.		Nil.	.:	
10-21	1.	30 3	*064	76'8	57'4	'215	23	Calm.		,		
10-30	1	29	-обо	77'8	58'9	*247	. 26	N	0.8	,,		1
10.5	- 1	124	*054	78:8	58'9	'234	24	Calm.		"		
11.6	1	222	1050	79'8	59'9	. 251	25	WKK	6'4	"		
11:-2	- 1	217	*044	798	589	'221	22	Calm.		٠.		
11-3	- 1	211	040	788	59'9	.521	27	NNW	0'4	,,		
11-5	_{i1} .	209	1039	77'8	59'9	'279	29	MNM	0'4	21		
P.M	į .	202	'037	75'9	57'4	228	25	NNW	0'4	"		1
0-1	21 .	195	1031	75'4	57'3	*232	26	NW	0.8	-	"	
0.3	36	186	1020	75'9	57.1	*220	24	NW	0"4	\ <i>"</i>	1 at 0-26 P, M	1 1
0-4	41	183	1019	74'9	56'9	*226	26	NW	•	"	1	1
	46	182	810"	749	57'0	1229	26	NW	. 1.3	"	2	1
٠٠.	51 (⁾	180	.010	74'9	57'0	'229	26	Calm	1	"	2	1
0-	56	176	'0t2	74'9	56'9	*226	26	Calm.	•	"	2	1
		177	'013	749	56'9	1	26			"	2	1
`\ <i>*</i> -	6	175	.011	74'9	56.0	.236	26	NW	00	1 *	3	1
1,	11	172	.006	75'9	1	- 1	24	***		"	3	
1.	16	'170	1004	75'9			24	1	V 0.5	"	1 4	1
1 1	-21	•170	2006	75"	1	- 1	16			,,,	5	
1	-26	165	*801	75 !	1				· °	"	5	1
١,	1:31	165	*001	75"	- 1	1				"	. 6	
١,	1+36	.163	29'999		1			. 1		"	7	
1	I-4I	*16o	'99	5 74'	1	- 1		1		"	7	1
,	1.46	158	'99	- 1	Ι.	1			-	, "	8	
١,	1-51	156	.99	- 1	1 .			-1	. "	"	6	
,	1-56	155	.99			- 1				"	7	
1:	2-1	153	'98			1					6	
- 1	2-6	151	'98	1		1	, l		1	, a	5	
- 1	2-11	148	, 98	. 1		- 1	- 1	1	a. "	"	1 ,	
- 1	2-16	146	-98	- 1	• 1	1	- 1			".		•
- !	2·21	146	-98	- 1			1			"	3	
- 1	2.26	144	'97	·	·	1	- 1			"	3	
	2-31	14 4 148	'97 '98			- 1				,	3	•
-	2-36 12-4	146	98	1 74	9 57	9 '25			_	,,	2	
	2 45	147	'98	1					o			
	2-51	148	198			. 1	2 2	7 Cat			1	
	3-1	147	199	30 75	9 57					•	. 1	
	3-6	146 146				1		1		1 7		
	3-36	1148				9 24	12, 2	7 NV				1
	3.51	149 148	9	B2 75			′	6 WN			1 .	1
j	1-96	142	9	79 70	8 57	y 2	, ,	4414		<u>, , , , , , , , , , , , , , , , , , , </u>		· K

No. 63. Lat. 25° 52' N.

RANIGANJ.

Long. 87° 58' E, Two hundred and twenty nine nules from central line of totality. Greatest obscuration 8.

141	BARON			1	****	NE HING.	from c		int by t	ocality. Gr	eatest obscuration 8.
Hove.	- DANUE	Reduced				Į	W	_			
Madrus tsmn.	Corrected and reduced to 32° F.	to sea-level and constant gravity,	Dry halb corrected.	Wet bulb corrected.	Aqueous vapeur pressure.	Relative bumidity.	Direction.	Amount Since preceding interval, in miles per hour.	Cloud proper- tion.	Proportion of eclipse, totality to.	WEATURE AND OTHER REMARKS,
4 M. 9-29	29 726	30.031	714	588	.330	% 43	ESE		Nil	'	Fine, clear weather throughout.
9-44	'721	7015	724	59 o	*321	41	SSW	1.6	,,		
9-59	719	'013	73'3	59'9	*336	41	Calm	0'4	3,		
10-14	715	-009	738	604	*347	41	ESE	1'2	,,		
10 29	711	*004	744	60 0	326	38	Calm	0-8	,,,	"	
10-44	700	29 992	756	ба 8	*337	38	Calm	2'0	.,		}
10-59	698	'989	76'5	6o 8	*324	36	Calm	16			
11-14	-688	1978	77'4	619	1348	37	s	1'2	,		
21-29	+681	. 1971	778	61'2	*321	35	ssw	20			
111-44	'675	'964	777	60'7	306	32	Caton	20] ;		
11-59 P.M	·661	.920	78 7	61'3	'306	31	SSE	1'2	,		•
014	-655	'944	78 5	624	351	36	Calm	16			,
0-29	'645	'934	79'4	60°4	1274	27	sw	26		•	Belipse commenced between 0-19 r.u. and
0134	544	932	79'4	619	'322	32	Calm	24	Ì	1	o-34 P.M.
0-39	*642	930	792	61.7	318	32	Calm	F2	ь		
0.44	1638	'g26	79 I	614	'311	31	sw	36	P		
0-49	1640	1929	78'4	6t 2	313	32	MMM	30	•		
0-54	1540	' 929	78.4	617	'329	34	Calm	60	"	***	
0.59	638	927	777	61.0	,310	•	NNW		No.	3	,
1-4	1634	923	77'5	61°0	318	34	Calm	2'4	*	***	
1-9	*634	923	78'4	62'4	352	34 36	Calm	2'4	*	4	1
1-14	1632	'921	78.6	60'7	293		SSW	•	"		
1-19	1634	923	78.6	61'5	320	30	Calm	24	**	5	
1-24	630	919	77'6	60'0		33	Calm	1'2	89		
1-29	626	914	776	60'4	298	34	Cales	• 1'2	*	6	
1-34	626	914	772	Ga 7	'313	31	Calm	1,5	"	,	Day light resembled that before evening, and
1-39	1622	911	764	617		34		1,3	"	8	zun's rays reliewish
1-44	1623	913	756	61'7	356	39	Calm	°	"	***	
1-49	623	'913	75 3	61 1	'35 ¹	41 48	Calm Calm	°	*		
1-54	1625	915	75'1	60'7	339	· ' I	Calm	0	"	7	
1.59	1619	909	748	619	339	39	Calm	172	"	٠- د	'
2-4	619	909	754	62'4	392	# [Calm	•	"	6	, , <u>,</u>
2+9	619	1909	75.5	620	377	44	Calm	:	"		
2.14	619	908	76'3	62 6	388	43	Calm	:	*	5	
2.19	617	906	76*2	61 0	330	36	Calm	12	"		
2-24	'613 617	905	769	619'	355	38	WNW	۰		-	•
2.34	615	903	77°4	61 1 61'2	'322 '326	34 35	Calm NNW	48	"	3	
2-39	'615	.603	77'5	61,2	335	35	NW.	24	*	2	
2-44 2-49	. 615 614	903	776 78 z	60.8	'310	33	WNW	60			
2*54	616	'904	783	615	"312 "324	~ 1	WNW	36 36	:	1	1
3·59 3 14	*618 624	906	786	614	316	32	WNW	21	-		Eclipse tèrminated,
2-20,	626	914	78 2	61.6	328		WNW	3,5			
			- 1			- 1		- 1	-		,

Two hundred and thirty-eight miles from central line of totality. Greatest obscuration 8.

Hous.	Baros					1		MD.	_		
Madras sime.	Corrected and reduced to 32° F.		Dry b.lb corrected.	Wet bulb correc- ted.	Aqueous • vapour pressure.	Relative humidsty-		Amount since pre- ceding interval, in miles per bour,	Cloud proper- ties,	Proportion of eclipse, lotality to,	Waathar and other remarea.
A.S.L.		•			-			•			
10-0	28.270	30,002	777	61.9	-358	37	Ę			78	
10-15	*567	'002	77'3	61,3	344	36	SE	1.5	1		Cirrus appeared in amall amounts and dis- oppeared at 10-30 A. M.
10:30	*563	29'994	783	6t-1	1 322	33	s	270	Nil	•••	
10-45	1559	-990	78.2	6079	'317	33	3	2'4	**		
11-0	*555	.585	80"1	609	.29S	23	δ	24	,	**	
15-15	·55t	976	80'7	6rg	-320	30	E	176	3.		
11-30	'543	-970	797	61.3	'313	30	SE	1'9	,,		
11-45	.239	1962	81.3	62.4	.328	30	Calm	1'2		1 86 11-48 A.N.	Eclipse legan from SW at 15-43 A.M. and progressed to NE.
12-0	*531	-950	8216	6219	-328	30	s	r6	*	2 at 0-10 F.M	The sun appeared red and sky blue till o-48 r.u., when it was dark as twilight.
r.H.	-527	950	81.1	6279	*348	33	58	0.3	,,	3 at 6-20 "	
	.521	.0 45	81'7	61'9	'30\$	28	38	24	,	4 at 0-40 ,	The reighbourhoodt of sun at the greatest observation was clear, but at a distance a little dark.
0-30		l		1	ł	1	Calm	6-8	}	6 at 0-54 n	hitle dark.
0-45	*511	'933	807	629	*352	33	Catio	"	٠ <u>-</u>	0.11 0-34 "	
1-0	*499	. 924	79"7	61.3	'313	30	Calm	0%		7 at 1-13	
1-15	*495	923	787	Gorg	'374	3=	Calm	18	,,	8 at 1-24 "	•
1-30	489	1916	787	61-4	330	33	Calm	0.1	,	6 at 1-35	Shadon began to decrease from 1-30 P.R.
1+45		.908	793	616	*329	33	E	os	,,	4 at 1-55 n	•
2-0	-481	1902	80°7	629	.352	33	E	0'4	,	2 at 2-10 ,,)
2-15	479	*898	817	63-3	352	32	Calm	1'2		1 mt 2-25 p	
2.30	'477	-896	81-7	627	'334	31	Calm	1.3	'n	o at 2.44 "	
2-45	'477	1896	61.7	62.3	*320	29	SE	04	,		Eclipse caded at 2-44 F.M.
3-0	'477	£93	826	63"	'315	30	SE	173	,		
3-15	475	-688	836	64.4	'367	32	SE	98	,,		
3-30	-472	686	83'4	649	-386	34	Calm	0'4	,,		
3-45	472	-887	83'0	637	'351	31	Calm	0'4	•	-	
4-0	'472	*888	82.2	63'3	'343	31	E	6.8	,	. **	

SURAT.

Long 72° 46' E.

Two hundred and forty-two miles from central line of totality. Greatest obscuration 8.

					7					
Hous.	Bago	METAR.	1 -,	i _	1	1) w	IND,	ì	
11002.			1 -	1				Amount		1
		Rduced	١	l	Aqueous	Relative	1		Cloud	Westman the name or and
Madras	Corrected	to sea- level and	Corrected.	Wat bulb correctes.	pressure.	humidity.	Discotton.	preceding	proper-	WEATHER AND OTHER REMARCS.
time.	and reduced	constant		1	pressure.		Directions	interval, in miles	Elon.	1
	to 32° F.	gravity.	İ	1		l .	١.	per hour-		
					<u></u>			ļ.]—————————————————————————————————————
Ι	1 .		١.,		٠.	1 %	ļ	1		1
A,M,	1		1	!	1) ^	•	1		
10,0	30'024	30,000	- 79'7	59'3	.311	25	E		Nit	Fine clear weather,
10-15	1026	8.30	81.0	39'9	•22g	22	В	5'2		Ditto
	1	l .	,				ESE		20	Duta
10-30	1026	1008	83.1	60°G	-241	22		5'₽	*	Ditto
10.45	'022	1004	846	615	.510	21	ESB	3'2	,,,	Ditto
	1		1				l			
11-0	610.	1003	849	61.2	238	20	E	772	٠.	Ditto.
,	1 .	,				}		, .	.	Ditts.
11-15	'013	29,994	87*2	63.0	*253	20	E	36	"	
11:30	110.	992	87'6	62'9	216	19	NB	8:0	٠,	· Ditto,
11-45	'005	'986	88 2	61.5	'2g1	23	ENE	20	, ,	Ditto.
	29 998		87'9	673	1222			1	i	Ditto, Eclipse began at 1) 31 A.M.
11-55		'979				17	-	480	"	Ditto
12.0	9)7	978	884	63.0	1236	18	В	40	-	Digo
2.11	1		4	1	}	 `	1	1		1
F. 20.	1	1	1	1	1		1		١.	- no.
0.5	30,000	· 98z	89'1	635	.510	81 (1	١		Ditio
0:10	29.996	977	88 5	64'5	*287	22	I			
										Ditto.
0.12	'ģ91	1972	89.2	639	*25‡	18	SE	24		
0.30	.988	'969	898	635	*236	17		•••	2)	
0.25	1989	969	89'5	647	1881	19	ĺ		ĺ "	* :
	1982	963			*240	18	ENE	12		Ditto.
0.30			89'5	63'5			ENE	1	"	
0.35	979	950	89'0	63.5	236	18		[***	ŧ)	l e
0.40	923	,621	889	63.5	*247	18			**	
0 45	1971	952	80'2	63'5	.311	18	E	16	١.,	Calm weather.
,			1 -			1		1 1		
0.50	*96 9	,320	86 8	63'0	'232	1 17		'"	"	
P-55	1970	191,1	89'a	645	1278	21				1
1	1	l	1	(i		(ĺ	í	i	(
10	.060	950	88 5	64'5	*287	42	Calm	0.7	,,	Ditto,
			883		- '	22				1
7.5	- 965	.ofq		615	*290				•	
1.10	.003	941	87.9	647	.301	23		***	,	
1-15	960	1941	86'6	61.8	*325	25	Calm	0	,,	Ditto.
1+20	959	.940	85.6	650	'343	28				
			856			28				
1.25	957	'938		ú3 o	*343		***		* 1	1 '
1-30	955	936	84.6	635	*375	32	Culm	04	,,	Ditte.
1-35	'953	934	84.4	65.8	*388	33	•	***		Greatest obscuration was eight-tenths at 1-23 P.M.
1-40	947	*528	84%	665	411	35		1	#9	
	1	526	848	66'7		-	Calm	0.4		Dark neather
1.45	'945				'414	35	Calm	1 04 1	**	
1.50	943	'924	85'2	665	*401	31	***	l ⊶ l	10	· ·
1-55	*943	924	85'9	66.1	378	30			90	
1	1	1	1	1		1	i	1		
2-0	1000	924	85'9	- 558	403	امما	NNW	04	**	Ditto.
	943					33		1 ' 1		'
2.2	'939	'920	85'8	67.9	*443	36		•••	**	
2-10	'936	'917	85'6	68-8	'479	39		1	b	
2:15	939	1920	86.1	698	*511	41	NW	8.01		Ditte
2:20	1	922	88.5	71'0	325	- 39	1			
1	1 / /4		-					1	-	li .
2-25		*gr8	87'2	70.5	324	. 41				m - description
2:30	937	19:18	87-6	69.8	490	, 37	NW	0.9		Fine clear weather.
2.35	933	*914	88-0	70'2	513	38)) J	59	
2.40		913	88'1	71'0	530	40] . ""	l 1		Ditto.
1 .	1	-915		717			NNW	3.4		Eclipse terminated. Duration of the eclipse was 2 hours and 45
2•4	934	1 915	00.7	1 "	*542	41	(ANW	^"	*	minutes
1 .	1	1	1	1	1		1	1		Ditto
3.0	1932	.913	897.5	70'5	*491	36	MNM	28		Ditte
3.1	5 '934	7915	90%	68.9	418	29	WNW	16.		
3-3			90.0	693	'433	30	N	28	,	Ditto.
		1		679			N	32		Ditto
. 3'4	5 '93'	1. 91.	1 4.2	379	368	25	, A	32	*	
ſ	1 .	1.							- 1	
4-0	'93	913	go-8	68 r	.381	27	MA	2'4 .	»°	

No. 66. Lat. 23° 16'N.

69 BANKURA.

Long, 87° 7' E.

Two hundred and fifty seven miles fram central line of totality. Greatest obscuration.

<u> </u>					-			inD.			1
Hour.	BARO							Amount	Cloud		· .
Madras time,	Corrected and reduced to 32° F.	Reduced to sea- level and constant gravity.	Dry Mulb corrected.	Wet bulb corrected.	Aqueous vapour pressure.	Relative burnidity.	Direction.	since preceding interval, in miles per hour,	propor- tion,	Proportion of peclipse, totality so,	Wrather and other remares.
а.м. 9-47	±9'753	30'012	73'5	61'T	374	°). 45	Calm		Nil		Dusky and bazy atmosphere.
10-2	745	.003	73.6	6r8	-397	47	Calm	20		.,,	н
10-17	734	29'993	7379	61.6	-386	45	Calm	0.3	**		
10-32	729	-986	75'9	63.0	*404	45	Calm	20	30		" .
10-47	.457	1 .		63'5	.413	45	Calm	0.6	"		"
11-2	722	.978	7679	63'5	-488	44	Calm	2'2	,		
11-17	710	97:	2 77'3	632	.103	43	Caim	172	"		
1j.32	.710	96	6 175	63.1	.386	41	Calm	1.6	"		
11:47	1 1691	95	2 778	63'3	389	41	Calm	1'4	"	"	
P.M.									ļ		
	2 168	6 94	ρ 78·7	63'8	'393	40	WSW	7 30	"	- "	
0-1	Ι.	1		63'1	*372	38	1727	7 116	"		The eclipse commented at o-sy r. M. toward S, W.
0-3	' I .	1	1 .	631	•369	37	Calm	20	"		3, ""
0.4	١.	1 1		63'4	*365	35	Calm	0 0 6	"	2.2	
0-5	i2 16	57 '99	79'9	63.0	1351	34	W	3'0	"	•4	
1					7368	30	-Caln				
	2 6		- 1				١	١.	,,,	6	The hazo of the atmosphere increased from an
1.	12 6	54 9	07 281	,	' ""						A.M. to t-t2 P.M.
10	22 6	45 8	98 78:	5 63'0				1			
10	32 6	42 8	96 77	- 1		- 1	١	- 1	1	į	Sooshine somewhat brillioot.
1.	42 6	39 '8	93 76	9 637	1		1	1	"	"	
1.	52 .0	42 -8	197 76	1 63"	1 40	5 4	5 Calı	m 0	"	•	
	2-2	i45 ·8	1699 76	9 63:	5 '40	8 4	t Cal	m 0°;			
- 1	- 1		895 77			1 4	3 Cal	m 0';	, "	,	
	- 1		Bg2 78	- 1	5 .42	2 4	3 Cal	m 0':	3 "		
	- 1		884 78	1	2 37	n 2	8 Cal	ms or;	, ,		The cellyse fi ished just after 2-32 P.M.
1	1	532	884 79	1 -	·3 ⁵	37 3	8 Cal	m 0	31		
	3.2			9 64	3 3	55	18 Cal	mi o			
- 1	- (1	64	2 3	B5	37	. 2	B - A		
1		- 1	- 1	pg 64	¹² 3	91 :	38	. 0	6 ,	' "	

KURNOOL.

Long 78' 6 E

Two hundred and fifty eight miles from central line of totality Greatest ob curation &

										1	
Honk	BARON	ETER		}					Solar		"
hladras tunt.	Corrected and reduced to 32° F	Reduced to sea level and constant gravity	Dry bulb corrected	Wet hulb corrected	Aquerus vapour pressure	Rolative homenty	Wind	Cloud proper- tion	rediation thermo- mater corrected	Propertion of eclipse total ty to	Weather and other Rengers
AN	•		•	•	,	3/0			•		
10-9	29 124	30 003	78'9	644	411	41	NE	Nil	125'1		
10-24	133	29,399	799	62 1	*323	32	E	"	1264	1	
10-39	114	987	806	бто	278	27	Calm	*	1284		ا. ا
10 54	113	986	804	61 1	284	27	SE	- ا	129'4	į '	ĺ
11 9	108	977	820	626	309	28	SE		129 4	1	
11 24	108	977	824	623	296	36	S		1304	,	Ì
11-39	103	7972	820	622	298	26	S		130 4		
11 54	1099	965	840	635	313	27	S		128 8		At about 134 AM, eclipse commenced in 5 75° W. The ward was strong for a to minutes
12 0	095	7964	820	626	309	28	s		126'9		tornutes
PN		956		1		}	Calm	ł	126'4	1	
9-5 0 10	090	1	840	637	311	27	S	•	120 4	at o 12 P M	
0-15	1	956	1	634	311	1	Calm	"	121 4	at D 13 F M	
0-15	1 3	957	837	637	324	28	1	"	(,		{
	1 7	958	830	1 -	,210	27	Calm	\ <i>"</i>	1214	1 At 0-21 P N	ì
0-25	1	954		1	313	25	Calm	*	117 4		Ì
0 80	1	953	832	1	316	27	SE		1153	2 al 0 30 P M	
0.35		'947	840	(315	27	S	•	1124		l
0-49	1	947	831	1	320	27	SVV	, "	1104	2 81 0-39 P P	1
0-45	1	947	1 -	1	304	27	S	"	106.3		
0-50	1 .	944	- 1	1	331	31	SW	"	103 5	1	
D-5!	072	- 1		628	324	31	Calm		100'2	4 at 0-56 P M	Sky dark blue and the says of the two wifistmetly visible on the S and bW of sun Wind alm
10	070	938	82 5	638	344	31	SE		958	}	sun Wind alm
1-5	067	933		1 -22		32	Calm		964	1 "	
1-1	063	1933	817	63.6	357	34	Calm	"	94.8	6 at 1 12 P M	<u> </u>
1.2	5 p63	935	80°8	635	357	34	Calm		930	1	}
1-3	o	93	2 81	638	1 .	١ ~	Cam] "	908	7 at 1-20 P M	Ì
1-2	5 060	93:	2 79	9 629	345	34	Calm	٠ ا	89%	1	
1 13	0 060	93	3 79	9 637	375	37	Calm		869	5 at 1 28 P M	(
Į.	lo ost	3 .23	2 79	3 637	38	35	Calm		897	8 at 1 36 7 4	}
1-4	10 05	7 93	1 79		1	5 37	Caln		901	1	
1.	15 05	7 '92	9 79	9 63	3 37	3:	Calm		92		
1 1	50 105	5 92	4 81	64	3 38	3 3	5 Cnin		96	6 at 1 52 PM	
1.	o5 705	1 91	8 83	a } 63	B 33	7 3	Caln	. ,	100	'	
2-	0 4	8 g	14 82	0 63	1		: Caln		103	5 B Rt 2 F M	
2	·	' "	14 82	1	8 51	8 2	SE		108		}
2	10 0			0 64	8 37 9 37	3 3	3 5E		111	5 4 at 2 8 P 31 4 3 8t 2 16 P.M	
/ 2	2 0 25 0	12 9	96 83 98 84	2 63	1 27	3 2	SE SE SE	. 1	1 117	2 at 2 25 P M	
ነ 2	30 i 10	48 9 48 9	12 8: 10 8:	6 63	8 32	9 2	g SN		122	t ata-at Par	
1 3	45 0	47 9	10 8 8.	10 61	8 39	8 3	I SE		127	\$	1
3	15 0	44 7	104 8 166 8	54 55	4 1 *21	10 2	Colo		128	8 "	Ai 252 PM, eclipse terminated per N 10° E
1 3	45 0	47 9	07 8 108 8	53 65 50 64	8 3	3 1 2	6 SE		127	2	1
1 7	4.0	47 5	k18 8	50 64	8 3	14 2	9 SE	1 7	123	6	}

BURDWAN.

Two hundred and eighty-three miles from Central line of totality. Greatest obscuration 8.

		7t	o hundi	red and	eight y-t	hree mi	les fron	c Centra	line of	totality. Gr	eatest obscuration 8.
Hovr.	BARO	WETER.					<u>v</u>	Vind.	[1.
Modras time,	Corrected and reduced to 32" if.	Reduced to sea level and constant gravity.	Dry hulb corrected.	\Vet bulb corrected.	Aqueous vapour pressure.	Relative Humidity	Direction	Amount since preceding interval, miles per hour.	Cloud propor- tion.	Proportion of eclipse, totality	Weather and other newlent.
		}	}]			}			
A.H.	•	. •	٠ ا	•	•	%	1	ł	ļ	}	
- 9-29	29 969	30.018	730	614	'392	48	ENE		Nil		
3-11	969	,018	74'0	633	'441	52	NE NE	28	-	•••	
9-59	'946	29'995	75°2	63·8 643	"441 "444	50 49	NNE	1'2	, w		
10-29	950	998	77.8	639	'409	43	NNE	6'4	.,		
10-11	945	7993	78'2	64.3	'417	43	NW	270			
10-59	939	'987 '983	78-8	63.0 64.1	'413	41	V/22	1'6 2'4	**		
11-14	'935 '925	973	79"1 80"1	643	*394 *393	39 37	s	3'4			
11-44	915	'963	8.0	64.8	'412	40	s	3.3	,,		
12-59	302	953	826	64.8	404	39	SW	24	••		
P.M.		-						()			
0-14	1899	947	817	657	'420	39	wsw	2'4	**		ſ
0-24	-895	'943	81.3	64.3	377	35	SW	1.3		0,3	
e 29	-887	'935	. 8r6	638	'357	33	SIV	36	•	0'5	Obsciration commenced from SSE, and extended towards NW, colour of the sky blue. The rays if the son were so attout and plercing that it was not practicable to
0-34	*837	'935 '931	81.7	64'3	371	34 33	N	3.2	le D	1'5	blue. The rays of the son were so strong
0.44	883	931	81.3	64'4	'382	33	N	24		20	look at it with naked eye.
0-49	*881	1929	81'4	653	410	38	N	1'2	1 1	3'3	
o-54	875	923	82'3	654	1401	36	W Calm	2,4		3'5	
0.59	*873	,621	81'2	648	395	37	WSW	•	-	4′0	
1-4	*873 *871	919	81.6	64'4	376	34	W	3'6 4'8	-	4°2 4°5	
2-14	1870	918	80-6	636	362	35	WSW	3'3		500	Sky locked greyish-
1-19	1870	918	So a	63'5	.364	36	WSW	172	•	5',5	
1-24	*868 *869	*916 (802	638	'374	36 42	WSW	1'2	•	6.0	
1-29	867	915	30.1	65'3 65'5	'435	41	Calm	172	;	6.2 2.0	
1.39	867	915	78.6	645	'420	43	Calm		,	<i>T</i> 5	The colour of the sky turned yellowish.
1-44	860	*908	78-6	649	'434	44	Caim	٥	-	8'0	
1-49 1-54	*859 *871	920	77'2	65'4 65'5	'471 '473	50	Calm	1'2	*	7°6	Sun began to clear from NVV.
1-59	1873	922	764	649	463	51	Calm		#	70	
2-4	872	921	764	649	463	21	Calm			64	
2-9	. 876	925	752	653	'479	53	Calm			5'6	
2-14.	-8G7	916	768	649	456	49	Calm			48	
2-19	-868	1927	768	653	'472	51	Celm	0		4"0	
2124	*865	914	77'3	65'5	*473	51	Calm		"	3.3	
2-29	1859	1908	773	65.2	*473	51	Calm	0	,,	2'4	Sky assumed its normal colour.
. 2-34	859	1907	78.4	65'5	*457	47	Calm	•		1.6	
2-39	858	·906	79'6	65'6	'444	44	WSW	1'2	* {	1'3	
2-44	·856	904	80'0	656	439	43	VSW	12	"	0'8	
2-49	*856	'904	80,3	658	'445 '426	43	Calm	12	"	0'4	. 1
2-54 2-59	*853 *852	901	80.2	643	384	36	STV	2'4		.0.3	Eclipse terminated.
3-14	847	·899 ·895	81.3	653	'411	38	w	r6	7	***,	The second secon
3-29	859	907	817	657	420	- 1	wsw	16	"	1	
3-9	~39 J	301	٠٠,	-01	3	29		,	21	***	1

MAINPURI

Two hundred and unety-five miles from central line of totality. Greatest obscuration 8.

	BAROM		1	27.0	101,71,00	,,,,,,	Win			
Hour Madras time.	Corrected and reduced to 32° F	Keduced	Dry bulb corrected	Wet builb corrected	Vdesogs Adesogs	Relative humid ty	Direction.	Amount since preceding interval, in inter- per hour	Cloud Propor- tion	Weather and other remarks
A N 10-0 10-15	29°537 541	30°034 037	70 6	55 T	231	% 31	NNW WKN	84	Asl P	
10-30	534	029	72 5	56.0	231	29	พพพ	8,8	,	
10 45	531	024	743	57 0	237	27	WNW	44	u.	
11 15	525	015		57 8	146	27	WNW	104	,,	
11-45	516 512	29 999	' '	58 z 58 4	241	26 26	10	30	,	
PM										Fine clear wealbir
0-15	593		1	589	240	25	NNW	96	,,	
0-30	501	988	780	59'1	250	26	NNW	40	"	
0 45	498	98:	780	59 0	248	26	W	68	,,,	
1-0	494	98:	767	58 1	-239	26	N	76		
1-15	492	981	75 8	579	242	27	W	56	n	
1-30	482	97.	4 747	576	250	30	w	60	"	,
1 4	\$ 480	197	3 737	5870	275	33	w	44	"	
2-0	47	4 96	6 740	588	296	36	W	24	-	
2 1	5 46	4 95	75 0	59 0	288	33	w	36	"	
2 3	45	9 94	760	59 1	277	31	w	44	,,	
2-4	15 43	8 19.	15 766	593	276	30	w	5%		*
3*	46	iz 9.	48 76 t	5 59 0	\$68	20	w	76		
3	15 4	₂ 8 9	46 76	58 7	263	29	W	r	,,	,
3	30 4	66 g	53 75	3 59 5	287	32	W	68	,	
3	45 4	69 9	57 75	9 593	287	1	W	20		
4	•	(6)	75	7 59	1	1	WNV	y 72		
					•					1

Long. 89° 47' E.

Two hundred and ninety-five miles from central line of totality. Greatest obscuration 8.

Hous.	p	HETER.	-					W	iko.	1	Į.		•
Madras time.	Correcte and reduced t 32° F.	Reduce	nd co	ry bulh erected.	Wet bulb corrected.	Aqueous vapour pressure.	Relative humidity.	Direction	Amount since preceding interval, i miles por hour.	Clou	d F	Propertion of lipse, totality 10.	Weather and other remarks.
A,NL		•	_			•	%		\				Clear and bright,
Q-21	30.008	30'0	08	67.4	61.2	.469	70	NNW		Ni	. l	***	Ditta.
9-36	100	1	of	68'4	61'5	*456	65	NNW	0.8		1	***	
	.00	1	w ₅	68-8	62.5	'483	69	w	0.8	1 :	: 1	•••	Ditta.
9-51	.00	1	03	69'4	63'3	'502	70	sw	6'4			•••	Ditto.
10 - 6	1	1		698	62'9	483	66	SW	0'4	1 .	,	•••	Ditto.
10-21	29'9\$	1	984	-	625	459	62	N	0.8	١.	.	***	Ditto.
10-36	1 -		- 1	70.6	62'5	'439	56	NNW	0'4	1.	.	***	Ditto.
10-51	1	- 1	980	72'1	617	'409	51	w	0'4	1.		PH ,	Ditto.
11-6	.97	-	977	72'4	1	'435	53	NW	0'4	1	.	110	Ditto.
11-21			961	72'9	627	435	50	Calm	0.8		,	•••	Ditte.
11:36			953	73'8	62'5		50	Calm	0'4	- 1	,,	141	Ditto.
11-5	ı '9	13	943	74.6	63.0	*423	30		[]				
P.M.	1				1.			Calm	21		.	***	Ditto,
0~6	1 .	- 1	'936	75"1	62*1	'386	1	Calm		1	,	***	Ditto.
0 −2	1 19	- I	'931	753	Q1.1	1 .				- 1	.	t	Dates.
0.3	ı6 's	-	931	766	1			1			"	1	Ditto.
0-4	μ "ς	220	.919	1 -	1				·	- 1	"	2	Ditto.
P-4	ı6 '9	20	•919	1 -			- 1		1	- 1	~ 1	2	Ditto.
0-:	;ı '	920	919			379	1		- 1	1	"	2	Ditto.
) e:	56	920	.010	766	62	5 37		1	* 1	- 1	"	3	Ditto.
1-1	1 1	920	919	76.6	64	5 37	9 4	- 1	- 1		"	3	Ditto.
1-	6	914	913	760	62	5 37	9 4	1	- 1	°	"	3	Ditto
1 1.	n .	914	*913	760	6 62	7 '38	5 4		- 1	°	"	4	Geiting dark.
1.	16	913	'912	2 76	62		- 1		L L	٩	"	5	Ditto.
1.	21	911	910	75	8 62	3 36	3 4		- 1	6	"	6	Ditto.
1 ,	26	912	.011	1 75	6 62	'o '3	16 4	3 11	- 1	'2		6	Ditto.
١,	31	910	'90	9 75	6 62	·o '3	6 4	I3 CH	m 1	12	r	,	Ditto,
١,	-36	·910	*90	9 75	1 62	.3 3	92 4	14 C#	ims	۰	27	ı	
1	-41	9:9	90		١.	ro '4	18	8 Cal	lm j	•	*	7 8	Ditto.
	46	906	90		` i	rs '4	-	48 Cal		•	P	8	Rather čark- Ditto,
	-51	902	*90	2 74	4 6		~ ı	SI CE	- 1		".	, ,	Ditto.
	-56	'902	190			" I		55 Ca		0	,	7	Getting bright.
1	2-1	'900 I	,00				· I	57 . Co		•	11	5	Ditto. Brighter.
- 1	2-11	1899	•89	73	- 1	35 1 1	**	56 Ca			"	4	Brighter. Dittu.
	2-16	1899	189	99 73				55 Ca 58 Ca	dan.		,,	3	Clear and bright.
- 1	2-21	1899	*89	99 73			.,		lm	0	r	3 2	Ditto.
- 1	2·26 2·31	1902	·9				446	54 Ca	lm	0	41	2	Ditto.
	2.36	102	٠9	02 7	46 6		159	~ I ~	da l	0	17	i.	Ditto.
	2-41	902			, ,		474 430		ılm	0	19	1	Ditto.
ļ	2-46	902					433	50 C	aloa	۱ ه	*	1	Ditto.
	2.56	902				535	433	a- 1	nim	°	0	1	Ditte
	3-1	.003			-		426	" i .	atm SW	48	,2		Ditto.
- }	3-6	1900			9 -	- 1	367 399		SW	94	٠,,	***	Dicto.
- 1	3-21	1001	,	900		4						<u> </u>	

Three hundred and four nules from central line of totality Greatest obscuration &

Hour	BAROL	RTER		İ		1	,		
Madtas time	Corrected and reduced to 32° F	Redeced to sea level and constant gravity	Dry bulb corrected	Wet bulb corrected	Aqueous vapour pressure.	Relative humid ty	Wind Direction	Cloud proper- tion	WEATHEE AND OTHER REMARKS
9-31	29'916	30.010	° 73 6	61 8	397	% 47	N	Nel	Light airs and calms throughout day
9 46	916	015	75 6	628	402	45	N		
10-1	1909	800	75'6	628	402	45	Calm	.,	
10-16	910	009	766	638	432	46	N	٠,	1
10-31	907	005	786	63 8	395	40	Calm	۱.,	<u> </u>
10 46	1903	1001	79 5	64.8	418	41	NW		
111	896	29'994	79 5	648	418	41	Celm	29	
11-16	890	988	79.5	648	418	41	SE		
11-31	880	978	8a 5	648	404	39	s	7 **	
11•46 P M	872	970	81 5	648	391	36	SW	R	
0-I	866	964	81 5	648	*39I	36	s	\"	
a 16	858	1956	81 5	648	391	36	s	`	
0-31	856	954	81 5	648	391	36	s		
a 36	854	952	81 5	648	391	56	s	,,	1
0 41	850	948	80'5	638	370	36	sw		
0 46	850	948	805	638	370	36	s		
0 51	848	946	81 5	638	356	34	s	,,	Fire clear weather
a 56	848	946	815	638	356	34	s	,,	
1-1	846	943	825	648	378	35	s	,	
1 6	844	941	82 5	648	378	35	s	**	
1 11	844	7942	815	648	391	36	s	,,	
1 16	840	938	81 5	648	391	36	Calm	,	ነ
1 21	838	936	815	638	356	34	Calm	,	
1*26	838	936	815	638	356	34	Calm	**	
1 31	838	936	81 S	638	356	34	Calm	,,	
1 36	834	932	81 5	638	356	34	Calm		
1 41	830	928	79 5	63'8	383	38	s		
1 46	830	1928	79 S	63'8	383	38	s	•	
1-51	828	926	79°5	63 8	383	38	s	**	
1-56	828	926	79'5	63 8	383	38	s		
2 1	828	926	795	63.8	383	38	s	•	
2 6	828	926	79 5	63 8	383	38	s		
2 11	826 826	924	80 5 80 5	63.8	370	36	S		
2 21	826	924	8ors	63 8 63 8	370 370	36 36	S	22	
2 26 2 31	826 826	924	815	638	356	34	SE	,,	
2 36	824	9°4 922	81 5 81 5	63 8 63 8	356 356	34	S	"	
2 41	824	922	815	63.8	356	34 34	Calm	,, ,,	
2-46	S24 824	922	81 5 81 5	638	356	34	s		
2 56	824	922	81 5	63 8	35 ⁶	34 34	S	,	
3 I 3-I G	824 828	922	815	638	356	34	S	,,	
3 31	820	92S 917	82 5 82 5	63 8 63 8	343	+32	SW Calm		

L 2

Three hundred and seven miles from central line of totality. Greatest obscuration 8.

HOUR.	BARC	METER.	1	·) ·		1		
Madras Ni ne.	Currected and reduced to 32° F.	Reduced to sta- level and constant gravity,	Dry bulb corrected.	Wet bulb corrected.	Aqueous vapour pressure.	Felative humidity	Wind Direction.	Cloud. kind and proportion.	Proportion of eclipse, t otality	Weather and other rrmarks.
A.M.						*			1	• ,
9-19 9-29 9-39 9-49 9-59	30°009 °012 °009 °009 °000	30°020 ° 024 °021 °021 °012	67.8 68.6 69.1 70.1	61 8 62 3 62 3 62 4 62 6	'473 '483 '483 '473 '469	70 69 67 64 64	ENE ENE ENE ENE ENE	Nil		
10-9 10-19 10-29 10-39 10-49 10-59	1000 291996 1990 1988 1981 1979	*012 *008 *002 *000 *29'993 *991	71°1 71°2 71°8 72°2 72°2 73°2	62-8 63-9 62-8 62-9 62-3	'462 '468 '473 '447 '471 '465	61 61 58 56 57 57	ENE ENE ENE ENE ENE	# # # ** **		Hazy, sky white with dusthaze.
11-9 11-19 11-29 11-39	'972 '970 '962 '956 '950	'984 '982 '974 '968 '962	73°0 73°7 73°9 74°0 74°4	638 642. 643 643 643	476 475 476 480 465	57 57 57 56 55	ENE ENE ENE ENE ENE	p) 17	, 	
11-59	'914	'955	75"	64:8	*477	5 5	ENE	Cu., A. Cu.)
7. M.										Do. fine weather with passing clouds.
0-10	940 931	952 942	74°8 75°0	64'5 63'8	'475 '445	55 52	ENB ENE	Cu., A. Cu. Cu., A. Cu.		
0+29	'931	1942	75'4	64'5	463	53	Calm	Cu., A, Cu.	***	Eclipse commenced from W.N.W. Sky white or light
0-34 0-39 0-44 0-49 0-54 0-59	'929 '922 '922 '918 '92 <i>a</i> '918	'940 '933 '933 '929 '937 '929	76'3 76'3 76'3 • 75'8 76'0	63.8 63.6 63.8 63.8 63.8	'426 '419 '419 '433 '430 '396	47 47 47 49 48 45	Vaim i	Cu., A. Cu. Cu., A. Cu. Gu., A. Cu. Gu., A. Cu. Cu., A. Cu. Cu., A. Cu,	1 2 2 3 3	Sky and clouds white or light blue. Hazy, Eclipse increasing.
1-4 1-9 1-14 1-19 1-24 1-29	918 916 914 914 912 912	*929 *927 *925 *925 *923 *926	758 701 762 759 758 754	62'9 63'0 62'1 62'5 62'6 62'6	'403 '402 '371 '388 '392 '409	45 45 41 44 45 46	Ca/m.	Cu., A. Cu. Cu., A. Cu. Cu., A. Cu. Cu., A. Cu. Cu., A. Cu. Cu., A. Cu. Cu., A. Cu.	4 4 5 5 5 6 6	Sky and cloud pearly white or llight blut. Hary.
1·34 1·39 1·44 1·49 1·54	'911 '909 '905 '901 '904	'922 '921 '917 '913 '916	75'3 74'9 74'1 74'0 73'3	62'8 63'8 63'8 63'8 64'8	'406 '446 '456 '457 '501	46 52 54 54 61	Calm Calm Calm Calm Calm	Cu., A. Cu. A. Cu. A. Cu. A. Cu. A. Cu.	7 7 8 7	Sky tight blue. Clouds light blue and yellowish white
1-59	1900	*912	72.6	64:8	'510 .	64	Calm	Na	б	
2·4 · 2·9 2·14 2·19 2·24 2·29 2·34 2·39 2·44 2·49 2·54 2·59	900 906 906 900 902 900 893 898 904 897 901	'912 '918 '918 '912 '914 '912 '910 '910 '910 '915 '908 '908	72°5 72°4 72°8 73°1 73°7 74°0 74°5 74°9 75°3 75°3 75°8	64°3 64°4 65°3 66°0 66°0 64°0 63°6 64°1 63°8 63°8 62°8 62°9	'498 '499 '525 '546 '537 '464 '444 '462 '445 '446 '406 '403	63 65 67 64 55 53 53 55 50 46 45	Calm Calm Calm Calm Calm Calm Calm Calm	22 to 22 to	055445322211	Sky light blue, and hasy. No clouds visible.
3.4	'901	912	76'0	628	396	45	Calm			Eclipse terminated.
3-9	1897	908	75'8	623	.383	43	Calm	"		Sky clear.
3.19	1901	912	75.8	621	376	42	Calm	,,		Do.
								, , ,		

No 73 Lat. 23° 23' N.

KRISHNAGHUR.

Long. 88° 38' E

Three hundred and eight miles from central line of totality Greatest obscuration 8

Hour	BARO	METER	Ī		T	<u> </u>	Wi	КÞ		1	
Madras t me	Corrected and reduced to 32' F	Reduced to sea level and constant gravity	Dry bulb corrected	Wet bulb corrected	Aqueous vapour pressure.	Relative hum dity	Direction	Amount since preceding interval in m les per hour	Cloud proper- tion	Proportion of eclipse totality	Wrather and other remains,
							İ				
M,A	"	•	•	•	•	7.					
9-26	30.040	30 037	734	61 6	392	48	ESE	l • i	Nit		Bluesky
9 41	*033	030	73.5	61'9	401	49	ESE	48			Ditto.
9 56	026	022	746	62 3	399	46	E	44	~"	•	D tto
10 11	018	014	75 7	63.3	416	46	SE	48		1	Ditto
10 26	012	600	768	640	426	46	SSE	40]	Ditto
10 41	009	005	764	633	408	45	ENE	32	.,	-	Driso.
10 56	002	29 998	776	640	416	44	wsw	48	,		Ditto
11.11	100	997	77 6	625	366	39	s	28			Ditta
11 26	29 993	989	77'9	63 0	377	39	SSIV	32	•		Ditto.
11 41	985	98t	788	645	417	42	s	24	**		D tto.
11 56	972	968	792	649	425	42	ENE	24	,		Dhto
	-		, ,			,			,		
rx											
0 11	958	954	798	642	393	38	NNW	48			Dito
0 26	951	947	8009	642	378	36	WNW	52	,		Ditto
041	947	943	81'2	64.6	1 389	37			ï	,	D to
0-45	945	*941	8170	64 2	377	45				1	Ditto
0 51	943	939	80 7	63 8	366	35	wsw	41	,	3	Ditto
I 6	931	927	798	639	381	37				4	Ditto.
1 11	*931	1927	799	633	362	35				4	Ditto
1 16	1921	917	79'5	626	342	34	NNW	55		5	Dite
1 31	*924	920	787	63 o	367	36		1	,,	6	Dillo.
1-36	*926	922	788	62 8	359	37			,	7	Ditta
1-41	925	*921	777	63 8	406	43	WNW	31	,	8	Ditto.
1-56	925	'921	76 5	64 I	432	47			,	8	Datto ho anusual appearance of it e sur or sky except that the sun s ray b came milder
2	922	918	75'3	643	457	52				,	Date
26	921	'917	75'2	647	472	54	WSW	07		,	Ditto
2 21	920	916	76'2	653	478	53		"			Ditto
a 26	,035	918	763	657	486	55			1		D tto.
2 31	920	916	785	65'9	470	48	NNW	10	.	3	Ditto
2 46	918	914	79'4	64'9	423	42			- ",	2	Detto
2 51	919	315	79'6	647	412	41	- 1	l	,	,	Detto
2 56	918	'914	805	643	388	37	NNW	24	.		Ditto
2 11	*919	·91a	80°3	639	375	36	w	44			Ditio
3-26	921	917	804	643	389	37	WWW	48	"	i	Ditto
						"		7"	.		

Three hundred on d thirty-five miles from central line of totolity. Greatest obscurotion 8.

			1 41/10			, ,,,,,,,,,,					1011171 0110	Tear Dospar Otton G.
	Hota.	BARO	METER.				•		ind,	-[
	Madras time,	Corrected and reduced to 32° F,	Reduced 10 sca- level and constant gravity.	ican ecteu,	Wet bulb corrected,	Aqueous vapour pressure.	Relative homidity.	Direction	Amount since preceding interval, in telles per hour.	CHARLE	Proportion of eclipse, totality	Wrather and other remarks.
	A.M.		•	•	•	•	7.		}		}	
	10-3	29'468	30,035	59.8	52.2	'292	57	NW	}	Nil	ł	-
	10-10	482	*047	Q0.1	528	'304	59	NW	177	"	Į.	j
	10-17	'476	oto.	61.3	536	310	57	NW	177		1)
	10-24	'474	'037	60.8	53'2	306	57	NW	17	'n	1	
	10-31	467	.030	616	53'5	305	56	Calm	σg	"	į	i
	10-38	469 469	'030	628	54°2	,310 ,310	54 56	Çalm	00	"	1	}
	10-45	467	'020	628	54'5	317	56	NW	org l	, ,	1	
	10.32	407	·uxy	02.0	373	3-1	30		09	"	1	
	11-3	465	1025	6372	552	'331	57	Calm		,,	1]
	11-9	459	'018	642	557	*332	55	NW	fo	,	1) ;
	11:15	'461	.030	61.3	55'6	'347	55	Calm		,,	4	{
	11.51	458	7016	et:8	562	339	55	Calm	۰	, " ,	1	j i
	11-27	'456	.013	65'8	57'0	'350	55	Çalm .	٥	1,	1	}
	11.23	452	*010	654	56'4	'337	53	NW	1'0			}
	11-39	'448	1005	66.0	568	'342	54	NW	1.0	**	ļ	j
	21-45	'446	'007	668	578	1361	\$5	NW	0.2	ø		! }
	21-51	'446	002	67'4	580	.328	54	Calm	٥	,,,	1	1
	P.M.	i i			1	1	(Calm			ì	i i
	0-3	'440	39'996	67'4 67'6	57'9 58'0	'357 '356	53	Caim	°	*	}	
	0-9	440	'995 '987	68-8	58.7	350	53 52	Calm	0	,		0-14 P.M. Eclipse commented. Perfectly
	0-15	434	989	688	58.7	362	52	Calm		<i>p</i>] "	0-14 P.M. Relipse commented. Perfectly blacandeloudless sky. Perfect calmness.
	0-27	433	2986	600	58'2	343	48	NW	05	"	Į	
	0-33	421	975	6g/8	59'2	-363	49	NW	20	,		
	0-39	424	'976	69'3	58-8	'358	49	NW.	ro))	ł	l
	0-45	424	975	6g/8	59'2	*363	49	WW	10	,,	}	
	0-51	422	974	68-8	58'3	1346	49	NW	1.0	*		
	. !			}	1		-	1	ł		l '	
	1.3	416	*968	69'4	58'9	359	49	Caim	ا ه	**	1	
	1-11	414	'966	69'2	58'5	350	48	NW	r5	10	ļ·	·
	3.39	'418	970	68-8	58:2	346	49	NW	0.8	ю	8 at 1-20 ₹.M.	1-30 P.M. Sky assumed a dull leader hue.
	1-27	'416	968	688	57'8	334	47	NW	0'8	6	i i	
	1-35	416	969	67.8	58'2	354	51	Calm	0'4	* 1		1-39 r.M. Greatest darkness due to eclipse.
	1.43	408	'961		57'7 58'7	*345	51 56	Calm	١	*	 •	1.73 h'er. Guerteat grittiget fine to tembre.
	1-51	401	'958	676	30/	'377	. 30	Jan. 11	-	P	j	
	2-3	′39 6	948	68.8	582	346	49	Calm	0			
	2:10	.396	948	69'2	20.5	364	52	Calm		»	}	.
	2.17	394	945	698	586	*345	48	NW	0'4	,,	1	
į	2-24	394	945	70'2	58'2	'327	44	NW	0'9			
	2-31	*396	946	70'8	59.0	'344	45	NW	3'4	"		
	2:38	394	1944	70'8	59°0	'344	45	NW	1.2	,,		
1	2.45	'39+	'943	71.8	59'6	349	45	NW	3'4	"]		1
	2.52	'398	916	72.6	\$90	'320	41	NW	3'4	"		
İ		- 4		{				NW	}	- 1		
į	3-3	393	941	72'8	60'2	'356	44	NW	30	" }		3 r.u. eclipse ended,
ı	3-9	391	.010	72'4 72'8	59°2	349	43	NW	2,0	*		,
ı	3-15	391	939	72'8	59'2	349	43	NW	40	"	'	
-	3-27	395	912	73'3	59'6	329	41	NW	3.0	"		j
	3 33	395	942	72'8	592	324	41	NW	3'0	.		1
1	3:39	.399	946	73'2	59'2	319	39	NW	40	- 1		1
j	3:45	401	949	72'8	59'2	'324	41	NW	40	.,	· 1	1
1	3.21	'405	952	73'3	59'2	'318	39	NW	40	,,		1
- 1			ı	- 1		- 1		1	- 1	- 1	1	

Three hundred and thirty-eight miles from central line of totality. Greatest obscuration 8.

Hour	BAROX			<u> </u>	1	_		END.	1	t totality. Greatest obscuration 8.
Madras time	Corrected and reduced to 32° F	.	Dry bulb corrected.	Wet bulb corrected	Aqueous vapour prossuro	Relative humidaty		Amount tince pre- ceding enterval, in trales per hour	Cloud proper tron	Veature aun como
A M	•	*	Γ.,			%		 	_	
9 33	30 037	30,031	725	653	530	66	Calm	.	Nel	Fine clear wea ther during the whole day
9 48	032	026	740	66.2	540	64	Cálm	ا ، ا		sering the whole dat
10 3	021	014	753	672	559	64	Calm			1
10 18	018	011	764	672	545	60	Calm	i i		1
10 33	1014	1007	770	676				۰	#1	
10 48	006		785		550	59	Calm	٥	м	4
		29'999		691	583	6o	Calm	0	49	1
11 3	29 999	992	78 8	692	586	60	Calm	۰	**	
11 18	986	979	795	69.3	576	57	Ceim	ا ہ		
11-13	984	'977	805	72.2	G40	61	Calm	0		
11 48 11 48	980	973	813	702	591	56	Calm	•		
0-3	972	965	815	702	588	55	Calm		-	
0 18	963	956	82 0	70'2	581	53	NW	84	,	F
0 23	963	956	82 0	702	581	53	NW		+7	Eclipse commesced at 0-15 r x
0-33	955	918	81 5	692	1	1	- 1	•	•	
0-38			- 1		550	51	Calm	•	H	}
- I	957	950	83 1	69'2	540	49	SSE	1,5	11	İ
0 43	948	941	81.5	695	561	52	Calm	•	40	i
0.48	954	947	823	692	539	49	Calm	0	**	
0-53	957	950	82'3	692	539	49	Calm		20	
0.58	.010	942	624	70'2	976	52	SSE	1'2	,,	
1.3	945	939	823	692	539	49	Calm			ļ
1- 8	950	943	89 1	692	540	49	Calm		**	
1-13	946	941	815			· 1	- 1	1	×	
1 18	944			70.5	588	55	Culm	•	,,	
1 23		937	81 3	71.2	630	59	Calm	٥	*	
-1	946	939	80.5	70'2	601	57	Colm	•	n	
1-28	942	935	794	689	547	57	SSE	12	b	
1-33	942	935	785	68 2	553 1	57	SSE	12	.,	`
1-38	912	935	77.5	692	604	64	SSE	12	.,	
1-43 1-48	940	933	768	692	613	67	SSE	12		
1 53	947	940	762	69°0 69°0		68	S	24		Sun obscured e ght-tenths during the eclipse the colour of it
1 58	933	934	755 755	68.5	623 593	71 67	S	24	-	sky was more blue "ban or linkry
2- 3	937	930	755	68 2	593	67	ş	24	"	
3- 8	935	928	754	69 o	623	73	5	1,5	7	
2•13 2 18	935 937	928	75 5	690	623	73	s	24		
2 23	937 929	930	75 5 75 5	69'2	631 631	73	5	36	"	
2 28	931	924	765	696	631	60	S	36	-	
2-33	929	922	76'9	70'0	641	69	s	2.4	» H	
2-38 2-43	927	920	77.5	70'2	642	68	s	36	.,	
2-43 2-48	931 931	924	78 o 78 o	70"3	-635	66	S	8.4	.	
2 53	926	919	78 4	703	635	66	S	60	•	
2 58	924	'917	20.5	712	653	66	s	24	,	***
3- 3	930	923	793	712	657	66	s	48	"	Edipse terminated at 3 P H
3 23	932	925 922	79'5 }	71'2 71 2	621	,65	S .	36		
3-33	939	932	79.5	712	616	63	S	06	,	
		~_	133	/12	654	65	S	24	"	

·SIBSAGAR.

Long. 94° 40' E.

Three hundred and thirty-eight miles from central line of totality. Greatest obscuration 8.

	7	hree hu	ndred o	ind thir	ty-eight	miles f			12 0) 1	CLOU	.,.	7 51040	1	SCHFALLON G.
Hour.	BARON	eter				T -	w	ND.	4_	CLOU		Propo	r-	
Madras time.	Corrected and reduced to 32° F.	Reduced to sea- level and canstant gravity.	Dry bulb corrected	Wet bulb corrected	Aqueous vapour pressure	Land Site	Direction.	Amoun since precedin interva in mile per hou	g Pro	per- on.	Kind.	tion (eclips totali IO.	o, ty	WEATHER AND OTHER REMARKS.
A. M. Q- 2	29'757	30'06	61'7	58'4	.447	% 81	Calm		1	Nil			- 1 -	loar walher.
•	751	'957	62.4	59'5	'470	83	Calm	018	:	,	•••		F	ice clear weather.
. 9-17		i	63'9	60°3	.477	80	SSE		1	,,				Ditto.
9-32	'742	'047		600	465	78	SSE	of	,	,,				Ditto.
9-47	'737	.042	J	60'9	485	78	SE	370	- 1		 .	-	.	Ditto.
10- 2	'731	1033	1 .	61.2	495	78	Calm	ort	- 1		١		.	Ditta.
10-17	7722	1		1	1	1.	SE	0,	- 1			۱	.	Cu. clouds on the S E. horizon.
10-32	1		1	62'0	493		SE	0,1	.	" I	Cu.	١.	.	Ditto ditto.
10-17	704	100	1	1/	'503			1		-	Cu.	١.		Dittu dato.
11- 2	-69×	29'99	68.2		'497		SW	26	1	1	Cu.		- 1.	Cu. cloud increasing to the E. and S.
11-17	1 1680	3e• c	69'9	63.6	'505		ssw	2"	.	1	1	"	١.	Cu, cloud increasing.
11-32	1 .67	'97	70'3	639	'509	68	SSW	4	°	1	Cu.	"		
11-47	7 ·66;	5 '96	4 71'4	647	*52:	68	SSW	4	۰	2	Cu	"	.	Ditto
7 31 0* 1		9 '93	8 717	63.5	-43	6 62	sw	5	12	2	Cu.	. .	.	Ditto ditto,
0.1		- 1	í	641	149	6 63	SW	3	r2	3	Cn	٠ ١	-	
0.3	٠.	1 -		1 .			SSW	, l 3	r6	3	Ca	. .		
0-4	1 .		1	' I .'	1	8 59	SSV	, ,	18	3	Cu	٠ ا	}	Eclipse began from S.W.
•	1	1	1	' .	"	1 .	SSV	, I	28	3	Co	.	1'3	
1.	1 .	1 1	1	` I .`		Ή.			.	3	. C	.		
1.	1	1 1	-		" "	~ ·		1	472	3	l a	.		Hazy appearance of the horizon.
11.7		1 1	25 72	- 1	- 1			1	1	3	1 0	- 1	161	Weather getting cooler.
1*	17 6	28 19	25 72	- i -	1	49 50	1 -		36	_	0		•••	
14	22 16	28	25 72	r 6 6 3	· ·	52 50	- 1	- 1	1'2	3	- 1	- 1		
1.	27 16	i28 1	25 72	13 62	" [48 5	- 1		2.4	2911		- 1		Weather cool and hary hear the
1 1.	32 16	28	71 71	19 62	7 4	48 5		1		2	C	- 1	•••	horizon.
. 1.	-37 1	i28 ·	926 7	17 6	8 2	53 5	B sv	v	30	3	"	4	•••	
1	-42 4	528 ·	926 7	12 6	.6	155 5	9 Ca	lm		I		u.	•••	Hazy a ppearance.
١.	47	528 ·	926 7	1'1 6	16	156 6	o 51	V	24	1	٥	12.	8	
١,	-52	628	926 7	10 6	2.8	463 E	ı Ca	lm	1.3	Ni	2 .	.	•••	
	1	628	926 7	09 6	2'7	461 C	i C:	dan		.,		- \	***	,
- 1		628			28	477	is C:	lm	0	۱.	. •	.	•••	
		['			2'9	481	56 C	dm	0	,	, ,	-	***	Partial, darkoess j eclipse greatest.
- 1	' '	ī. l			٠,١	477	66 C	ılm	0	١,	. .	.	•••	
- 1		634		"	'		65 C	alm	r'j	١.	, ,		•	Eclipse began to decrease.
1	i	-630		,,,,	' 1	1	1	alm	0	١.	,			
- 1	1			-90	62'0	-487		alm	ra	1			•••	
	2-32	·630		93	62·8	483		alm	1'2	1 1			•••	
	2.37	-628	927		62.8	'48o	66 C	alm	0	1.	*		•••	
[2-42	·628	927	70'0	630	·484		alm	0		n	"	•••	İ
- (2-47	632	.031	70'3	6372	487		alm alm	0	١.	-	#* 	•••	
	2-52	·632 ·634	930	70'9	62'9	470		lalm	0	1	"		***	
- 1	3- 2	634	932	70'3	63.8	.207		Calm	0	1	D			Complete disappearance of the eclips
-	3- 7	635	933	71'2	63.8	493		Calm	0			 A.S.		
- 1	3-22	633	932	70'3	63.9	509		Colm Colm	0	1	-	A.S.	-	
1	3*37	•639	938	69.9	63'2	'491	<u>"</u> .'	CON ELL					_	_1

FARIDPUR

Long, 89° 52' E

Three hundred and forty one miles from central line of totality Greatest obscuration 8

Hours, Barnature Hours	_
Ant	
And y 21 30 035 30 030 70 9 62 2 446 58 Calm Ni	_
9-36 031 036 739 637 468 58 Calm , 9-51 025 030 721 652 4662 58 Calm , 10-6 018 013 741 632 435 51 Calm , 10-21 018 013 741 632 435 51 Calm , 10-31 000 751 642 435 52 Calm , 10-51 000 29-94 761 632 408 45 Calm , 11-6 29-991 985 771 652 453 49 Calm , 11-121 987 981 769 642 432 47 Calm , 11-131 976 970 776 642 432 47 Calm , 11-151 976 970 776 642 423 47 Calm , 11-151 976 970 776 642 423 47 Calm , 11-151 976 970 776 642 423 47 Calm , 11-151 976 970 776 642 423 47 Calm , 11-151 976 970 776 642 423 47 Calm , 11-151 976 970 776 642 423 47 Calm , 11-151 976 970 776 642 423 47 Calm , 11-151 976 970 776 642 423 47 Calm , 11-151 976 970 776 642 423 47 Calm , 11-151 976 970 776 642 423 47 Calm , 11-151 976 970 776 652 433 47 Calm , 11-151 976 953 779 652 433 47 Calm , 11-151 976 953 781 662 485 50 Calm , 11-151 976 972 781 652 436 43 Calm , 11-151 976 942 786 652 443 45 Calm , 11-151 976 942 786 652 443 45 Calm , 11-151 976 942 781 647 433 45 Calm , 11-151 976 942 781 647 433 45 Calm , 11-151 976 942 781 647 433 45 Calm , 11-151 976 942 781 647 433 45 Calm , 11-151 976 942 781 647 433 45 Calm , 11-151 976 942 781 647 433 45 Calm , 11-151 976 942 781 647 433 45 Calm , 11-151 976 942 781 647 433 45 Calm ,	•
10-6 018 013 746 642 452 54 Calm	
10-6 018 013 746 642 465 54 Calm " 10-31 018 013 741 632 435 51 Calm " 10-30 012 006 751 642 456 52 Calm " 10-51 000 29.994 761 652 468 45 Calm " 11 6 29.991 985 771 652 463 49 Calm " 11 21 987 981 769 642 432 47 Calm " 11 51 976 970 776 642 422 44 Calm " 11 51 976 970 776 642 422 44 Calm " 10 6 971 965 779 652 453 47 Calm " 10 6 971 965 779 652 453 47 Calm " 10 6 971 965 779 652 453 50 Calm " 10 6 971 965 779 652 453 65 Calm " 10 6 971 965 779 652 453 47 Calm " 10 6 971 965 779 652 453 652 485 50 Calm " 10 6 971 965 779 652 453 47 Calm " 10 6 971 965 779 652 453 50 Calm " 10 6 971 965 779 652 453 50 Calm " 10 6 971 965 779 652 485 50 Calm " 10 6 971 965 779 652 485 50 Calm " 10 6 98 942 78 662 471 47 Calm " 10 69 948 944 78 1 647 433 45 Calm " 11 1 946 942 78 6 652 443 43 Calm " 11 1 946 942 78 6 652 443 45 Calm " 11 1 946 942 78 1 647 433 45 Calm " 11 1 946 942 78 1 647 433 45 Calm " 11 1 946 942 78 1 647 433 45 Calm " 11 1 946 942 78 1 647 433 62 Calm " 11 1 946 942 78 1 647 433 45 Calm " 11 1 946 942 78 1 647 433 65 Calm " 11 1 946 942 78 1 647 433 65 Calm " 11 1 946 942 78 1 647 433 65 Calm " 11 1 946 942 78 1 647 433 65 Calm " 11 1 946 942 78 1 647 433 65 Calm " 11 1 946 942 78 1 647 433 66 Calm " 11 1 946 942 78 1 647 433 66 Calm " 11 1 946 942 78 1 647 433 66 Calm " 11 1 946 942 78 1 647 433 66 Calm " 11 1 946 942 78 1 647 433 66 Calm "	
10 36	
10-51 000 29-994 76 1 652 468 45 Calm , 11 6 29-991 985 77 1 652 465 49 Calm , 11 21 '987 981 769 642 432 47 Calm , 11 31 '976 970 77 6 642 423 44 Calm , 11 51 '976 970 77 6 642 423 44 Calm , 16 '971 965 77'9 652 433 47 Calm , 17 06 '971 965 77'9 652 433 47 Calm , 18 06 '971 965 77'9 652 433 47 Calm , 18 06 '971 965 77'9 652 433 47 Calm , 18 07 07 07 07 07 07 07 07 07 07 07 07 07	
10-51	,
11 6 29991 985 771 652 453 49 Calm " 11 21 '987 981 769 642' 432 47 Calm " 11 31 '976 970 77 6 642 423 44 Calm " 11 51 '976 970 77 6 642 423 44 Calm " 1 6 '971 965 77'9 652 433 47 Calm " 0 1 '959 933 781 662 485 50 Calm " 0 30 '958 953 781 647 433 45 Calm " 0 41 '954 948 791 652 436 43 Calm " 0 40 '952 945 791 662 471 47 Calm " 0 40 '952 945 791 662 471 47 Calm " 0 51 946 942 786 652 443 45 Calm " 1 1 '946 942 781 647 433 45 Calm " 1 1 '946 942 781 647 433 5 Calm " 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	,
11 21 987 981 769 642 432 47 Calm ,	
11-36 983 977 77 9 647 435 46 Calm , 11 51 976 970 77 6 642 422 44 Calm , 1 51 976 970 77 6 642 423 44 Calm , 1 6 971 965 779 652 453 47 Calm , 2 1 959 953 78 1 662 485 50 Calm , 2 36 958 952 78 1 647 433 45 Calm , 2 41 954 948 79 1 652 436 43 Calm , 2 44 1 954 948 79 1 652 47 47 Calm , 2 45 95 946 95 95 95 95 95 95 95 95 95 95 95 95 95	
11 51 976 970 77 6 642 422 44 Calm " . 10 6 971 965 7779 652 453 47 Calm " 0 6 971 965 7779 652 485 50 Calm " 0 36 958 953 781 642 485 50 Calm " 0 46 952 946 791 652 476 43 45 Calm " 0 46 952 946 791 662 471 47 Calm " 0 51 946 942 786 652 443 45 Calm " 0 51 946 942 786 652 443 45 Calm " 1 1 948 942 781 647 433 45 Calm " 1 1 948 942 781 647 433 45 Calm " 1 1 948 942 781 647 433 6alm "	
P_AI	
U 6 971 965 779 652 453 47 Calm " Call 959 953 781 662 485 50 Calm " Call 959 953 781 647 433 45 Calm " Call 954 948 791 652 436 43 Calm " Call 952 946 791 662 471 47 Calm " Call 951 946 942 786 652 443 45 Calm " Call 956 948 942 781 647 433 45 Calm " Ca	
0 36 958 952 781 647 433 45 Calm , Eslipse commenced 0 41 954 948 791 652 436 43 Calm , 0 46 952 946 791 662 471 47 Calm , 0 51 946 942 786 652 443 45 Calm , 1 1 948 942 781 647 433 45 Calm , 1 1 948 942 781 642 415 43 Calm ,	
0 41 954 948 791 652 436 43 Calm , , 2 , , , , , , , , , , , , , , , ,	
0 46 952 946 791 662 471 47 Calm ,, 0-51 946 942 786 652 443 43 Calm ,, 1 I 3948 942 781 647 433 45 Calm , 1 I 3948 942 781 647 433 45 Calm ,	
0 45 952 945 791 662 471 47 Calm " 0-51 945 942 786 652 443 45 Calm " 2 0-95 948 942 781 647 433 45 Calm " 1 1 948 942 781 642 415 43 Calm "	
0-51 946 942 786 652 443 45 Calm , 2 0-96 948 942 781 647 433 45 Calm , 1 1 348 '942 781 642 415 43 Calm ,	
0-56 948 942 781 647 413 45 Calm , 1 1 3948 3942 781 642 415 43 Calm ,	
1 1 348 342 781 642 415 43 Calm "	
1.6 1.0	
111 049 794 687 617	
175 00 00	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
1-26 938 932 776 632 388 41 Caim , 5	
1	
395 45 Samuel 16	
35 35 4 35 7	
33 33 4	
1 151 111 111 111 111 111 111 111 111 1	162126
30 July 1037 445 47 Cultur " 7	- 1
2 1 934 328 751 632 422 48 Calin , 2 6 935 930 741 642 469 55 Calin ,	
2 II 932 927 74 642 469 55 Calm ,	ı
2 16 932 '927 24 1 65'2 503 59 Calm .	-
2.26 032 056 071 05 332 01 Calm	I
2 31 930 924 751 652 400 56 Calm	
2 36 929 923 761 652 477 53 Calm "	
2 46 020 022 77 51 Calm b	
2 51 927 921 77'1 642 429 46 Calm	
255 926 920 771 647 446 48 Calm »	
3 1 924 918 271 632 395 42 Calen h Ed pvs anded	- [
3 21 931 925 77 1 63 2 305 42 Cates 9	-

Three hundred and forty-one miles from central line of totality. Greatest obscuration 8.

1	Hous.	1 8		1			1			tine of	iotatity. G	realest obscuration	0.
	HOUR.	HANG	MATER,	1			ł	"	IKD.				
	Madras time.	Corrected and reduced to 52° F.	Reduced to sea- level and constant gravity.		Wet bulb corrected,	Aqueous vapnur pressure.	Relative humidsty	Direction	Amount since preceding interval, in tules per hour,	Cloud propor- tion,	Proportion of eclipse, totality 10,	WEATHER AND C	THER REMARKS.
	A.M. 9-28	30,023	30,018	0 71'5	62'3	440	% 57	sw		1,711			
	9:43	'052	20010	720	61.6	'410	57 52	WSW	40	Nil	'	ŀ	
	9.58	-048	'015	725	63'3	460	57	wsw	260	. #	"	-	
	10-13	*043	'610	73'6	63'9	472	56	wsw	60	,	""	1	•
	10-28	'040	'007	741	63'5	446	53	wsw	8°o	n >	""	1	
1	10-43	'036	,003	751	643	'459	53	SW	56	,,	***	}	
į	10-58	'032	29'999	75'5	64'3	'454	51	wsw	64	,			
Ì	11-13	. ,031	'988	77'1	64.6	'443	47	wsw	88				
i	11-28	1013	·98o	77'5	65'3	'462	49	s	64	,,			
	11-43	'002	'969	77'1'	65'3	'468	50	wsw	80	,		{	
	11-58 P.M.	29,990	'963	775	65'8	480	50	SW	8-4			{	
	0-13	. 99a	957	78.2	65'8	'466	48	sw	80	**		1	
	0-23	1981	948	78.3	657	466	48	wsw	66		•••		
	0-28	'979	946	78°0	65'3	'455	48	SW	72		***]	
	0-33	978	945	28'3	65'5	'459	47	SW	60	.	1	Eclipse was seen to con from StV.	mence at 0-25 PM.
	0-38	'976	943	78-8	65'8	462	47	s	10'8	{	1	•	
	0-43	'976	'943	78-6	653	'448	46	wsw	48	.,	2		
	0-48	'976	943	78'8	660	'469	48	wsw	72	,,	2	1	1
ĺ	0-53	972	939	78.7	654	450	45	s	72		3		- 1
	o-58	'971	938	78.4	654	'453	被	W	9'6	., {	3		[
	1-3	969	936	78'4	65'6	'46t	47	W	36	, [4	San dim.	
	1.8	969	.036	78°a	66°0	'477	49	w	60	,, [4	Ditto.	1
1	1-13	1964	'931	78't	62.1	'447	46	sw	8-4	- 1	4 or 5	Ditto.	
1	1 18	'ç62	'929	77'8	65'0	1448	47	wsw	60	- 1	5	Wind becoming cooler, a	so dira.
1	1-23	'96o	927	77'6	653	'461	48	w	8-4		5		en growing diamer.
1	1-28	7962	1929	27'5	65'3	462	49	W	72	,,	6	Ditto,	Ditto.
1	1 33	'964	.631	775	65.0	452	48	W	60	» [6	Ditto,	Ditto.
	1.38	962	'92 9	77'3	652	461	49	w wsw	96	.	7	Ditto,	Ditto,
1	I 48	964	929	77'1 76'5	62.0 62.1	'460 '465	77 }	II SIV	6'o	-	8 8 or g	Ditto,	Ditto,
I	1.53	964	931	76°a	650	472		wsw	48	"	8	Ditto,	Ditto.
1	t·58	959	926	75'7	65.2	493	55	W	48	. 1	7		Ditto, M. and 1-53 P.M
1	2-3	958	925	75'8	65'8	.200	56 56	W	24 60	-	7	Eclipse between 1-48 P. greatest, sun becoming Sun becoming clear,	duarer, Wind cooler
1	2-13	956	923	75'6	65'5	495	56	W	36		5	Ditto.	ditto.
Į	3-18	956	'923	75'9	65'6	494	55	w	36		4	Ditto.	ditto.
1	2-23	958	927	76'2 76'5	658	'497 '498	54 55	W	43 60	: 1	3	Ditto.	ditta.
1	2.33	954	921	77'2	65'5	473	50	w	36		3	Ditto.	ditto.
1	2:38	954	921	77'2	65'5	'473	50	SW	8.4	"·	,	Ditto.	ditto.
1	2-43 2-48	954	'921 '925	77'3	65'5 65'7	·472 ·476	50	SVV	84	-	2	Ditto:	ditto.
1	2 53	958	925	776	657	474	- 1	VIZ	72		. 1	DAID.	ultio.
ŀ	2.58	1956	925	777	66.1	488	5º	sw	48		1		
1	3.13	958	925	777	66.1	488		SW	8.4	•	0	Celipse appeared to end.	
1	3-28	958	925	782	66'3	488	- 1	SW	64				
-									- 1				4

JESSORE,

Long 89° 13' E.

Three hundred and forty five nules from central line of lotality Greatest obscuration 8

	1 Dece		i manu,	1	-					1	atest obscuration 8
Hour.	Bayo	METER	1				,	TIND	+		
Madra t mes	Corrected and reduced to 32° F	Reduced to sea level sad constant gravity	Di A.baib	Wet-bulb corrected	Aqueons vapour pressure	Relative humlel ty	Direction	Amuun S non preced n nterval in miles per hour	g propor		WEATHER AND OTHER REMARKS
A NI					"	%			1		
924	30'038	30'019	724	616	438	55	ESE	i	Net		Clear
9-39	036	017	730	628	437	54	Calm	24	,		11
9-54	933	ot4	744	637	448	53	SE	24		1	11
to 9	030	010					Calm	۱		1	
to-24	026	006	75'4 76'3	63 8 63 8	439 426	50 47	Calm	20	13	Í	
10-39	022	002	76.4	636	418	46	Calm	16	",	1	II
10 54	020	1000	769	644	439	47	Calm	16	1 .		
											ii
11-9	013	29 993	78 t	652	450	47	Calm	08	i	1	
11-24	004	984	78 3	616	427	44	NW	16			Clear
11 39 11 54	29 998	978 964	784	644	418	43	Calm Calm	20	1		
-	94	guş	789	65 4	417	45	Calm	20	l '		
PM									i	1	
0 9	976	956	78 5	614	417	43	Calm	24	l]	
0-24	968 969	948	795	66 o	460	46	Calm	24	,	1	Eci pse commenced between 0-24 P M. and
0 29	965	949 945	795	62.1 62.0	445 438	44 43	Calm Calm	1.5		ľ	11
0-39	963	943	783	652	448	43 46	Calm	24			i
0 44	961	941	79'5	652	431	42	NE	36		1	[]
0.49	955	935	795	6,4	438	43	Calm	24	,,	j i	Į l
0 54	953	933	795	656	445	44	SE	12	,	1 1	· ·
o 59	952	932	795	616	413	40	Calm	12	n		
1 4	952	932		۵.			NW		:		•
1 9	948	928	793 787	65 4 65 4	441 449	43 46	Calm	24 I'2		! !	1
E 14	948	928	789	647	422	42	SW	12	•		
1 19	949	929	786	642	409	4x	SW	36	*		
1-24	945	925	785	646	424	43	Calm	36	29	[]	Gloomy appearance "sky looked a little red dash near the lorgon to the east and south
1 29	943	923	77 8	616	434	45	Calm	12		}	
I 34 I•39	941	921 922	77.5	619	449	48 48	Calm	°. 1	•	1 1	
1 44	940	922	77 0	647	448 443	48	SW	24		8	
1 49	940	920	766	644	442	48	Calm	24	"		}
1 54	942	922	764	644	445	49	Calm	12	- 1		
1 59	946	926	75 6	65 a	483	54	Calm	•		ļ	1
2 4	947	927		644	161		Calm			١,	
2-91	947	927	750	644	464 468	54 54	Calm	1'2	"]	1/	
2 14	945	927	748	642	450	54	Calm	24	. 1		Getting clear
2 19	·940	921	746	664	539	62	Calm	0])	
2 24	940	921	748	664	537	61	Calm	•	.	- 1'	
2 29	941 942	921	754	66 2	521	59	Calm		•	••	
2 39	933	913	75'4 75'6	66.6	533	59 60	Calm		:		ļ
2-44	940	1920		66 4	526	59	Calm	12	: 1	1	
2-49	936	916	764	644	445	49	SSW	24			Clear
2 54	938	918		64.4	445	49	SSW	24	.	-	
2 59	940	920	766	644	442	48	Calm	12		-	Ecilpse terminated between 2 59 P m and 2 1 P m
3 4	940	920		64.4	446	49	Caim		-]	
3 19	939			643	443	1	Calm	12	,	l	ł
3-24	934	914	762	646	456	50	Calm	0	.	ļ	ļ
1					- 1	- 1		j			1

nt. 20° 54' N. VERAVAL. Long.

Three hundred and forty-five miles from central line of totality. Greatest obscuration 8

•		Thr	ce hund	red and	forty-fi	ve miles	from c	entral li	ne of t	otality. Gree	atest obscuration & J.
Hour.	BARO	KETER.	1		1	1		IND.	ī -	T	1
Afedras time.	Corrected and reduced to 30° F.	Reduced to sca-level and constant gravity.	Dry bulb corrected.	Wet bulb corrected.	Aqueous Vapour pressure.	Relative humidaly.	Direction.	Amount since preceding interval, in miles per hour.	Cloud proper- tion.	Proportion of college, totality	WEATHER AND OTHER REMARKS.
	,									Ì	
A.M.			}	}]	26	ESE		Nil		
10-39	30.013	29'973	86*4 87*2	648 648	315	24	ESE	20	2011		Fine clear weather.
11-0	1010	970	85.8	66'9	107	33	SE	72		-	
11-15	1009	*969	88 o	65'1	314	23	ESE	10'8	,,	-	Wind somewhat increased in force.
11-30	.003	963	86 a	688	*474	39	ESE	8.8	27		Sun's disc clear and complete.
11-35	*003	'963	656	692	*491	40		-	**	***	Eclipse commenced about 11.36 A.M.
11-40	1003	*961 *963	83.3	696 703	*542	48 53	S	4'a	~	a from SSW	
11-45	*003	963	8270	718	.282 -285	60	,	}	,,	2 Irom Saly	1
11-55	*003	'963	817	71'6	641	60	***			***	
15-0	1000	1960	814	70'8	613	58	S\$E	36	*	4 from S	Proportion of sun's obscurity increasing very
P.10,					1					1	rapidly.
0.5	297998	958	817	70*3	*589	54	•••		**]
0-10	'995 '990	*956 *950	81.3	69°9 69°8	*58t	55 58	SSE	64	*	5 from S	Very light rose tint to W.
0-20	*986	946	79'6	698	*592 *598	59			"	3	1
0-25	1982	942	797	69*8	*604	60			**		Force of wind decreasing.
0-30	1982	.945	79.0	69.8	*606	61	S\$B	572	"	6 from S	
0-35	980	1940	79'0	69*8 68*8	*606	61 58	**		*	•••	,
0-40	*978 1981	'938 ('941	78-8 78-4	688	'571 '577	50	SSE	80	,,	8 from B	
0-50	979	939	78'0	68 8	.381	60			,,		i
0-55	'977	937	780	689	586	61			**	<u> </u>	
1-0	'975	935	77*8	690	.202	62	SSE	12'0	**	8'3 from SSE	j j
1-5	972	.031	72.6	68-8	587	62	***		" •		1,
1-10	969	1929	27*4	68-8	*590	63		[P		
1-15	969	929	77"2	68.8	589	63	SSE	8.1	27	6 from SE	
1-25	'965 '961	'925 '921	77'0	68'8	*595	64			**		
1-30	955	'915	76-8	68%	*398	65	SSE	11,5	**	7 from ENE	Sunlight somewhat increasing.
1+35	•951	'911	26.6	690	*605	66	}		19	•••	
1-10	954	914	75.7	698	•636	69 69	SSE	***	b	6 Com END	
1-45	.018	*914 (*908 (76°9	69 8 69 8	*635 *633	68	335	10.1	17	6 from ENE	
1-55	946	906	77'0	70'0	641	69]			•••	
2-0	946	*906	77'2	698	-630	67	SSE	10'8	27	4 from NE	
2-5	944	904	77'7	698	*623	65					
2-10	941	*90ī	77°8	694	*607	63	SE	-			
2-20	1941	.do1	77'9 78'0	69·7	617	64	SE	11.5	"	3 from NNE	
2-25	939	*899	78.1	698	618	64			"	***	
2-30	937	€97	28.3	69.6	*610	63	SE	12.1	,	a from N	
2-35	933	•893	782	697	.014	63	::	•••	-		2-18 P.M. eclipse ended.
2-45	'935	*895	78-6	69'2	.220	60	SE	15'2	"		Wind again increasing in force.
3-0	937	*897	78-8	68·8	. '571	58	SE SE	16.8		~- }	
3*15 3*30	937	*897 *899	78.6	639	578 584	60	SSE	96	"		ļ
3-45	939	*899	78.2	65*4	264	58	SE	14.0	,,		
4-0	13.00	*90t	78-1	65-6	55o	60	SE	154	.		. 1
4-15	.047	904	780	68-6	574	59	SE	92 [
4.30	916	906	77.8	69-8	1584	61	SE	116			}
4.39	.011	901	77'8	63.6	577	60	SE	93	"	•••	

ITTACK.

· Three hundred and fifty miles from central line of totality. Greatest obscuration 8.

Hour.	BARGS	ETER.			1		17/	MD.			
Madras time.	Carrected and reduced to 32° F.	Reduced to sea- level and constant gravity.	Dry bulb corrected,	Wet bulb corrected.	Aqueona vapour pressure.	Relative hund- daty.	Direction,	Amount nince preceding interval, In miles per hour.	Cloud prapor- tron.	Proportion of eclipse, totality	Weather and other reserve.
A.M.	,	•			•	%					
9-32 9-37 9-42 9-47 9-52 9-57	30'012 '013 '013 '010 '006	30'037 '038 '038 '037 '035 '031	70'1 70'3 71'0 71'3 71'3 72'3	61.2 61.3 61.3 61.3	'429 '449 '442 '445 '457 '457	57 59 57 56 57 55	5W 5W 5W 5W 5W 5W	2'4 24 2'4 2'4 1'2 3'6	Nil.		Sky Flue, but very light pink towards 2. h
10-2 10 7 10-12 10-17 10-22 10-27 10-32 10-37 10-42 10-52 10-57	*686 *603 *603 *603 *8999 *999 *993 *992 *992 *991 *983 *983	'021 '029 '028 '028 '024 '024 '018 '016 '015 '013 '005	72'5 72'9 73'0 73'0 74'0 74'1 75'0 75'2 75'5 76'2 76'1	62'5 62'5 62'5 63'7 63'7 63'1 63'8 63'8 63'7	434 436 430 446 440 427 439 429 429 447 437	54 53 51 54 52 50 48 48 49 47	SVV SVV WSVV Calm VSVV Calm VSVV WSVV Calm Galm WSVV	74 24 0 1'2 2'4 1'2 1'2 1'2 1'2 1'2 1'2	# # # # # # # # # # # # # # # # # # #		
11-2 11-7 11-12 11-17 11-22 11-27 11-37 11-42 11-47 11-57 P.M.	978 976 976 971 971 971 965 965 965 965 963	'002 '000 '000 '29'995 '995 '995 '995 '989 '989 '989 '987 '981	76.6 77.3 77.3 78.1 78.3 78.3 78.3 78.3 78.3 80.0 80.0	57 9 77 64 79 55 65 65 65 65 65 65 65 65 65 65 65 65	410 431 441 447 435 447 431 431 431 431 431 431 431 431 431 431	446 45 45 45 45 45 45 45 45 45 45 45 45 45	WSIV Calm SSW WSIV WSW Calm NNE IVSIV Calm Calm N	1'2 2'4 1'2 1'2 1'2 1'2 1'2 1'2 1'2 1'2	# # # # # # # # # # # # # # # # # # #		Sky blue, but light pink tonneds E, boriet
0·2 0·7 0·12 0·17 0·22 0·37 0·32 0·37 0·42 0·47 0·52 0·57	955 955 947 945 945 945 945 935 935 931 935	979 975 975 969 965 965 959 954 955 955	80:3 80:4 81:0 81:0 81:7 81:7 81:4 81:0	9 : \$ 57 : 9 : 9 : 9 : 9 : 5 : 5 : 5 : 5 : 5 : 5	413 419 436 437 441 441 441 441 441 441 441 441 441 44	49 49 49 49 38 39 37 38 37 38 37 38	NNIV Gaim N N WNV WSW Calm NE NNE NNE	12 12 24 12 0 36 24 12 24 24 24	***************************************	10. 10. 11. 11. 22.	Sky blue. Plast aga of eclipse—direction W. to E. Sky blue. Light douty red along E. hard Do. do. Do. San's dire orange discurrent black
1-2 1-7 1-12 1-17 1-22 1-27 1-32 1-37 1-42 1-47 1-52	923 915 915 913 909 910 906 906 905	947 947 943 939 937 934 934 939 939 939	80'9 81'0 80'3 80'1 80'1 80'1 79'8 79'0 78'6 78'3	648 650 651 648 646 645 651 649 647 650 648 659	'414 '419 '421 '420 '416 '415 '433 '429 '431 '474 '411 '481	38 38 38 40 40 41 42 45 44 48	NNE NNE NNE Calm Calm Calm Calm Calm Calm Calm	36 24 12 36 0 12 12 0	# PP 137 60 60 60 60 60 60 60 60 60 60 60 60 60	4 5 6 78888876	Ot. do. Do. do. Do. de. Do. de. Do. de. Do. de. Do. de. Do. de. Do. de. Do. de. Do. de. Do. de.
2-2 2-7 2-12 2-17 2-22 2-27 2-32 2-33 2-42 2-47 2-52	'975 '907 '907 '905 '905 '905 '905 '903 '903 '809 '809	929 931 931 929 929 929 928 928 927 923 923	78'3 78'3 78'3 78'9 79'7 79'9 80'1 80'1 80'3 80'8 81'0 81'0	657 658 649 649 641 641 639 641 647 647 648	476 487 479 441 431 402 409 393 389 399 399 408	43 49 48 43 41 37 37 36 35 37	Calm Culm Culm Calm Calm NNE NNE NNE NNE NNE NNE NNE NNE	0 0 0 12 12 12 12 12 12 12	11 12 12 12 12 12 12 12 12 12 12 12 12 1	5 4 3 2 2 1 09 06 04 02	Do. da. Do. do. Da. da. Ua, do.
3·2 3·7 3·12 3·17 3·22 3·27 3·32	*899 *903 * 905	'922 '931 '925 '923 ' '027 '929	81°0 81°2 81°4 81°4 81°2 81°2	64'5 65'7 65'6 65'6 64'9	'403 '440 '434 '434 '410 '412 '414	37 40 39 39 37 37 37 38	Calm Calm NNE NNE NNE NNE NNE NNE NNE	2'4 0 1'2 1'3 1'2 1'2 1'2 1'3	70 20 21 20 21 21 21 21 21	101 101 101 101 101 101	Edipse ècased.

Three hundred and sixty-three miles from central line of totality, Greatest obscurat 8.

			Three	hundr	ed and s	ixty-thr	ee miles	from 6	entral	lin	e of totalit	y, Grea	test obs	curat 8.
Hove	. 1	BAROM			Γ_						LOUD.			
Mad	Cor	rected	Reduced	Dry bulb corrected.	Wet bulb corrected.	Aqueous vepeur pressure.	Relative humidity.	Wind direction.	Proper-		Kînd.	Direction of motion.	Proper- tion of eclipse, totality	WEATHER AND OTHER REMARKS.
•	. 1	816° 816° 816°	29'998 '998 '997	78'6 78'9 79'2	68·9 68·9 68·8	'57 ⁸ '574 '564	59 58 57	SR SE SE	Ail "					, ,
11	1-51 1-6 1-21 1-36 1-51 1-54	607 605 601 591 583	986 983 978 963 955 948	79'4 79'8 81'8 84'0 84'8 85'3	69°2 69°8 69°4 69°4 69°8	'578 '595 '552 '509 '512 '521	58 58 50 44 42 43	NB NE NE NE NE	21 25 16 17					. Fice clear weather, light wind
	.M. 0-6 0-11 0-16 0-21 0-26	'571 '571 '571 '569 '567	'942 '942 '942 '940 '938	86°5	70°2 70°1 70°0 	'527 '516 '506 	42 40 39 	NE NE NE NE NE	» » » »	1	 	NE to SV		
1	0-36 0-41 0-46 0-51 0-56	'5'3 '559 '555 '555 '553	192	83°5 6 5 84°8	69 B	'478 '498	40 41 41	NE NE NE NE	2 2		CI. (i. Ci. Ci. Ci.	NE to SV NE to SV NE to SV NE to SV NE to SV NE to SV	V 4 V 4 V 5 V 5	Fine clear weather; light wind; aky blas; clouds dark.
	1-6 1-1t 1:16 1-21 1-23	*549 *549 *547 *543	'92 '92 '91	1 0 83' 6 83'	69'1			NE NE NE NE		2 2 2 2 2 2	Ci. Ci. Ci.	NE to SY NE to SY NE to SY	N 6 N 6	Pioc clear weather; light wind; sky sea-blum.
	1-26 1-31 1-36	'54' '54'	1 '91 1 '91	5 82°				NE		2 2 4 4	Ci. Ci. Ci., A. Cu. Ci., A. Cu.	NE to S' NE to S' NE to S NE to S	W S	Fine clear weather; light wind; sky sea blue.
	1-4t 1-46 1-51 1-56 2-1	'54 '53 '53 '53	5 '90 1 '90 1 '90	og 82	7 69°	'53°	40	NE NE	3	4 4 4	Ci., A. Cu. Ci., A. Cu. Ci., A. Cu. Ci., A. Cu. Ci.,Ci.S.,A. C	NE to S NE to S NE to S	w w	Fine clear weather; Right winds sky blue; clouds dark, curves clouds around the san.
	2·6 2-11 2·16 2·21 2·26	'52' '52' '52' '52'	5 ·8 5 ·8	98 83 98 97 84 97 91 84	69	5 52	9 4	NI NI NI 4 NI	3	5 5 5	G,G.S,A.C G,G S,A.C G,GS,A.C G,GS,A.C G,GS,A.C	U. NE to S U. NE to S Cu. NE to S	SW SW SW	3 2 Pine weather with passion clouds; gentle wind.
	2·31 2·36 2·41 2·45 2·46	'5' '5' '5'	19 ·8 19 ·8 21 ·8 23 ·8	191 190 85 192 195 8.	ro 69	8 52	8 4	4 N	e e e	5 5 7 7	Cu. and A. C Cu. and A. C Cu. and A. C Cu. and A. C	Cu. NE to Cu. NE to Cu. NE to Cu. NE to Cu. NE to Cu. NE to Cu.	SW SW SW	I
	2·51 3·6 3·21 3·36 3·51	'5 '5	23 1 23 2 723 1	896 8 895 8 895 8 896 8	3'9 69 40 70 4'6 75	79 50 70 50 72 50 73 5	47 45 45	45 N	E E E	10 10 6 6 5	Cu. and A. Cu. and A.	Cu. NE to Cu. NE to Cu. NE to Cu. NE to	SW SW SW .	Fine weather with passin clouds ; moderate wind.
	3·51 4·6			J 1					E	4	Sm. and A.	Cu. NE to	SW	.

Three hundred and sixty-eight miles from central line of totality Greatest obscuration 8

Hour	BARON	eten .					W	MD		
								Amount		
Madras Innc	Corrected nnd reduced to 32° F.	Reduced to sea level and constant gravity	Dry bulb corrected	Wet builb corrected	Aqueous vapour pressure	Relative burnidity	Direction	since preceding interval, in miles per hour t	Cloud proper- tion	Weather and other emarks
A.N					•	×				
9 41	ვი ინზ	30'029	75'5	65.0	510	57	N	i '	Nel	
9 56	068	1029	76°0	66.5	514	57	NNE	60	,,,	
10-11	066	027	765	66 g	533	59	wnw	64	١,	
10 26	064	025	773	672	533	57	NNW	52		
10-41	061	022	77.3	666	510	55	SSE	44	"	•
10 56	055	616	78°0	66'9	513	54		20	"	i
1111	053	014	790	676	523	53	SSE	52		
11-26	039	000	785	67.9	542	56	SSE	60	١.	
11-41	032	29993	793	68 4 68 4	548	54	SE	56		
11 56	032	7983	795	004	547	54	36	72	"	İ
P M										
0.6	020	981	797	689	563	56	SE	18		Belipse commenced from west
0 11	010	971	793	68 2	543	54	SE	60	n	
0-16	oog	970	79 7	68-6	552	55	SE	60	٠,	
0-21	800	969	8ora	68.6	546	53	SSE	120		Un sual haze between the sea and the hills. A vry polyhibh, during the eclipse made the scace y appear live estamine is the colour of pistendyne photol. Sea between not come in a sucal Colour of the sky gradually charge from ash to blush
0-26	007	968	797	68 6	552	55	SE	72	,	
0-31	005	906	80.0	68 4	541	53	SE	36	17	1
0 35	29 999	950	795	68.6	553	55	SE	60	•	
041	997 980	958	795	69 z 68 g	577	57	SE	12	"	
0.51	989	950 948	79 o	69'4	573 592	58 60	SE	72		The unabscured portion of the sun appeard just like a diagon to manshine
0 56	986	947	780	68.4	568	59	SE	60		Weather moist and muggy
11	985	946	780	684	568	59	SE	60		
16	983	944	785	689	58g	60	SE	60		
1 111	981	943	780	68 4	568	59	SE	72	.,	i
1 16	975	930	17.7	684	571	6a	SE	118	,,	1
1-21	973	'934	773	68 2	570	61	SE	108		
1 26	973	'934	765	67.4	551	60	SSE	72	,,	
1 31	'972	933	765	674	551	60	SSE	60	٠.	İ
1 36	971	*932	763	674	552	61	SSE	108	•	1
1 41	970 968	931	763	674	552	61	SSE	72 48	"	
1 46	966	9°9 927	76°0	674	557 552	60	SSE	120	"	ļ
1 36	964	927	763	67.4	552	50	SSE	72	"	1
2-1	962	923	763	67.4	552	60	SSE	fro		1
26	961	925	77 0	672	537	58	SSE	10.8	۳.	
2.11	958	929	17'0	67.2	537	58	SSE	60		-
2 16	969	930	77 0	67.4	545	59	SSE	72		1
2 21	969	930	77 0	67 2	537	56	SSE	60		1
2 26	969	7930	77.5	67.4	537	57	SSE	60	98	į ,
2 31	969	930	780	676	536	56	SSE	60	20	ļ
2 36	970	931	78°0 78°3	67 2 67 4	223	54	SSE	168 168		
2 41	970	931	78 S	676	526 531	54	SSE	24	-	
2 46 2 51	970	931	790	679	536	54	SSE	48	-	
2-56	970	93t	787	67.6	529	54	SE	48		Eclipse anded.
1 -	971	932	787	679	539	55	SSE	80		,
3 II 3 26	971	941	787	682	550	56 t	SSE	64		,
3 41	984	945	785	67'9	542	56	SSE	40		
1 "	- 1							- 1		

MASULIPATAM.

Long. 81° 12' E.

Three hundred and seventy miles from central line of totality. Greatest obscuration 8.

Hour.		METER.					. "	IND.	1 .	Ctorp.		l .
Madras time.	Corrector Red reduced to S:" F-	In	Dry bolb corrected,	Wet bulk corrected.	Aqueous vapour pressore.	Relative humility		Arround	Propo		Proportion of ecclipse, totality	Weather and other rymarks
1.X. 5.56	30'073	£1,623	75"	698	· 1659	۲. ۲.5	NNE			Ci,	.	Fine with very little cirrus cloud in SSE,
9-11 9-25 9-41 9-55	1074 1176 1065 1068	'023 '045 '018 '017	76°2 77'4 78'5 79'9	70'4 71'5 71'5 71'5	169 194 1715 1695	74 73 83	ENE ENE ESE ESE	2'4 3'= 4'4 56	1 1 2 3	Ci. Ci. Ci. Ci. S,	=======================================	
10-11 10-26 10-41 10-56	.04 .063 .063	010, \$10, \$10, \$10,	81.2 21.2 21.2 21.2	12.3 23.0 23.0 22.8	-695 -703 -703 -704 -705	65 bs	SE ESE ESE SE	68 92 52 96	3 3	Ci, Ci.s. Ci. Ci.	 	
12-12 11-25 21-41 21-35	75) 7,55 7,44 70,3	2001: 2001: 2004: 2004:	\$1% 571 873 874		948 855 961 974	£823	ese Ese Ese Ese	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	; ; ;	ದೆದೆದೆದೆ	745 746 74	Very insignificant cirrus clouds. The first beginning of the contact was slightly observable, but not clear.
ги, о-б о-11	1075 1075 1075	1025 V*3 V\$3	8374 528 8376	1372 174	7651 7637 763	60 55	-		***	=	*** ***	Eclipse observable as the sunlight becoming affected. Suslight becoming dim.
0-21	1015	977	9.46	72% 725 725	1070	(e) (e)	EŠE	10.1		Ċi		Slight cirror clouds near Perison in Named NAM.
>31 >37 >41	1025 1434 1072	'0:5 '0:3 '0:1	674 573 115	73°0 7173 778	746 700 101	61 63		=	***		3	Soulicia gradually loting power. Soulight lading considerably.
0-45 3-51	010°	95	81'S	133	710	535	::: {	=		:	***	Son's diec risible exfely to the paked eye.
-3%	1013	',61	51-3	73'3	7.17	65	SE	1174	1	CI.	4	
1-6	2010	1059	F07 870	7372 728	703	67 67	;;	=	***	::		Sonlight even less strong then moon- I ght.
1-11	turis Ving Ving	917 933 933	90'1 74'6	7373 7371 734	770	71 72 72	= {	=	•••	::	 5	
1-25	101	.424	795	726	719	73	ESE	10'6	,	Ci.	8	Maximum observation eightstentle, the surrounding objects looking partly dark.
1-36 1-36 1-41	795 795 793	'015 '015	7°4 . 7572 778	7277	728 719 769 728	75 74 76		=	144 144 144	1	::	Sun commented in recover,
133	ונפי ונפי ונפי	917	77.7	774	728	70	ŠŘ	83	ï	cī.	3	
2-1 2-6 2-1 2-16 2-16 2-26 2-36 2-36 2-36 2-36 2-41 2-42	00000000000000000000000000000000000000	915 915 915 915 917 917 917 917	79'3 29'3 20'2 20'2	73'6 73'6 74'0 74'0	753 1157 1157 1157 1157	75 73 73 77 77 77 77 77 77 77 77 77 77 77	11111111		1 1 1 1 1 1 1 1 1 1	### ### ### ### ### ### ### ### ### ##	 ? !! !! !!	
1.25	79.3	1977	ณ์ร	753	791	73	eŝe.	78	=		D	Complete recovery of sun.
1-11 1-24 1-41 1-56	10. 10.0 10.0 10.0 10.0 10.0	1956 1939 1947 1940	817 814 853	756 1375 737	.905 1805 1719	7.1 7.1 69	est. SC	16 16			=	

NARAYANGANJ

Long 90° 27'E

Three hundred and seventy three miles from central line of totality Greatest obscuration &

Hour	BARON	ETER					W	180			
Aladras timo	Corrected and reduced to 22°F	Reduced to sea level and constant grav ty	Dry bulb corrected	Wef bulb corrected	Aqueous vapout pressure	Relative hum d ty	Direct'on	Amount noce pereding interval in miles per hour	Cloud propor- tion	Propo har of eclipse total ty to	Weather and other funders.
15	,	,	•	•	•	',					
9-19	30 045	30 019	72 3	658	550	6g	SSW	1	Nel		9- 9 A ir to 0-19 PM About half of
9 34	'041	015	735	635	454	55	SSE	104		1	parallel to horszon obscured by dust ha
9 49	039	013	735	610	404	49	SSE	36	,	1	
10 4	833	007	743	620	393	46	SSE	24			
10-19	033	007	745	620	390	45	SSE	36	u i		
to 34	022	29'996	75 2	637	438	50	SE	20	,		
10 49	810	992	765	644	444	49	wsw	1.6	,		
11.4	1012	986	769	643	436	47	sw	20	1		
11 19	ооб	·980	76'9	644	439	47	SW	40			
11 34	009	983	775	650	452	48	SW	44	1		it-24 Am to 0-19 Pm Few scattere mulus cloude ; sky blue with haze all
tt 49	29 993	3967	77.5	650	452	48	SW	48	1		honzon
2 KL		959	99.4		420	46	w	40	,		
D-19	985 981	959	77.4	643	394	40	w	44	,		
0 29	901	949	784	640	404	41	W	24	1		F at contact from S W
0-34	973	947	78 4	644	418	43	W	36	,	3	
0-39	973	947	780	642	417	43	WYW	72	1		round horson and cumplus clouds.
0-44	971	943	78 I	64.4	423	44	WSW	79	1	,	1
0 49	969	943	783	639	402	[4t	wsw	72	1	2	
0 54	967	941	78 1	640	410	43	w	36	1	3	
0-59	967	941	779	645	428	45	WNW	24	1	3	
14	965	1939	783	640	405	42	wsw	24	,	4	
1-9	955	939	780	634	391	41	wsw	60	1	4	,
1 14	1963	'937	77'9	635	394	41	WSW	48 48	1	5	{
1 19	961	935		G2 I	351	37	W>W	36	I	5	ľ
1-24	936	930	1	62*2	354	37	WSW WSW	48	1	6	
I 29 I 34	954	928 926	1 ""	630	386	41 43	WSI	60	Nel	,	134 PM to Sorm Hunsky with
1 39	953	1924		623	380	42	W	48	*	,	toning piecison
I 44	948	924		627	388	43	w	48	•	8	
t 49	946	920		628	399	45	WSW	48	٠,	8	
I 54	946	920		630	410	46	w	24		7	
1 59	946	, 1920	749	633	429	50	w	36	٠	7	1
24	946	920	74'9	627	408	47	sw	36		6	
2-9	949	1923		63 1	425	57	SW	=4	j	6	İ
2 14	947	921		63.6	441	51	WSW	24	'	. 5 5	
2 19	947	911	748	638	447	52	WSW	36	- 1	4	
2 24	947	921	75 3	637 640	437	50	WSW	48	. 1	4	•
2-34	947	919	1	642	448	50	11 517	to 8		3	
2 39	945	919		644	449	49	wsw	120	.]	3	}
2 44	1945	919		643	443	49	WSW	10'8	.,	2	
2 40	943	917	765	645	448	49	wsw	36	1	2	
2 54	943	917	76.6	645	447	49	SW	3.6		1	
2 59	1943	'917	77'0	637	414	45	WSW	36	,	1	
3 4	945	.919	77.0	бз:4	404	44	sw	24	. (z l	Last contact Bluncky Musty horizon
319	945	923	77 1	638	416	44	W	36	.	1	Ditto d'tto.
J - 9	319	-23	1 "	1	1 77	i ''	1	1		ı	

Three hundred and seventy eight miles from central line of totality. Greatest obscuration 8.

		Three	hundre	44 44 11	2 3000	11.7 1.6			ND.	1	Ctot	10.	T	1			1
Hour.	BAR	METER.	_	1					Ameuni	-1			Lio Lo				.
stadras sime.	Correcte and reduce to 32°.1	level at	d correcte		r parti	Aqueous vapout pressure.	Relative humldity.	Direction.	since preceding interval in miles per how		Kind,	Direction of motion.	tion c eclipse totals	"	SATHER AND OTH	T REBARE	-
4.M. 9-29	30'051	30,051	71'3		68 2	.650	% 85	NNW		١	Cu.	SSE to NNW	,	tla:	ry weather with a midus cloud over uth-cost,	ematt patch horizon to lito.	h of the
		1			68-2	'645	83	w	24	1	CuL	SSE	,		Ditto	litto.	
9-34	*05	1	T	'	6S-2	.642	83	WSW	-4	1	Cu.	to NNV	,		Line		Ì
9-39	.020		i	1	68-2	.012	83	wsw	24		Ca	334		1	Dinis	litto.	- 1
9-44	.01	- 1		1		645	83	wsw	36	1	Cu.	SSE	1	1	Dillo	litto.	ı
9:49	,01				65:2	ł	81	WSW	40	1	(u.	to NNV	`.		DINO	itto.	1
9-54	.01	- 1	1	- 1	68 2	638	81	WSW	1 .	1	Cu.	to NNV	1		Ditto	litto.	-
9-59	70.4	10.	1	- 1	68 2	638	30	WSW	1	١.	Cu,	to NW SE	ļ'		Ditto	ditto.	
10-4	*04	6 01	6 72	4	68.5	635	1	11'51	1 '		Cu,	LO NW	١.,	.	Dilto	dillo.	1
10-9		3 0	3 73	۰	6\$ z	627	77	WSW		- 1	Cu.	to NW		.	Detto	ditto.	
10-14		ە. م	1 73	٥	6S 2	627	77		30	- 1	Cu.	to NW	۱	.	Dillo	ditte.	
10-19		ە. 0	10 73	•	68 2	1627	77	5W	27	. 1	Cu.	to NW	Ί	. [Ditto	disto.	
10-24	, 70,	9 0	29 73	72	6S 2	'624	1 76	SW	3	- 1	Cu.	IO NV	' l	1	Ditto	ditto.	
10-20	, 0	7 0	7 73	72	68 3	1624	76	5W	31	۱.	r. Cu. & Ci	Lia WX	w I	- 1	Ditte	ditto	
10-3	1	' l		 	6\$ 2 6\$ 2	*624 *624	76	SW SW	6	8 8	r. Cu. & Ci	NNW LoSSEA	ķΈ.	.	lary weather with : cumulus and fract moving.	mati patch o cumulos e	es of
10-39	9 0	, J	" "	"				1	Ι.		r. Cu. & C	NNW	SE.	}	Ditto	ditlo.	
10-4	4 2	33 7	03 7	3'2	68 2	*624	76		1	- 1		A151117	. 12		Dilto	ditto.	
10-4	ه †و	29 29'9	00 2	372	68 4	1631	77	511	1 '	8 [ir. Cu. & C Fr. Su. & C Fr. Cu. & C	to SSE	k R	.	Ditte	ditto.	
10-3	- 1	27 1	197 7	34	68 6	636	77		- 1	8	FF. C11. & C	to SSE	kW.		Ditto	ditto.	
10-5		24	ns 7	34	696	.636	77		ì					.	Ditto	ditto.	
11-4	1	21 .	201 2	3'4	68 7	.010	77			. 1	Fr. Cu.& C	SSE	:		Ditto	ditto.	
1114	`	10 .	989 3	3'4	68 8	.64	7 7	SV	/ '		Fr. Cu.& C	SSE	: 1	"	Duto	ditto.	
11-	1	117	987	36	69.0	1649	7	, SV	7 i	, - I	Fr.Cu. & C	1 551	₹ 1	"	Hazy weather wit	n cumulus	clo u
11-	1			736	690	1649	7	, sv	v 4	600	Fr. Cu. & (SSI	10		Dieso	ditte.	
111.	"	- i		73'6	69:2	65	6 7	g 5\	٧	7:2	Cu.	NN W	E I		Ditto	ditto.	
	1	- 1	1.	74'n	693	. 65	4 7	8, S1	v	(°o	Cu.	NNN SS	Fi.	"	Ditto	ditte.	
111-	٠,	010	1	74°0	691	١.	4 7	8 5	v	7'2	Cu.	NNV	R L	•••	Dino	ditto.	
It	"	000	·	74°0	69.	Ι.	, ,	, s	N'	7'2	Cu.	NNV SS	E to		Ditto '	dicto.	
111	1	1	979	742	60	1 .	is 1 2	n S	w	1.8	Cu.	אאן 59	ik I		Dato	oitto.	
1	•44	200	975		69	i i	1	9 5	w	7"2	Cv.	NXV SS	V to	***	Ditto	ditto.	
	-49	'ong	973	74'2	69		1		W	7'2	Cu.	NNY SS	N to	•••	Ditto	ditto.	
111	-54	100	971	74'3	70	` i .	´ \	- 1	SW	7'2	Cu.	NN	V to	***	17tta	_ /	
11	-59 2	רפפי	969	75.0	1 "	" "		~								ditto,	
۲.	.35.				1.	,,] ,,	83	₇ 8 5	sw.	7'2	Cu,	NN	W to	•••	Ditto	unio	
	0-4	700	9/17	75'2	70	" .	- 1	/* `	sw	(ro	Cu.	N.N	11 10		Hary weather.		
	0-9	166.	961	75'2	70	" "	i83	/~ ·	SW	7.2	Cu.	INN	SE ω		Ditto.		
1	0-14	'989	'959	75'2		"	582	Ή.	sw	72	Cit		SR W to SR		thtte.		
1	0-19	987	'957	75%				" I .	sw	72	Cu	NN	W to I		Ditto,		
ļ	0-24	985	'955	756		-	582	"· I .	- 1	7-2 8:4	Cit	NN NN	SII W to		First streak of shing over from	adow jest vi VSW—nasi	sible thor t
	0-29	·984	'954	75.6	1	[682	" L.	SW			NN	SK W 10	,	Shadow movie NNE, Suitden	g upwards, (all in temo	dire eratu
	0-34	1981	'951	75'2	7		673	" [SW	7.5	1	1.3	SI NW to	,	Musica antice	J	
	- 1	1980	'950	75"2	. 6	0,4 ,	612	73	SW	7'2	' I ''		SSK	١.			

SAUGOR ISLAND-concld

Long 88° 5 E

Three hundred and sevent; eight miles from central line of totality Greatest obscuration 8

Hous	BAS	OMETER	1		1		T	Winb	1	CLO			obscus atten 8
Madras time	Correcte and re- duced to 32° F	Reduce to sea tevel so constant gravity	correcte	b Wet built corrected	Aqueous vapous pressure	Rafat y bumıdıt	e Directi	Amous since p cod ng ferval, miles p hour	n Kje	nd .	Direction of matino	Proportion of eclipse totality	Wraynes
A W		•	٥			76							
0-44	29 980	297950	750	702	675	78	sw	, , ,,	۵ ا		NNW t		·
0 49	977	947	75 0	70 4	683	79	SW	1 1	1		SSE NNW	1	
o 54	'977	947	750	704	683	79	SIV	'-			SSE NNW to	1 "	The arc to direction of advance as
0-59	'975	*945	750	702	675	28	SSW	'-	C	i	552	1 "	Ditto ditto
14	'973	943	746	704	688	80	SSW	1	"	"	NNW to		D tto d tto
1-9	973	943	746	706	-695	81	ssn	1 1				1 4	Ditto dita
1 14	.972	942	746	706	695	81	SSII		Cu		27147	4	D tto d tto.
1 19	'971	941	743	70%	699	82	SSW	1 '	C	i	NW to SE NW	4	Dittn d'ito
1-24	971	'94I	743	70'6	699	Ra	SSW	1	Cu	- 1	IO SE	5	
1 29	971	941	742	702	·686	81	SSW	1 7	1	- !	to SE NW	5	
1-34	*969	939	742	702	686	81	331V SS11	60	Cu		to SE	6	
1 39	967	937	736	700	687	83	SSII	60	Cu		NIV to SE NIV	6	
2 44	967	937	73.4	700	689	93 83	SSW	60	Cu		NW to SE NW	7	
1 49	967	937	73°2	696	676	83	SSW	60	Cu Cu		to SE NW	7	
1 54	-5								Cu		to SE	8	The stated for a minute only as at a property of the same of the same local as a state of the same local as a state of the same local as a state of the same local as a state of the same same same same same same same sam
1 59	965	935	73'0	69'5	675	83	ssw	36				7	
4	964	934	725	695	682	85	S511	36				6	
20	964 962	934	725	695	682	85	SSIV	36			•	5	
14		932	72.4	694	68o	85	SSW	36			1	4	
10	962	932	725	695	682	8,	SW	36				3	
24	961	932	725	696	685	8,	SW	48		1		2	
29	1	931	72 5	698	693	87	s	36	Cu	1,5	io N	2	
-34	959	929	728	700	697	87	SSE	36	Cu	s	to N	2	
39	957	927	72'9	70 1	700	87	s	48	Cu	s	to N	1 W	eather heay with a small patch umelus cloud over horizon
44		925	729	- 1	700	87	ssw	48	Cu	s	to N	1	D tto d tto
49	955	925	729	701	700	87	SSW	48	Co	s	to N	:	D tto d tto,
54	955	923 925	73 2		700		SSW	48	Cu	S	to N	1	
59	955	925	73 3	-	702	i	SSW	48	Cn	s	to N	At	han strenk of shadow left.
-2	~~	y-3	733	703	702	8g .	SSW	36	Cu	s	to N		D tto ditte
4	°957					86	s	36	Съ	St	DΝ	Shad we sta an out ces uta: for Hazy	low antirely passed out of date hag athe with shifting wind; from it to finish set pre-occup ed a hour all and and and and and and and from and 2, in sates and the re- sloce theor and 7 m sates with a noisy the base with a mind it to becuration of oght-teeths a remote.
14	954		73.4	1		86	s	48	Cu	St	o N	1	D tto.
19				'		- 1	SW	48	Cu	St	o N		D its
2.4	957	1		1 1		,	SW	36					D tto-
			. 1	1 '	1	86	s	60					Ditto
- 1			~~	705 2	108	86	s	60			1	1	D tto

Long. 82° 15' E.,

COCANADA. Three hundred and seventy-eight miles from central line of totality. Greatest obscuration 8.

		-1		CLot		Wise.	١	1			1	ER.	AROMET	
EATHER AND OTHER REWARKS	orantion of clipso, totality so,	1	Kied.	ropor-	mount ince ceding terval, miles r hous,	tion. pi	Direc	Kelative humid-ty.	Aqueous vapour pressure.	Vet bulb precied.	Orybulh orrected.		ected R	s "
selle breeze. Slightly cloudy over torizon to S.B.			Si	1		VE.	1	% 69	625	69:4	o 76°5	30'020	7057	В
	•		Cu. Cu. Cu.	1 1	20 12 12 8	NE NE NE	E	71 71 70 70	1636 1652 1657 1666	696 70'2 70'5 70'9	76°2 76°7 77°2 77°8	*015 *019 *017 *017	*052 *056 *054 *054	8 33 48
· .			Cu. Cu. Cu. Cu. Cu.	1 1 1 1	12 12 12 16 16	NE NE NE NE	E	70 70 70 70 70	*662 *670 *679 *683 *683	708 712 714 717 717	77'7 78'3 78'2 78'8 78'8	'009 '003 29'999 '989 '989	'046 '040 '036 '026 '026	3 18 33 48 58
First crutact at the SW edge of sum, timb, leating throats. Slightly cloudy ove horizon to S.E. fül 1-8 P.M.	1		Cu. Cu. Cu. Cu. Cu.	1 1 1 1	12 12 12 12 12 12	NE E E E E E		70 68 68 68 72 70 69	683 685 677 696 681 681	71'7 21'9 71'7 71'9 71'6 71'7	78-8 79'3 79'2 78'5 78'7 78'7	987 985 985 980 980	'024 '022 '022 '017 '017 '016	3 8 13 18 23 28
,	2 3 4	₽.	Car Car Car	1 1 1 1	12 12 12 12 12 12	E ESE ESE ESE ESE	3	68 68 70 70 72	*682 *639 *681 *683 *711 *683	71°9 72°1 71°6 71°6 72°4 71°7	79°5 79°5 78°7 78°5 78°8 78°8	979 973 970 964 964 963	*016 *010 *007 *001 *000	22222
11-25 P.M. to 1-23 P.M. Time of green obscurity sun quite clear, sky lo ing dail shish as before a thur grown Trees and vegetal oats green	5 6 7 8	iu.	G.	1 :: :: :: :: :: :: :: :: :: :: :: :: ::	12 12 12 12 12 6	ese ese ese ese ese ese		7 7 7 7 7	679 683 684	714 714 714 714 714 714	78°2 78°0 77°8 77°7	*965 *959 *957 *957 *953 *953 *949	,002 ,036 ,036 ,036 ,036	1-5 1-5 1-10 1-13 1-18 1-23 1-28
	76 5	•		# # # # # # # # # # # # # # # # # # #	12 12 12 12	ESE ESE ESE ESE ESE	74 74 74 75 76 10	.	4 .69	71777	77°2 1 76°8 1 76°8 1 76°7	. 94	*954 *978 *978 *978 *978	1-33 1-38 1-43 1-43 1-53 1-55
Last contart at mortil or upper of sun's limb.	4 3 2 I			97 es 17 19 19 19 19 19 19 19 19 19 19 19 19 19	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	RSR ESE ESE ESE ESE ESE ESE ESE ESE	75 75 75 75 73 74 74 74 74	97 96 90 16 93 93 95 95 15	4 09 77 79 77 79 77 79 77 77 77 77 77 77 77	9 71 71 72 72 73 74 75 71 71 71 71 71 71 71 71 71 71 71 71 71	15 76 17 77 15 77 13 77 13 77 13 77 13 77 13 78 13 78 13 78 13 78	2 93 4 93 0 93 0 93 0 93 0 93 0 93	'97' '97' '97' '97' '97' '97' '97' '97'	2·3 2·8 2·1 2·1 2·2 2·3 2·3 2·4 2·4 2·5
						ESE ESE ESE	74 74 70 71	715 715 691	2'4 .'7 2'4 .'7	5 7	34 78 40 78	71 °9	99	3.5

Three hundred and eighty miles from central line of totality. Greatest obscuration.8.

Hous	- Ba	ROMETER,	_				em-cents	Vika.	$\overline{}$		atest obscuration.8.
Madra time,	Correct and reduces to 32° F.	sen-tev	Dry bulk corrected	Wet bulb correct- ed.	Aqueous vapour pressure.	Refativ humidity	Direction	Ampan Since Precedit interval in unles per bour	proper	Propertio eclipse, to	n of
A.M.	, ,					,					1
9-37	30'083		7516	73'5	798	91	Calm		Na.	1	
9.52	.028	'041	75'5	70'6	684	77	SW	4.8	1	"	Fine elear weather
10-7	*073	*036	76.1	707	678	75	sw		"		Ditte
10-22	'071		76-1	70'2	1659	73	SW	40	"		Ditte
10-37 10-52	'066		76.5	70'3	166a	73	SVV	4'4	, ,		Ditto
-	.029	,033	76'2	70'2	659	73	sw	52	,,	1	Ditto.
11•7	·o53	,010	76.4	700	6.47	71	sw	8-8	,		Ditto
11-32	*049	110	77'2	695	619	67	SW	6.8		"	Ditta.
11-37	.011	'004	77'9	70'0	627		Sw		•	-	Ditto.
11-52	*035	29.998	77'9	700	627	65 65	Siv	76	11		Ditto.
. 1						43	""	8.4	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Ditto,
P,M,				- 1			1	- 1		[
0.7	'025	'988	78'9	69'9	614	δε	sw				
0-22	'017	1980	78'3	69.8	1 016	63	SW	140	**	2 (som W5W	Ditto.
°-37	'015	'978	783	70'0	624	64	SIV	Bo I		. "	Ditto, Small patches of towards W 5 W.
0-42	'015	978	78'4	70'2	1630	65	sw	10.8	"	- "	Ditto ditto,
0·47 0 52	900°	'971	77'3	6g/8	1029	67	SW	60	"	3,	Ditio, data,
0.57	'008	973	77'5	69'9	634	67	sw	72	, i	3 "	Ditto, ditto,
- 0,	•••	'971	77'6	69'9	032	66	SIV .	72	,,	4 ,,	Ditto, ditto.
1-2	1001	964	77'8	6/9		-			- 1		unita.
1-7	1002	965	77'5	698	632	65	SW SW	84	"	4	Ditto. ditto.
1-12	1001	1964	76'9	69'6	628	67	SW	72	"	.5 »	Digo.
1-17	29'996	959	77'0	6,7	630	67	SW	7'2	n	5 »	Ditto.
1-22	994	'957	763	69.5	632	69	sw	84	. 1	6 ,,	Ditto
1.32	994	957	76'3		634	69	SW	72		7 v	Ditto. Stightly groomy.
-37	988	957	75'9 75'9		631	71	SW	72	и	7 , 1	D tto.
-42	987	950	75'5	-	626	71	SW	72	**	8 " '	Ditto.
-47	'987	950	754	. 1	632	71	SW	8'4	*	8 ,,	Gioomy.
-52	186.	944	75'2		627	· 1	WSW	72	"	7	Gloomy with reed temperature causing at
-57	987	950	75'1		629		wsw	84	"	7 " 6 "	Slightly brighter
-2	981				- 1		- 1		"]	٠,	Brighter.
.7	979	944			627	- 1	wsw	8.4		6 ,,	Ditto
-12	977	940			623 627		vsw	72		5	Still brighter.
17	1 981	944			634		vsw	72	-	5 n	Ditto. Getting by degrees brighter.
22	977	'940	75'6		628		WS/V	84	•		
32	1974	937			628		vsw	84	"	3 ,	
37	1978	930			631		vsw	72	.	3 "	
42	180	939 1		- (637		VSW	72		3	
47	'98c	943	- 1		633 621			724	• •	2 ,	
52	978	116			519			60	• .	2 ,,	
57	1984	947		. 1	526			72	"	. 1,,	
2	982	945			1:	1	· . ·	′*:F	"		
ľ	933	943	77'4	598	29	67 N	vsw	48	-		Eclipse over. Nothing unusual observ
7	978	.011	77'2	597 .1	26	67 N			· [Eclipse over. Nothing unusual observeround the aun either before orafter the
22	'983	946	773					9'2	*		Compact
37	985	.018						76	* , .		
		- 1	- 1	ı	. 1	• . 1 ***	-11	** 1	a 1.		

Three hundred and eighty-three miles from central line of totality Greatest obscuration 8.

	eatest obscure						JEG 0.	162 71	A7 66 USI	gary	ana e	narea	e hun	Thre		
Ĭ		- 1	,	_	Croup	_]_	FEND.	١		. 1						
AND OTHER REMARKS.		y y	Proper tion of eclipse totality 10.	ied.	on.	ding F	Am, sia preco inte in z per	Directio	Relative humidity.	queous rapour ressure.	t bolb	bulb Wited. cor	Dry bi	Reduced to sea-level and constant gravity.	Corrected and	Kadras time.
blue sky, clouds white and grey noving to N. W. tto ditto tocreasing.	Fine weather, blu-	١,		Cu.					7.			.				
ito ditto rocreasing.	Ditto	'		Ca.	1	-		ММ	59	·623	71'0	1'2	81	20,013	29'987	a.M.
to ditto changing in form	Ditto	- 1	•••	Cu.	;	56		NW WW	59	-616	71'9	21	82	.015	986	10-18
to ditto.				1	1	57	1	A.M	58 .	-6.12	72'0	27	82	942	.086	10-48
Alesa Breezninerensing	Ditto		•••	Cu.	1	e4	1	NW	57	-652	72'4	[i '	· ·
IN JOICE	Light blue a		•	Cu.	1	70	1	NW	56	646	72'4	3'6	83	,0ts	·986	11-3
ing,	Dista		***	Cu.	NII	42		NW	54	-636	72 4		84	944	-9\$8 -980	11-15
nd light breeze, Eclipse pro-	lear weather and	CI	***		- 1	16	ı	NW	54	634	72'4	4'5		932	976	11-33
Mat bereebring		1			"	8.4	'	WNV	53	·632	72'4	4.6		937	972	11-48 11-53
/itto-	Ditto	.	•••	•••		84	v١	WNI	52	-628	224	,		'	Į.	**-23
	Ditto.	. !			- 1	- 1		l	-		"	50	05	922	'967	11-58
	Ditto		,,	•••		10.3		WN	53	.632	72'4	4.6	84	'921	-905	P,M. 0-3
Pitlo•	Ditto	.		,,,	7	3 8		WN	54	*635	72'5	34'7		919	1963	9-8
	Geotle breeze,	3 0	3		,	144		WN	53 52	634	72'5	84.8		917	961	0.13
	Less elear.			•••		16'4		· ww	54	·616 ·626	71'9 73'0	84'3		.012		0.18
blue sky. Thin haze east of su	Still less clear, blue	٠ ,		•••		108		WN		ากับ 2.0 ากับ 2.	71'6	83.8	- 1	1911		0-23
ditto. Birds flying the excut	Light breeze ditt	7 1	4	***	•	156	w	WN	53 55	'627	72'0	838	' .	905		0-28
Ditte, Sun less warm an bright.		١,	١ ".	***	ù	13'2	w	WN	55	'634	7371	836	, ,	.001		0-33
Ditto.	Dette	5	1 '	414		120		WN	53	613	71'3	83.3				0.3
Ditto.		6	1 7		"	844		WN	53	600	71'0	829	١.	901	, , , ,	0.4
Ditto.			┨		**	156		WN	54	.603	71.0	827	٠ ١ .	1 1		0-4
sening in & Weather dull	Blue sky darkenin	,		١.	*	120		W	54	.603	71'0	82.7		1	- 1	0-5
Ditte. ditte.	Ditte	′		"		8.4		WN	55	1594	70'6	82.2	ī I .		1	1
. Sca-blaish.	Sky dark blue. S	"。 [:		:::	43	108				'585	70'3	817		1 -		1.3
		8			**	10.g 10.g			1 50	.206	70'4	81.2				1-1
		l	١.	,,,		10.8	W			.204	70'3	814		,		1.1
clearing, Weather warmer at	Scy bloe, clea	7 1	1	J		12.0	w	' I		*586	70'1	81'4	~	88. 8		1.
	Diffares	•	1 .		,	1174	W	` I	1 1	·584	70°1	Brs	1			1 14
		6				95	W		٠.	.56	697	81°4 81°5	٠- ١			21
		"	١.		**	10'2	NW		' '	59:	70'4	81.2	٠. ا			1.5
•		5	1	1 "	79	138	WW	a I		*59	70'6	82'0	80 78	. 1 -	43 '92	
ill warmer and brighter.	Sky blue, still w			1:	•	51.0	NW			'59	70'7	82'5	75	- 1 -	48 '92	1
				1	"	156	WW	~ I	5 5	.28	70"	826	374		53 91 -58 91	
		3	1	"	"	14'4	ww	თ ∵	i3 4	1 .56	70"	83'1	372	ļ	- 1 '	-1
				1:	۳.	15.6	WW	٠٠ ١	, I	100	71'	83'4	B70		.3 *91 -8 *91	1
lue.	Sky light blue.	3		1.	n n	14'4	WW WW	~~ I	1		71'	83'4	868	., 1	13 9	- 1
		•••		١.	1	16.8	NW	° I	' I		71.	837	866	10 1		
in the east.	Cloud grey to	t	Cu.	1	i	156	NW				71	84.0	865			
	Ditto.	•••		A.	2	48	ww			٠,	71'	8379	865		28 9	1 :
Echpse over.		•••	Cu.		3	276	NW	52 Y			71	84.1	863	~' } .		
			Cu.	Į'n.	5		WNV		· 1		72	85'2	863	"		
	Ditto.		Cu.	Α	١,	127	VNW	J,	- 1		1 "	1 ",	**		2-45	- 1
	Clouds white.	***	Cu.	٨	1 :	["		" I		1	"		862	907-	3-53	- 1
	Ditto.	***	-Cu.		1 :	14	VNW VNW	J- 1	597			843				i
	Ditto.	***	·Cu.			12	wnw	" I.	594	~ 1 '		841	857			1
a s	Ditto.	•••	Cu.	A		17	WNW	3- 1.	592			847	1859		3-	1
to and decreasing in thicking	Ditto	***	-Cu.	, 1		16	WNW	77 }	588 .			84	·86a	904		
to, '	Ditto.	l	_ \		1	1		3"	599	7 '	7	85	·86o	1905		- 1
	Ditto.		L-Cu.			11	NW	50	GOS	,	1	85	·86a	1	4-8	- 1
to.														7905		

Three hundred and eighty-eight miles from central line of totality. Greatest obschration &

Hou	<u>"-</u> -	A 40HET			1	11	1.	W	inu,		1	ty. Greatest obscuration 8:
Made	Corre	ted d sea ed to s F. con	luced to devel o ad stant wity.	Dry bulb corrected.	Wet buil corrected	Aqueons vapour pressure	Relative humidity	Direction	Amment since preceding interval, In miles per hour.	Cloud propor- tian	Proportion eclipse, total	of Wrather and Othersemans.
4.M. 9·3	4 300	71 30	034	75'6	68-8	-613	% 70	ssw		Ni;		
9-49	9 .	69	032	75'9	689	613	69	SSE	24	1115		
10-4	10	1	023	76.2	69.3	'620	69	s	32	,,	-	
10-3	. 1		020 016	77'1 77'3	69'4	617 614	66	s	56	,,		
10.49			013	773	69'4	*614	65 65	S	56 64			
11-4	۰.	μ 6	009	77'7	69.4	*Gro		s			. ***	
11-19	1 .	. اور	002	77.7	69.4	1610	ęt ęt	S	76 60		- ••	Fine clear weather.
11-34	'01	1 .	196	777	69.7	620	65	s	116	, [•	1 100
P.M		7		-	70'2	·632	65	s	8.4	* -	•••	
0-4	101		77	78'3	70'4	638	65	s	16'0	.		1 7
0·9 0·14	'01	,		78'3 78'3	70'4	633	65	s	15'6	,	***	1
0-19	'01	9 '9	73	78'2	70'3	635	65 63	S	84	:	* ***	
0-24	'00	, ,		78'2 78'1	70'2	632	63	s	13'2	,,	•••	Ecilpse commenced from S E,
0-34	*90:	'94	5	783	69'4	1692	61	S	8.4 8.4	"	1 114	
0-39 0-44	1000	90		78'3 78'3	70'3	634	65	SSE	10.8	,,	- 1	N.
0.49	50.331	'95		18.7	70'3 70'3	629	65	S S	10'8		•	
0-54	'990 '988	95	1 .	8.7	70'3	629	63	s	84	,,	3	1. 1. 1.
-	-	93	` .'	73	69'5	617	66	s	13'2	,,		
1-4	'986 '985	94		72 64		619	66		10.8	.	3 .	
1-14	984	'94				626	70	s s	96	"		Almosphera assumed a brussy appear as in fine augrise.
1-19	'984 '982	945	1 .	5-2	69'4	629	70	- 1 '	19'2	» n	/	Minon about half way across the sun ale
1-29	981	944	1			639 632	72	s	84 84	• •	4 1	tog lower limb.
1-34	.683 .685	946	74	19 (589	627	71 72	s		<u>"</u>	5	from N. W.
1-44	'981	944	74			634	74	_		-	•"	
1-49 1-54	979	942	74	4 6	i9'2 1	5.45	75 75	S 1	1	"	7 to 8	territoria de la compansa de la compansa de la compansa de la compansa de la compansa de la compansa de la comp
-59	975	938	74	. 1 7		549 549	76 76		96'	• •	5	
*4	'972 '971	935	74	5 6		552	76	_ }	_ 1 '	- 1		
-14	'97a	934	75	1 "		i42	73 .		B4 .		4 1	Atmosphere appeared bright.
-19 -24	970	933	75	4 6	94 6	i40			36		3	
-29	970	931 933	75°			34	71	s :	r6 ,		-	Fine clear weather
*34	972 969	935 932	76.	2 6	9'4 '6	29	70	S 21	76 ,			The state of the s
-44	968	'931	76	3 6	92 6				4			
-49 -54	967	'93o	77	2 6	99 5	96 ,	64 5	E ,	·2 ,	1,	***	
-59	967	*930	77						73 . "	1 .		Eclipse caded. The wind though generally light and stead;
-19	968	931	77:	- 1. "	74 6	15	66	5 12	- 1			was at times puffy during transit. The brassiness referred to in the semarks had
34	977	.010	777	1 5			69		8 . "	٠ ا	·••	are want through generally light and steady was at lines pully during frams. I he brassions reterted to in the semarks had a most wired oppearance and an onerwise stillness in the surroundings presented. No special phenomerons was noticed during transit. The western limit of the sun was well-be during transit, the vostern limit of the sun was well-be during transit.
-34	985	948	754			- 1	75)	1 ;		during transit. The western limit of the sun was visible during transit throughout.

SILCHAR.

Three hundred and eighty-eight miles from central line of totality. Greatest obscuration 8.

			hundre					#D			
lour. Madras time.	BARON Corrected and reduced to 3.2° F.	Reduced tu sea- level and constant gravity.	Dry bulb corrected.	Wet bulb corrected.	Aqueous vapour pressure,	Relative humid- lty.	Direction.	Amount since recoding interval, in males per hour.	Cloud, kind and proper- tion.	Proportion of eclipse, total ty 10.	Weather and other semarks.
4-M 9-10	29'989	30'048	66°2	62°0	'501	7.8 7.8	E		A-Cu.		The Sky was bleish from 9-10 A.M. to 1-40 F.M. and from 1-40 F.M. to 2-5 F.M was dusky and bluish.
9-25	1990	'049	67'5	62'5	.201	74	ESE	372	A-Cu.		
9-40	1986	'045	68.2	62'5	.487	70	ESE	376	A-Cu		}
9-55	'979	'037	70'5	63'7	.201	67	Calm	2.8	A-Cu.		
10-10	968	*026	71'5	633	.481	62	Calm	20	Cu.	•••	noor and to use g.M. Cumulus clouds
10-25	·961	,010	71.8	63'7	*484	62	Calm	2'0	Cu.	'	10 25 A.M. to u.go r.M. Cumulus cluuds Colour of the cloud over the bills towards N and N. E. whitish grey. The top of the clouds sere whitch grey, and the lower per was not visible, being covered with hars.
10-40	'952	*010	73'7	65"1	.200	61	Calm	1.6	Cu.		Wild GD (122-17) - D
10-55	1 .	1	750	654	1499	57	ESE	4'8	Cu.		
11-10	1	1 .	75%	64'7	*474	55	ESE	36	Cu.		
11+25	927	984	761	64.6	'453	51	SSE	28	Cu.		
11-40	918	975	75'8	645	*458	52	Calm	2'0	Cu.	. "	
11-55 P.M.	914	197	766	64'5	*447	49	ESE	3.3	Cu.		
0-10	900	96	1	645	'434	46	Calm	32	Cu.	"	
0.2		1	7776	64'5	*434	46	Calm	08	Cu.	"	Eclipse commenced from S. W.
0.3	-		1	64'7		48	WSW	1	Cu.	1 ;	
0*4			1	64°4		44	Calm		Cu.		
0.4	· .		1	1	1	1	1 .	i	Cu.	,	
0.2	١			1			SSE			2	o-55 P.M. to 3-10 P.M. cloud not risible out to have.
0.5	- 1	-	1 .	- 1				1 '		3	to unse
1*0	٠. ا	- 1			1	1	1	1 1'2	1	3	
115	۰.	-			1 1	١.		n 0	,,	4	
10	1			1		1 .				4.	
1	۰۰					3 4	Calt	n 0	.,	5	
1	1 -	80 '9	i	-	5 43				2	6	
	30 8		35 77		- 1				*	6 7	}
1			35 76° 33 76°				' (_		2 "	8	
	7-	. 1	35 75	1 63	3 -42		g Cal				
	- I -		34 74			,	9 Cal			1 .	
2.	! .)34 74)34 74	0 63	o '43	0 5	t Cal	m 3	δ,	8	
			935 73				2 Cal				
			935 74 935 74	7 1 -	- (4 Cal	ma c		. 5	
2	-20	377	935 74	7 64	5 47		6 Ca			1 .	
1	- I .		933 74 929 75				5 Ca 54 Ca		2 ;	'	-
	v-			55 6	f1 4	47	st WS		16 .,	, 2	
		- 1					50 WS		8 ,	, 2	
1,	!		929 76	1. 6			51 WS	W ;	- 1		
1	-55				· I		47 WS		18 1		
_ i _		- 1					49 WS	,		; ;	. Eclipse ended at N. E.
				66 6		-	50 W	- 1	.	,	

Three hundred and ninety-two miles from central line of totality. Greatest obscuration &:

Hous	BA	ROMETER.		1.	T-	1 .	÷	WIND	_	37,	totality, Greatest obscuration 8:
Madra time,		d sea-le	bulb correct	Wet bulli ed. correcte	Aqueous Vapour pressere.	Refativ homida	y- Direc	Am gi prec inte	nee reding rvol, mies hour.	Clea prope tion	WEATHER AND OTHER BEMARES.
A.M.	,					*					
10-0 10 10 10-16 10-23 10-30 10-37 10-45	.648 .648 .648	'01 '01 '02 1 '03 '03	85 84 85 85 85	59°6 59°8 7 60°0 3 60°2 5 60°2	190 190	17 18 15 10 17 15 16	I E E E E E	5 6 9 5 6	74 74 71 70	Nil	Fine clear weather. Do. Do. Do. Do. Do. Do. Do. D
11 o 11-7 11-12 11-18 11-25 11-30 11-35 11-41 11-47 11-53	633 643 633 628 628 624 625 627 617	'023 '013 '006	87:6 88:0 88:3 89:3 89:3 89:6 89:6 89:6	61.4 61.4	703 159 181 177 180 168 202 181 178 178	16 11 13 12 13 14 13 13	EHEEEEEE	. 1 2		17 17 18 19 19 19 19 19 19 19 19 19 19 19 19 19	Bo. Bo. Do. Do. Do. Do. Do. Do. Do. Do. Do. D
12·0 P,M,	617	'993	90'7	62'5	-191	14	E	. 60		,,	Do,
0.6 0.13 0.19 0.26	615 613 611 607	989 990 990 990 990	01,1 00,3 00,3	62'8 62'1 62'0 61'4	*198 *183 *179 *149	14 13 12	N E ESE ESE	4'3 7'0 9'0		* ;	95 Do. Do. Do.
0-33 0-40 0-50 0'56	*598 *598 *597	'986 '977 '975 '975	80.1 80.2 80.1 80.1	61'4 62'2 61'8 62'8	159 188 183 1222	10 13 13 16	E E E	43 50 20 40 40		*	Do. Edipte cammesced, sky in the arighbourhest Do. Sun whiteh Do. Dd. Do. Dark and gloomy.
I-4 I-12 I-20 I-30 I-35 I-42	593 599 597 605 609 6e5	973 983 978 986 990 985	88'3 87'3 87'3 87'3 87'3 88'3	62'8 62'0 61'8 62'8 62'8 62'8	"133 "220 "214 "214 "220 "203	18 17 17 17 17	E NNE E E	15 15 13 26 20			Da. Do. Do.
1.56	597 593	977	88.3 88.3	62'0 62'0	206 196	35 14	NNE NNE	17 40		F	ier dear weather.
2-3 2-10 2-18 2-25 2-31 2-37 2-43 2-50 2-56	'569 '555 '569 '579 '587 '587 '580 '580	947 933 946 956 958 963 963 966 957	90'3 90'3 90'3 90'3 90'3 90'3	61°2 61'4 62'8 62'8 62'8 62'8 63'0 62'4	198	12 13 13 13 14 14	NNE NNE NNE NNE NNE NNE NNE	75 45 30 50 40 09 50	31 24 25 25 26 27 27 27 27 27 27 27 27 27 27 27 27 27	C	Do. Jaio. Do. Ediper termiseled, sun light an excel. Do. Do. Do. Do. Do.
3-2 3-9 3-15 3-22 3-29 3-35 3-41 3-47 3-53	'560 '562 '558 '556 '552 '552 '578 '578	936 939 934 932 928 928 954 950 946	90'7 90'3 90'5 90'5 91'1 91'4 91'1	63'8 62'0 62'8 62'4 63'4 63'4 64'0 64'0	*179 *203 *190 *218 *215 *218	12 14 13 14 14 16 N	NE NE NE INE INE INE	2'0 3'4 4'0 1'7 2'6 3'0 3'0 1'a			Do. Uo. Uo. Uo. Do. Do. Do. Do. Do. Do. Do. Do. Do. D
4-0	, '57²	947	.916	642	·235 1	5 N	NE	42	•	Cale	m.

Four hundred and four miles from control to

			ur hund	red and	four m	iles fro	m centr	at tinc e	f totali	ly. Greates	t obscuration 8.
Heek.	Barn	MFIFE.			1	_	1 17]ND	1		
Madras lime,	Corrected and reduced 32 F		17.4	Wet bulb correted.	Valors Valors	Relative homiday	Direction	Amount unce pre- ceding interval, is riles per bour,	Cloud, kind and proper- tion.	Proportion of schice, totality to,	Weather and other remarks,
4.31. 9-32	20.620	30014	70'6	64R	'537	72	Calm	Ĭ	Kii		L'ine clear neather.
9-47	1027	mis	71'8	63'2	467	60	Calm				
10-2	1 1027	'012	737	6:5	*502	60	s	ra	"		
10-17	017	.003	75'4	(4:5	1457	57	SE	1.6	, ,		
10-31	110	20005	75'2	614	.461	53	ESE.	212?			
1047	705	7981	763	6,6	7424	5.,	Calm	12			
11-2	1001	25.5	777	f4.5	-445	45	ESE	0.5		***	
11-17	1977)7 747/198	1991	756	63:5	'423	46	NE	20			A white cloud appeared on the S A
11-32	·9°5	7/1	775	61.2	भा	46	NE	16	Cī,		A white cloud appeared on the S V of the herison; more than half the sky ma libre, and the set whilith. Cloud termation began, White cloude visible in the S W and small reddish-coloure clouds in N I horizon.
31:47	7977	351	:5,1	67.8	.241	55	sw	2.8	Ci.		Cloude in N I, horizon, Whose patches of clouds here and there
C-1	35,	7953	75.4	670	717	55	Calm	0.5	Ci.		horizon.
0-17	.4.3	7)17	39.5	676	1527	51	"	65	Ci.		
0-32	1933	7633	718	(50	454	41	W	70	G.	***	Eclipse began at 0-35 n.m.
0-17	V33	'937	703	633	1475	43	SE	16	Cı.	,	
050	1631	7735	737.	637	434	42				ŧ	
0-57	.243	79,13	344	(18	414	41				*	ļ
1-2	7,14	931	778	res	*417	41	Sr.	4.5	Cı		
117	'915	101.1	798	656	407	41					
1-12	\$13	1977	71,5	643	.37	35	sr	48	Ci.		
1-17	713	י לננה	7,70	645	414	41				5	At acts 2 M, and ready but eclipsed, its hea- felt less and atmosphere assumed a king
1-27	'641	ָרגרר <u>.</u>	178.	154	*471	41				ŧ	of stillers.
1-27 /	.642	1,17	:DF	Cin	1524	52	5E	1	Cs.	F	
1-31	110	,414	7.7	61.9	.403	51	140	{		:	
1-37	(23)	2017	71 4 7	63.5	1533	.54	SI:	04	Cr.	ı	
1-12	ן נקניי	50	78.5 1	475	1535	4		!]	1	
1-45	7537	1926	75 2 ,	6)-5	311 }	51	***			ŧ	
1-52	1937	1621	27'	ry-fi	.515	ŗs.	E	16	A.S.		Sky Pulch with whiting clouds I ere and there
1-57	3/15	3217 -	145	(31)	301	53			Sit	F	Feat Lengur,
2.7	17,77	Mara y	70.2	679	(6)	6)	.		٠ .	î,	
217	2.4	92., 1	13° i	1.79	·*53	73	Calm	B .		R	Maximum electration.
2:12	'7724	7113	257	أورة	653	73		.	- 1	1	
2177	7/17		7/15	70 4	61:	71	Calm	•	-	,	
2:22	937	914 }	20%	7/4	44.5	71					
2-37	979	1912 :	7//	(20	7637 Teles	63			-	F	
1-17	97	912	77.3	(9)1	797	42	Calm	0			
2 42	'91'2	44	7f E :	0.8	571	51			"	ŧ	
2-57	613	99	75-	61.6	371	57	K	44	*		
2.57	727	213	7/31	6' 8	361	57		**	:	;	
1.3	70.19	711	79 %	617	.726	5.7			-		At 1-1 r.m. echper terminated.
3.12	010	7913 1 1914 1	79 F	67.6	. 5°	35 35		63	-	•••	·
3:17	7/27	913	19:3	67.5	35.	72			"		Sky paito elexi.
7								- 1			

Four hundred and eight miles from central line of totality Greatest obscuration 8

)					ND CH			1	
Mndras boto	Corrected and reduced to 32° F	Reduced to sea level and constant gravity	Dry balb corrected	Wet b Ib corrected	Agreous vapo ir pressute.	Relative lumidity	D rechon	Amount sincs preremng unterval, in miles per bour	Cloud popur- tion	Propertion of occupies totality to	Wraings	AND OTHER REMARKS.
A M	•		•	•	•	*					1	
9-19	30 055	30 814	733	638	467	57	Calm	ا ا	Nil		Fine clear west	ther Blue sky
9-34	100	010	747	648	482	55	Caim	1	.,		Datto	dita
9 49	045	004	<i>1</i> 5 5	648	471	53	Calm	•	,,	-	Dilto	dato.
10 4	042	800	765	648	458	2,	Calm		,	ĺ	Ditto	d tto
10 19	039	29 997	768	648	45\$	49	Calm		.,	ļ	Detto	data
10-34	033	991	78 4	654	454	46	Caim		١,		Ditto	detta
το 49	027	985	784	65.5	453	46	Calm	20	,,	1	Ditto	d tts
11 4	019	977	794	657	450	45	Calm	١.	٠,	١.	Ditto	ditto
EE 19	013	972	794	638	385	38	Calm			ł	Detto	ditto
11 34	007	96ა	795	646	411	41	Calm	١ .	,,,	1	Dito	d tto
11 49	29'998	95'	790	647	431	42	Calm		-]	Date	date
2 16	-	1						1	1	5	1	
0.4	988	9,46	79 5	648	418	42	Calm		,,	Ì	Detto	d ite
0-19	982	940	80 2	650	415	41	Calm		, ,	1	Ditto	d tto
0-29	978	936	800	648	411	41	Calm		, ,	,	Relipse comm	enced from the south west or of sky and son yellowish
0 34	974	937	Воо	648	411	41	Calm	,			Fine clear se	other Colour of sky and
0-39	970	928	800	648	411	41	E		, ,	1	Ditto	ditto.
0-44	968	920	800	648	411	41	ssw			,	Diltn	ditto
0 49				65 2	425	41	SSIV			2	Dilto	dîtte
n-54				1 -3-	425	41	Calm	• (,,,		D tto	ditto
0 59	968	926	i 8aa	6572	425	41	Calm	•	,,	3	Ditto	ditto.
1.4	965	923	791	644	409	41	Cain			9	Dilto	à tto
1-9	965	923	791	644			Caln		,,	4	D tto	d ito
1 14	, ,					1 .	Calm	1 7	"	4	Ditto	å ito.
1 19			1 1.1			,	Calm		"	5	Ditto	ditto
1 24							Calm) ,	5	Ditto	ditto
1-29 1 34	', '		1			1 "	Calm) »	6	Ditto	detta. detta
1 35	1 -					1 "	Calm		"	6	Dutto	atto
1-44					,		Calm	1 *	ļ "	7	Ditte	dillo.
1 49	1 .	1					Calm		"	7	Ditto	d tta
1 54	1				1	1	Calm	1		7 7	Ditto	ditto
I 59				,			Calm		:	8	Maximum obse	pration of sun
2 4			9 75	5 648	479	54	Celm		l		Fine clear weat	hef
2 9		1 910	754				Calm		١.		Į.	
21.							Calm	0	١.	1	1	
2 1		ι .					Camp	1 -		1	1	
2 2	.	1 .				1	Culm		Į .	2	l	
1		1 .				1 -	Calm			P	Colour of sky	becoming blue and of the o
2-3		1		-	1	1	Calm	1	-	?	yellow Fine	clear weather
2 3						. 1	Calm	3	, ,	7	Ditto	ditto
2.4						1	Calm	1 -	-	2	Ditto	ditto
23	.]	1 -					Calm Calm					f the eclipse Colour of s n yellow Fine clear weathe
		.1		o 63:		46	6.1		}	[Fine clear neath	•
3.	9 795	re ¢	7 17	ալ սայ	417	1 40	f Calm				Little rice, man-	-
3 3 1							Calm	0			D tto	-

Four hundred and eight miles from central line of totality. Greatest obscuration 8.

Ho: w.	Bernst	7	:	1		1 11	'awb.	1	1	1
1101 W.	TER.	Dry	Wet byth	Agreens	1		Awaren	Cloud	Propertion et	
Madras	Corrected	bab caret-t.	corrected,		Relater	[[Disasting	receding	tien.	ectione, totality to.	WEATHER AND OTHER REMARKS
line,	30 i ted: -) te 32 f			fresidit.	1	le ireas		tien.	triainy 10.	1
ļ	31. 1.	İ	, 	3			per heur.			1
4.37.	•	•	. •	. •	7		i			1
	1	38-6		: : '161	1	sw		NH		Fine clear neather.
10-3	561. 24,520	576	45°5	1165	33	W.	,,,			Date ditte
10-33	105	fre	450	! '161	30	w	4.1			Ditto ditta
10-1	1195	614	41.5	162	30	w	48	,,		1) go ditto
11-3	1188	tests	410	161	3.,	SW	40	*		Ditte ditto
11-15	'164	616	1,0	'173	} j2	W	57	r		D tru ditto
11:33	1150	tor2	461	763	72	W	50	-		Pate date
11 12	11,6	507	410	f .f.La	33	S	6.5	34		thito esta
F.W.	:	,		į					!	Digo ditto
5.3	1250	(-31	473	'25"	3,0	W	52			Pris. Inno
0~15	1 1174	tinti	45%	,123	-7)	w	\$0			Commencement of the solar religies,
0-20		100	1/10	761	30	<i>W</i> .	72			
0-25	117	107	11.0	139	37	11.	72	*	***	1
6-31	.164	(1:5	446	163	ct,	<i>m</i> .	48	**	-:	
0.3		614		167	30	#. #.	60		**	Somewhat dark for a short time during the college.
0-1:	11/5	(is)	443	1161	3,	10.	7°2 54	•		Strategiet freier ich et britte tient menbilt eine sonba :
6424 0-14		604	451 45e	461	31	w	5.1	•		1
reji	*15,7 *153	6170	475	1917	3, 1	w	36	:	3	
		1		, ,		w	į.	- 1	!	
1-0	'3/41	610.	4174	1172	:1	SW	109	- 1	1	ŧ
1-10	1959	507	450	157	27 S	'W'	96	* }	3	,
3+15	162	2711	415	134	31	W	94	- 1	é	•
121	464	3.7	413	141	* * * * * * * * * * * * * * * * * * * *	W.	F.4			1
1-23	113.7	, # L H	41'3	451	31 5	4.	uo !			
1-3.	157	5;4.	441	185.0	ţt.	W	72	· ,		•
193	714	57.1	411	155	,1,0	211.	45	-	*	
11.4	147	370	410	188	33	W	7.2	-	8	1
1-25	114	197	410	100	31	2#. #.	60	* }	8	
1.56	1144	367 ·	16.1	uto !	75	'W'	36	-	6	
1.25	1744		:	}	25	ı	į	- 1		•
3-0	'346	500	44'1	15; !	34	11.	40	" j	h	
3.5	72:	5278 3	412 f	155	37	W	72		4	ì
2+10	324	576	414	161	31 (Cilm	60	- 1		
21.15	.141	37 4	450	261	31	W.	45	.	1	
2-21	141	560	150	261	n l	w	48	,		
	- 4	1		į		w	611	1	·	
2.35	14.4.1	5-1	450	157	31		ł	-	i	
7120	18411	55 %	142	1145	31	"	54	- !	1	
7-75	1845	58 ;	410	797	31	SW:	90	-	1	
2-47	147	9/1	450	1150	٠, ا	w	96	-	19	
2-41	11 29	5/2	450	151	32 É	w.	84	.		4
	1			- 1		w	46	- 1		
2-21	1111	216	450	332	"			" [Familians and the solution of the solution
2.55	1886	507	45'1	151	27	W.	96	- 1	*"	Terminate n of the solar school at 2.5, e.m.
3.10	1129	1,46	45%	154	39	w	97	-		
3121	18.85	5941	447	145	2,	w	104			
1.42	1145	59%	477	151	ا رو	NW	62	.		
1.55	1177	596!	iri l	.114		WSW	84		1	
- 4		-			- 1		- 1	•		
4-3	132	5.6	41,3	714	27)	W	90	*		
		ì	į	,		- 1		ì	- 1	

NELLORE

Four hundred and twelve unless from central line of totality Greatest obscuration 8

rl OL	R	Вльо	METER	T	T	_		_		w	LNP LNP	7	-, 1000	····	Greatest obscuration 8
Madr	Come at red to 3	od uced	Reduced sea leve and constan grav ty	l bul	ь. I ы	Vet ilb ected	Aquenus vapour pressuze	Relat humid		cetion	A nount a nce preced ng mterval in miles per hour		oud por-	Prepor eclip total t	rt on af per Weather and differ behare y to
A M		,	•	.				74					1		
10 1	29'	930	29 994	81 5	5 7	37	728	68	w	NW		,	5		10-1 AH to 11-46 AM White upper moving from 5 E and low
10 16 10 3 10-46	6	985 985 983	989 989 987	81 7 82 1 82 4	1 7	7 18 19	727 723 726	67 66 65	W	NW NW NW	22 0 5 6 8 8	ê			upper moving from 5 E and lom
11 1 11-16 11-31 11 46 11 55	9	85 76 74 70 66	939 980 978 974 970	81 7 84 7 82 0 82 5 82 9	74	3	717 730 696 697 725	66 61 64 63 64	N	NW E E F	72 76 88 72 80	8 8			
12-0	9	54	968	839	74	8	745	64	N		- 1	8		95	11 SS A 31 to 0-45 P as Clouds of bric colour changing to) ght amber
P M									"		72	8		0.6	Three apots observed on the face of the but they gradually susappeared a eclipse progre sed
05	96		964	83 9	741	3	745	64	NI	В	84	8		07	During the colipse no percept bie dark hence stars were not visible. Temper low and sain a velocity high during sellips a cu clouds—upper from SE and from NW—were visible warying in thick
0-10 0-15 0-20 0-25	960 956 954 952		964 960 958 958	83 7 83 5 83 3 83 9	747 744 744 750	1 3	742 130 32 49	64 64 64 63	NE NE NE NE	. 1	60 08 72 60	8 8 9		1 2	
0 30 0-35 0-40	948 948 944	1	052	82 7 82 8	737	1 '	-	· 1	NE NE		74	9	i	3	Sun a diese completely obscured by cloud
0 45 0-50 0-55	942 940 938		946 944	82 1 81 9 81 9 81 7	73 9 73 7 73 7 73 8	7	33	63 64 67 67 67 68	NE NE NE	8	4 4	9999		4	Cun a disc not clearly visible
1 0 1 5 1 10 1 15 1-20	936 934 934 932 930 931		940 938 938 938	81 9 81 3 80 7 80 3 99 9	73 8 73 7 73 1 72 8 72 4 72 8	72 73 71 70 69	6 4 7 8 8	67 68 68	NE NE NE NE NE	6 7 6 7 8	4	10 10 10 10 10		•	
*30 35 40	929 925 923	5	33 8	00	73 I 73 0	72 72		70 71 71	NE NE	7 6 8	.	ID ID	8		1-95 PM to 2-45 PM numedracyssible
45 50 55	921 917 915	9	25 8 21 8	9°8 0°0 0°0	73.4 73.7 73.7 73.8	73 74 74 74	7 9	3 3	NE NE NE	7: 6: 4: 9:		9 9 9 9 9	7 6 5	i	133 PM to 2-45 PM clouds of brack dust colour changing to light amber
5 10 15 220 25 30 35 40	913 915 913 913 909 911 911 913 913	9	19 79 17 86 17 86 17 86 13 80 15 80 15 81	9	73 7 73 5 74 1 74 1 73 9 73 7 73 9 73 9 73 3 73 5	754 742 752 756 747 748 747 730 722		3 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	NE NE NE NE NE NE NE	50 84 72 72 108 84 60 84 84		98	4 3 2		cross changing to light ambor
5	917 915	'92 91		9	37	736 740	71	1	IE	68 84	Io RO				Overcest Date Clouds commencing to a
0	913 914	91 91	82 80		3'9 2'9	724 705	66 67	NN	E	9°2 84	6				Fine weather with pass ng clouds.
	916	920	810	7	I'9	66 ₁	62	N	E	88	5				Ditto. ditto

MOUNT ABU.

Loug. 72° 45' E.

Four hundred and twenty-three miles from central line of totality. Greatest obscuration 8.

		Four h	undred	and two	nty-tl	rce mil	es from	centra	l line of	totality			uration	0.
Hour.	BARONE- TER.	1				Wı	ND.		LOUD.		SOLAR RA	NETER.	Nocturnal	
Madras	Corrected and reduced	Dry belb corrected.	Wet bolb corrected.	Aqueous vapour pressure.	Rela- tive humid- ity-		Amount tince gre- ceding in- terval, In	Pro- portion.	Kind.	Proper- tion of relipse, t-tality 10.	No. 4680	No. 60655 corrected.	radiation	Weather and other remarks,
state.	1. 32'7.				i		miles per hour.							
			-		.,							۰	•	
A-31. 10-30	26.511	70'3	49 S	124	% 17	W		Nit			1173	122'4	718	Clear.
10-45	.209	70'7	49'4	'110	14	wsw	55	,,			118.1	123'2	837	Do.
11-0	*210	698	49'4	120	:6	W	8.2	•1	Ci.		117'9	124'0	897	Cloudy.
11-15	'199	70'3	40'4	7112	15	w	54		Ci.	***	1177	1252	91'0	Do.
11-10	.108	701	49.5	.150	17	NW	72	1	Ci. Cu.		1191	136'4	923	Da,
1	1 1	('	1	.151	17	SW	26	2	from S.W.	ا ا	1205	127 4	95'5	Do
11.12	'197	70"3	49'8	ļ.	1	NW	52	3	from S.		1233	130.5	93'5	Eclipse commenced
13-0 1,M.	195	71'2	5.75	.131	18	1		1		l	122'9	130 2	93.7	at 11-37 A.M.
0-5	193	71.5	50'3	135	ıS	N.W.	4'3	3		0.2	1 1	130'2	937	
0-10	191	71.5	51 2	.140	19	NW	4.8	3	٠ ا	0.8	123'1	1 -	1	
0-15	789	6)7	496	126	19	NW	20*2	2	"	1	1145	150,5	907	Clouds became dire on the west.
6-20	*156	679	498	1129	19	2/l	5'3	2	"		112-8	1174	90'5	Do.
0-25	784	70'9	506	*137	15	SVY	18-3	2	.,	2	1133	1177	90'7	Do.
0-30	151	712	504	125	16	sw	190	3	,	2'5	112'3	1170	91.9	Do.
	1	703	20.3	134	19	NW	1479	2	er.		110'3	1147	8979	
0-35	178		1 -	ļ	13	NW	3.6	١,	Co. from		108'3	1123	697	
0-10	1178	677	499	"131	[sw	1	0'5	S.E.	3	1037	107'4	867	
0-45	176	69.9	20.0	.149	20	1	3'1	xa	-	1	1018	1050		Hery and dim day-
0-30	1175	70"1	50%	1147	20	W	3 10			"			}	light. Do.
0-55	177	69'3	49'9	1133	19	NW	42	"	***	4	998	1 .		D0.
1-0	171	69.5	498	145	21	NW	7.0	"	•••	-	963			
1.5	1160	63.2	47'8	745	21	NW	3.5	-		-	89.9	1	1	
1-10	169	633	494	1137	19	NW	3'2		۱ -	7	83.3	5\$ >	764	Hary.
1-15	165	69:3	42.8	1147	21	NW	1.6				847	R4'2	75'4	
1-20	1		496	*147	22	NW	54	-		8	81.2	8112	730	,
	165	67.9		*143	20	NW	1'4	۱		***	Sor 3	8172	72'8	
1-25	'157	","	1 777		1	NW	22		١	١,	778	76.8	72 2	
1.30	'153	(74)	498	*151	23	NW	1	!		6	Br*1	77'2	720	
1-35	154	679	478	151	23	1	2,1	"	1	1	831	1	1	į
1-40	1754	67'9	476	1147	21	NW.	5.4	"	-	5	8,7			
1145	*152	693	50.5	1156	23	MIV	27	1:	::	'	889		746	
1.50	150		50'2	157	23	NW	13	, ,		3	91'3		1	
2*0	1150	617	50 5	160	24	NW	2'0			-	954			
2-5	150		506	101	24	NW	1.3	"		2	1071		1	
2-10	.124	673	Sette	156	21	NW	179	"		, ,	101.1			
2-15	1147	673	51.2	1150	33	NW	113	"			108 7	1		
2.70	145		512	165	22	NW	97	"			1113	1154		1
2-30	147	1 .	51 5	164	22	NW	26	-		0.2	112'3			
2-35	149	1	51'5	160	21	NW	2.2	"			1165	121'2		
2-40	17.47)	1 '	51'9	167	21	NW	2.2	ľ		-	1177			Eclipse terminated.
3-0	141		52'3	1174	33	WNW	41	,		::	119'8			
3-15	1141		53'3	191	25	WNW	111			•••	119'8			
3.30	1146	. 1	52'5	177	23	NW	r'o				1195			
3-45	145		51-5	163	21	NW	63				1181			
4=0	*151		533	*197	21	NW	28			***	1165			
4-15	153		51.2	1159	21	NW	5'4	"		"	1105			
4.30	*154	712	52 3	176	22	1 1114	1 11	"	1 "	۱ "	1 37	1		

Four hundred and thirty miles from central line of totality Greatest obscuration &

	our.	Ren	A STPR	7-					from			" U	reacty (reatest	obscuration 8	,
ļ- <u>-</u> -	OUR.	DAR	I	4	- 1					WIND		T	T		S MOTTER A	•
ļ. tr	adras rme	Corrected and re- duced to 3 ° t	Reduce to sea lovel an constan gravity	bul	ed corre	et ilb ected	Aquenus vapour pressa e	Relative hum dity	Directi		mount op e og in val, in les per our	Cloud propor trop	Proportic eclipi total ty	on of	Weather and other ne	MARKS
- 1	*	•	,		'	•	Þ	74		1						
- 1	0-22	28 473	30 099	68 3	3 56	5	*313	45	Cain	.			i			_
1 1	42	466	086	70 4	5-	3	370	41	s	1	03	Nil	1	ĺ		
10	-52	462	079	713	57	,	310	41	s		12	ø	J			
111.	1	460	073	726	58	2	308	38	Calm	1	1	*	[-		
11	- 1	455	1063	738	58	,	324	37	s	1	42	**	l	İ		
11	- 1	451	056	746	1	- 1	316	36	s	1	18	~		- 1		
21	1	442	044	753	59	5	315	36	s	1	12	*	Ì	11 2	A M The sky was exception:	. It e.
11-2	42	438	'034	77 2	6ord	,	315	34	s	1	6	**		- 1		itty eig
11.5	52	436	032	774	6012	.	310	33	s	1	- 1	"		- 1		
PM			1				-	33	3	2	4	•				
0-2	- 1	434	1029	77 6	604		313	_	s	1		1				
0 1:	- 1	431	025	77 9	607	1	319	33	S	1	. 1	"	••	0-2 P	M Eshare community	
0-22	2 .	129	022	783	609	J	319	34	SE	1	1	٠,	T	Went	at Enlipse communiced from to on increasing towards the we	5 C 45 5 L
0-32	*	24	'015	786	613	1	329	33	SE	3	- 1	"	2 at 0-17 F 3			
0 43	1.	21	013	78 g	612	1	331	33	s	2.			3 + 0 27 ,			
0-52	4	16	ong	78 t	60g	1	122	34	SE	17	- 1	" (, 0 37			
12	4	īo	004	776	607	1	322	34	SE	12		" 5	i	1		
1 12	4	8 8	503	77 1	605	1	23	34	SE	12		. 6				
1 22	40	4 / 4	201	764	6org		31		SE	30		7	ът7,			- 1
1 32	39	9 299	97	761	60°0	1	19	·	Calm	18		" 8	,, 1 17 h	1 17 7 14	It was just like even ng	- 1
1 42	39	2 9	89	76%	60 6	3:	- 1	1	SE	I'2	1	" 7	1 .7 .	1		- 1
1 52	38	٠,,,	81	763	60 7	33	- 1		SE	0 6 1 8	١.	6.	. 1 47 ,,			- 1
2 2	38,	1 1	79 1	167	60-8	33	. 1	1	SE	31		5	, 1 57 ,,			
2 12	380	, ,	73 / 7	73	600	'33			s	12	١ '	4				-1
2 22	370	,	5 7	83	612	33			s	24	١,	3 -	25 ,,			- [
2 32	382	3,	6 7	93	616	325	. 1		s	13	,	2.	29 ,,			
2-42	381	1 70	' I "	95	617	325		1	- 1	06	,,	Ι,	2 19 ,,			1
3 2	379	96	- 1	74	625	343	ł	1.	- 1	18	,	10.	2 47 1	Echpse t ers	nanated at -47 p u	1
3 12	383 383	96	1	- 1	527	345	-	1			,,					1
3 22	387	964	1	· { ·	530	347	32	5v	- 1	, o						
3 32	382	967	- 1	- -	i2 9	343	32	Cat	- 1	76			.			
3 42	385	964	1 "	1	36	359	34	SH	3	.	Ċ	1	1			1
3 52	386		Ba		39	370	34	Calı								1
42	397	965 973	81		- 1	388	33	W		6	,	1				
	396	973	81 3	١,		372	35	Calo	1	8	19		-			1
- 1	395	976	81 6	1 '	,	371	35	Calu	۰ ا۰	-	,				I	1
			""	6,4	5	396	37	W	00	:	,,	,	!		İ	
		l						ł			- }	•			l	
						j					- 1				(
- 1										1	- 1				- 1	
- 1			1	1					I	1	- 1				ſ	

Four hundred and thirty two miles from central line of totality. Greatest obscuration &.

Hour.	BAROI			1			_	ND.		1	
			Deu	Wet	l.	}		Ammat	C	Proportion of	
Hadras time.	Cerrected and reduced to 32° F,	Reduced lo sea level and constant geneity.	Dry bulb corrected.	bulb corrected	Aqueous vapour pressure,	Relativn humidity.	Direction,	nincs preceding interval, th miles per hour	Cloud proper- tion.	eclipse, totality ID,	WEATHER AND OTHER REMARKS.
A.M.	•	•.	•	٠.		*					
10:20	28.812	30'068	69.5	55'5	269	38	l Calm		Nil		Clear blue sky.
10-35	*814	.004	71.8	56.0	·280	36	Calm	0'4	**		Do.
10-50	'816	'062	73-7	57'7	'280	34	Calm	۰	**		Do.
11-5	·810	'054	74.6	58.3	*286	31	Calm	04	,,		Do,
11-20	-805	'045	76-2	588	281	31	Calm	04		***	Do.
11-35	-300	.010	.75-9	58'3	'271	30	Calm		u u		Do.
11.20	'795	1032	77.0	59.7	'268	30	Calm	0	90	***	Do.
P.M.											
0-5	*791	033	77'5	58.8	264	29	wsw	0.8		•••	Eclipse commenced at o-s e.sc.
0-10	789	'025	77'2	587	*265	29	wsw	1'2		1	Clear blue sky.
0.15	783	1021	78.4	58.5	246	25	WSW	1'2	**	1	Do.
0-20	'785	.018	78.2	57.8	1227	23	wsw	2*4		1	Do.
0+25	*784	'019	77'7	579	1236	24	WSW	1'2	*	2	Do.
0-30	*783	.010	78.7	28.8	,520	25	WSW	1"2			Do,
0-35	1782	'013	79'0	588	'246	25	WSW	172	P1	3	Do. Do.
0-40	779	,013	782	57.8	1227	23	WSW	2'4	39	3	Do.
0-45	.776	'010	78'2	57'8	'227	23	WSW	12	"	3	Do. Sun light yellow.
0-50	775	1009	77·8 78·2	57'2 57'8	*215	22	WSW	12	,,	4	Do. Sun ngar yenow.
0-55	7774	1005	782	57.0	*227	23	17317		"	,	100, 401
1-0	'772	1007	77'6	57*5	1227	24	wsw	1,3	**	4	Do.
1.5	'770	'005	27.7	57 4	'223	23	WSW	1.3	39	5 6	De.
1-10	.768	*002	17'5	57'3	'221	23	Calm	0	"		Do.
1-15	.764	100*	76.7	57'4	'235	25	Calm		n	1	5ky blue and somewhat milky.
1-20	'762	297999	76'6	569	*220	24	Calm	°	"	7	Do, darkness increasing Do, do.
1-25	'761	'9g8	763	56.6	*215	24	WWW	1,3	"	7 8	Do. do.
1-30	*759	'997	76.2	56'8	'223	24	Calm		"	ì	Do. do.
1.35	758	995	76:3	57.6	*244	28	Calm	0	"	8	Do. and sunlight yellow
1.40	'756	'993	76*3	58·5 58·6	'272	31	Caim	"	"	,	De. do.
1-45	'754 '750	'985	76°5	58.8	*271	30	Calm		" "	Ś	Do, San light incressing
1.55	748	984	76'0	57'9	*246	27	Calm		" "	1 4	Do. do.
							١				Do₊ do.
2.0	746	'980	77'4	58 o	*243	25	Calm	•	39	3	Do. do.
2.2	746	'980	77'4	579	*240	25	Calm		20	3 2	Sky blue, fine clear weather.
2.10	745	978	78*1	57'9	1232	24	Calm	:	p p	, ,	Dn,
2-15	745	'974 '978	78·7	58'5 57'6	*242	25 23	Caha	"	31 21	2	Do.
2+25	745	977	78'7	582	232	23	Calm	ľ	"	1	De.
2:30	743	977	70'4	584	230	23	wsw	172	",	1	Dn.
2.35	743	1 1971	793	57.8	'214	21	wsw	172	.,	1	Do.
2.40	- '740	969	795	58.4	.550	22	wsw	1,5		1	Do.
2-45	*742	'969	80'4	58.8	*229	22	wsw	1.2	,,	1	Do.
2:50	7,42	971	79'6	58.3	*221	21	wsw	1'2	29	0	Do, Belipse terminated at 2149 P.M.
3-5	'744	'969	81'0	59'4	1241	22	wsw	20	,,		Do.
3-20		*969	81'2	59'6	1243	23	wsw	1.6	,,		Do,
3-35		969	8110	59'6	1245	23	wsw	or8	4		Do.
3-50		972	80'6	59.5	*130	22	W	20			Do. \
1	749	975	8org	59'2	'235	22	w	1.6	д	.	Do.
4.5											
4.5		977	810	59'4	*241	22	W	16	20		Do.

Four hundred and thirty three sules from central line of totality Greatest obscuration 8

			Fo	ur hu	ndred i	and the	rly thr	ce mil	es fr	om ces	deal:					Lo	ng 77° 16'E
ſ	Hour	В.	SOME	ER	[<u> </u>	Ť	T^{-}	1		VIND	ne	07 101	ality	Greate	st obscuration	8
	Madras time	Correct and reduct to 32°	ted to	educed to sea rel au i nstant svity	Dry bulb corrected	Vet bulb correcte	VI DOG	Rela hume		Orection	Amo	ce deng	Cloud p oper ties		o tion of clipse ality 10	Weather and	OTHER REMARKS
1	1 M	٠	1				,		7			1		-			
	10 12	29 31	4 30	025	67 3	552	277	1		*****	1	1			İ		
1	10 22	31	5	·025	683	55 7	278	1:	- 1	NW VNW			A:2		1	١	
1	10-32	316	•	1025	688	55 a	257	37	- 1	VAW VAW	48		"				
,	10 42	,316	1	024	693	55 7	265	35	- 1	NW	7.2		"		- 1		
'	0-52	317	1	024	698	55 7	258	36	- 1	VIV	72 72		'		- 1	Clear sky and sigh	tly lazy
11	1 2	321	١.	028	703	552	237		1.				.		- 1:		
J	1 12	316	,	21	71 2	56 2	254	32 33		NW	78		.		- 17		
	-22	316	۰	120	722	56 7	256	33		NW	84		•		1		
11	32	314			72 7	567	249	31	1	w	6 a 7°2		*		11		
11	- i	312	O	1	- 1	572	257	31	N	w	66				1)		
PR	- 1	309	OI	0 7	42	577	259	31	N	v	60		- 1]],	live sky W to NE	
0	2	304	100		ر ا د				ı						- 11	war and so to to to	
0-1	. 1	- 1	29 99	1	- 1 '	77	259	31	N		84				- 11		
0 2	2	299	997	1 "	٠, ١, ١	- 1	246	28	N	- 1	54	,,	1		- 1/		
0-3:	1 '	293	'9 91	75			244	26 27	NW	. 1	90	**		1	Relip	se began st o-t7 P M	
0 42	1 .	90	987	76	2 5	. 1	248	27	NV	. []	50	**		2	1		
0 52	3	86	983	76	2 58	2 .	248	27	NW	,	70	**		3			
1 2	"2	80	977	757	, 57	, 1 .	30		••••			,	1	4	Sonah	me yellowsh	
1 12	37	6	973	757	- 1	1		- 1	VNV NW	1 '	8	,	1	45	- 1	Do.	1
1 22	27	- 1	969	75 ²	57	- 1			NIV	4	- 1	•	1	48		Do	- 1
I 32 I 42	*26		967	747	57:	2	- 1	- 1	NW	6	. 1	•		5			- 1
52	26 27:	1	966	74 2	57 2	1 -	4 :	29 1	ΝW	60	. 1	1)		6			- 1
- 1			9/2	74 2	57 7	25	19 3	p 1	w	5.4	1	.		7	1		T f
12	*264 266	1	964	73 7	57 7	26	6 3	2 N	w	30							- 1
22	200 264	1 '	966	74 2	57 7	25	1	- 1	w	30		- 1	5	6	İ		- 1
32	262	1	159	74 2 75 2	57'7 58 2	*259	1 "	N	w	36	1.		3		ĺ		- 1
42	260	1	56	76 2	58 2	261 248	. "	1	- 1	60	.	- [,				- 1
52	258	9	34	76-7	582	248	27	N		бъ	.	- 1	1				- 1
2	239	9.	3	77 2	58:2			1		60	-	1	0-5	- 1	Ccl psc term	nated Clear sky	1
12	259	93	-1	78 2	587	²³⁴	25	WN		54				- 1			- 1
12	261	9:		77 7	57 7	237	23	NN	- 1	78							- 1
12	*261	95	.1 '	77.2	57'7	219	24	NW		84		1		l			- 1
2	264	9s 95	1.	7B2	58 2	221	23	NW		66	•		-	- []			- 1
1	ĺ			18.2	58%	221	23	אוע		60				- [[m	au*	- 1
]	,365 ,361	95	1 '	77	577	213	23	WNV			•			- 11	Fine clear	PEY	- 1
1		950	1 2	77	57 7	213	23	WAT	.1	54 54	*		•	\parallel			- 1
				'	,	İ	' /		1		•			Y			- 1

No. 101. Lat. 22° 48''N.

NOAKHALI.

Long. 91° 6' E.

Four hundred and thirty-four miles from central line of totality. Greatest obscuration 8.

Hour,	BARO	HETER,	Γ	1	1		Wn	ŔD.			
Madras time.	Corrected and reduced to 32° F.	Reduced to sea- level and constant gravity.	Dry bulb corrected.	Wet bulb corrected,	Aqueoua vapour pressure.	Relative humidity.	Oirection.	Amount since preceding interval, in miles per hour.	Klad of cloud.	Proportion of oclipse, sotality to.	Weather and other remarks.
4.M. 9-17	30.028	30020	658	623	-517	Ž,	ENE		Ci.		Fair weather.
9-32	*02B	'020	66-8	62:3	'503	76	ENE	4'8		,	No unasual appearance of the sun or of the sky at the time of greatest obscuration observed.
9-47	1025	*016	67'0	62'3	.201	75	ENE	0.8			at the state of greatest operations
10-2	.'023	*015	67.8	62'3	*490	72	ENE			•••	
10-17	7019	*010	68'2	62'7	'498	72	NNE	бю	,,		
10-32	.oo8	29.599	68.4	62'3	'482	70	NNE	116	,		
10-47	1005	.396	68.8	62'9	'495	70	ENE	972	11		
11-2	29.993	989	69'3	62'3	'463	63	E	0.8		644	
11-17	'995	986	700	65.3 .	*45o	63	NE	0.4	»		
11-32	'983	'974	69'4	61.9	'455	63	SW	0'4	,		1
11-47	978	1969	70'4	62'3	455	61	ENE	20	,,		
P.M. 0-2	972	-963	69-8	61'1	'424	58	NNE	372			1
0-17	·966	'957	70'4	6t's	'416	56	WNW	3"2		***	1
0-32	960	'951	70'2	60'1	'387	53	B	3.6		1	
0-47	'952	943	70'8	¢3:3	'483	Q‡	SSW	1'2		1	1
0-52	'952	'943	70'8	63"1	'476	63	SSW	36	,,		
0-57	,920	1941	70%	62'3	'450	59	SSW	3'6			
1.2	'950	941	70'8	62-3	450	59	SW	3.2			1
1-7	1950	1941	70'8	62'3	450	59	s	36	,,	***	1
1-12	950	1941	71'2	623	'443	57	ssw	976	,,	4	
1-17	846.	.039	70°E	62°3	'450	59	sw	36	.,		
1.22	*941	'935	70'8	62'3	'450	59	sw	3.6	,,	5	
1-27	'944	'935	7018	62:3	'450	59	SW	3.6	,,		
1-32	'914	'935	70'8	623	'450	59	SSW	36	,,	6	
1-37	1942	'933	70'8	62'3	'450	59	s	376	*	7	
1-42	'914	935	70'6	62'3	'452	60	\$	376	,,	8	,
1-47	.015	'933	70.6	62'3	'452	60	ssw	36	,,	8	
1-52	'942	'933	700	62'3	·45²	60	S	3.6	10	8	
1-57	1942	'933	70%	62'3	452	60	S	2'4	n	8	
2-2	.938	1929	70'4	62'5	'460	б2	SW	1.5	70	7	
2-7	1942	'933	70'2	63'3	'460	66	SW	24	,,	6	
2-12	. '012	7933	70'2	63.3	*490	66	SSW	2'4	39	5	
2-17	1942	1933	70"2	633	490	66	sw	3'4	**		
3-22	'942	'933	70'2	64'3	'524	70	SW	1,5	,,	4	
2-27	'942	7933	70'2	643	'524	70	ssw	I'2			()
2-32	*'941	'932	70'2	647	'539	73	sw	3'4	,,	2	
2-37	'941	932	69.8	647	'545	74	sw	3.4	n	1	
2-42	*941	1932	69*8	647	'545	75	SW	1'2	,,	•••	
2-47	'941 '939	'932 '930	69°8	64'7 65'3	'545 '565	75	ssw	2°4 6°0	**		
2.57	939	930	698	653	'565	77 77	SSW	24	"		
3.2	.939	.030	70'2	65'3'	'559	75	s	24			1
3-17	'940	1931	70'2	G4*7	539	73	SW	24			Eclipse terminated.

COCHIN.

Four hundred and sixty-five miles from central line of totality. Greatest obscuration 8.

- 1		-	DETER		- 1				1	VIND	7	Ctoup			I Poscuration	. 0.
-	Madms time	Correcte and reduced to 32 ° F	Reduced to nead level as constant	nd correc	ted. cor	Wet outb rected.	Aqueous Vapour pressure	Relative humidity		Amoun	Prop.	00-	a	Ducction of motion.	Proportion of eclipse, totality to	WEATHER AND OF
- 1	A.H	•		1 -	T	$\cdot $		%	_	1 11001	-		-			
		29 892	297829	>	6	70	45a	40	۱		1		-			
1	1-1	893	830	1	6	00	522	46	NW	16	N	,		ъњ.		L
1 .	1-16	891 1885	*828 822	843		10	543	46	NW	52	"	1 -	1	j]
	1-31	882	819	84°4 84 6	69	,	526	44	WNW	48] ::	-	"		Blue aky.
	51	879	816	846	69		523 531	44	WWW.	36	,,		1	- }		
	-56	879 877	816 814	84.8	70	- 1	536	44	WNW	28 60	-		1		·	Dritto, Eclipte a menced from W
2.0	- 1	"	-	850	70	2	54I		WNW	48	"	١	1	.	[]	}
۱ ۵		-877	814	0		-	j	- 1	- 1			"	1		·** (_
0.	6	877	814	85°0 84.4	700	. !	533		שמש	168	h	١.		- 1	- 16	Dilto.
0-1	- 1	875	812	84 3	69 8 69 8		534 538		WWW	96	,	:	1		*)	
0-2		875 1874	812 811	843	698	- 1	538	46	w	96			1		: [Shu turn
0-2	-	875	812	84 a 83 8	70'0	1	544	46	iv	96	1	G			3	5 ky brill:ant;as befor
0-3	12	874	811	83.8	69.8	-	i42	47	W	84		G G		- 1		
0-3		872	809	833	69 8 69 2		42 26		MW	48	2	Ct.	Bto	- 1		perceptible coelder is the stroosphere
0 4 0-4	- 1	868 868	805	828	б9 г	, ,	28	46 47	W	48	2	Cı	Eto			вывигрясте
0-51	1 8	364	'805 '801	81 g 81 8	68'9	3	33	49	w	60	2 2	Ci,	E to	W	4	
a 56	5 8	64	اییم	81'3	68 7 68 4	5	52	49	w	96	2	Cı Cı,	E to E to		- 1	
1 Q		64	801	813	694	.5	- (- 1	w	72	2	Ct	E to	171	5	
1.11		<i>-</i> 1	Soz	8000	678	.21	1		W V	36	3	Cı,	,	1	.	i
1-16	80	52 .		79·8 79·8	678	'52	• .			4 8 36	3	C ₁	***	1	6	- 1
I-21 I-26	86	52	799	198	67 6 67 7	'51,	,		V	48		A Cu	***	1	.	}
	80		197 8	lor3	68 2	529	, i	i W		72 36		A Cu		1 -		
1-31	85							-	- 1				4 11	1 "	Almo stil	mphere became
1-36	'858	3 2			68°0	'578	5	. H	, .		, _C	!		1	fag	ir way homewards
1-41 1-46	858	7	35 80	6	8°0 8°0	518 518	50		W 6	0 8		A Cu		-		
1-51	'858 858			3 6	88	537	50			1 -	Cı	A Cu	. ,	8	-	- 1
1-56	866			- 1	95	550	50		, ,			A Cu .	•		1	ı
1	*866	80		. / '	סים	549	47	W	8.	, ,		A. Cu		ŧ	4	- 1
2-6	*854 *854		1 83	9 7	72	549 552	47	IV W	8.			A Cu		į	1	- 1
-16	852	79			2	554	47	WNY	v 72	. 1 -	Ci.	A Cu	- [ŧ	1	- 1
2I 26	853	'78	82		7	560 552	49	W	60			A Cu	1	?		
31	852 847	78 <u>4</u>	T -3,	3 70		55°	49 48	W	84	9	CI /	Cu	1	ę ę	1	- 1
36	1847	'784				551	48	WNW	36	9	Ci A			P		ŀ
51	'841	778		1 "	ı,	553	48	w	36	9	CI A			,	1	- 1
6	847	778		1 9		540	49	wsw	60	10	Ci	1	1		The sun be	came whally
21	*B41	778	82 7	, -,	.	541	48	w	40	70	Cu s)	
36	837	774	828	701	- 1	556	20	W	43	10	Ci s	1			Orercast,	- 1
51	1937	774	84'3	700	. 1 '	503	50	WNW	56	ID	CI S	1	1		()	I
16	8 ₃₇	774	843	70%	. [`	55	47 47	NW	96	9	A. C	1 "	1		J	- 1
		774	838					WNW	56							

ROORKEE.

Long. 77° 56' E.

Four hundred and sixty-eight miles from central line of totality. Greatest obscuration 8.

Hous.	l BARO	HETER.	1	1	1	1		srai itn			
Madras time.	Corrected and cedeced to 32° F.	Reduced to sea- level and constant gravity.	Dry belb corrected.	Wet bulb corrected.	Aqueous Vapour pressure.	Relative humidity,	Direction	Amount since preceding interval, in miles per hour,	Cloud propos- tion,	Proportion of - ecluse, totality 10,	WEATHER AND OTHER RUMARKY.
1.M. 10+ 0	291133	20,030	624	o 52'4	·2fg	46	NW	•••	Nil	***	Fine weather,
tn-15	'133	'028	63:4	52.8	*26a	45	NW	ro			Ditto.
10-30	130	1022	64.8	53'4	·257	41	Calm	672	,,	.	Ditto.
10-45	*126	°a1S	65'4	540	765	श 42	Calm	er5	,,,		Ditto.
11-0	1126	1017	66 2	550	7 \$6	44	E	or3		***	Ditto.
11-15	122	1012	66.7	55°0	250	42	C≤lm	٥	**		Dhia.
11-30	.112	1003	6grt	56 o	⁻²⁷⁷	39	Calm	0'2	,,		Ditto.
11-45	'107	29 .990	69.3	566	292	41	Calm	0'2	.,	***	Ditto.
12-0	1103	.022	70'9	568	1277	37	Calm	O*2	н		Ditto.
P.31. D-15	,033	1927	723	576	*282	36	Calm	or6		***	Blue sky (the first contact at 0-10'-12"Fost.)
0-20	*095	.035	72'5	57"1	::64	33	Calm	1.5		1	Fine weather and blue sky.
0-25	.093	.020	729	57°t	1260	32	Calm	0		1	Ditto.
0-30	1091	.948	72'9	57*1	12(4)	32	Calm	۰	-	,	Ditto.
0-40	620	2000	731	57"1	*256	31	SSW	0.3		2	Ditto, light getting weak aud dim.
0-5 0	·oS7	3/3 1	74"1	583	1250	33	Calm	6.4		3	Ultro, ditto.
0-55	°680	1953	74'1	59.5	.256	35	w	1.5		4	Ditto, ditto.
t=0	1050	953	739	5\$'t	*277	33	Calm	62		4	Ditto, ditto.
1+5	1078	1951	738	581	778	33	Çalm	e l		5	Ditto, ditta.
1-15	*076	919	73'8	55.4	*256	34	Calm	0.3		6	Date, ditte, colour of the sky
1-20	*074	919	73'3	58.3	*2S7	35	Calm	0	-	7	Darto, ditto, ditto.
1-25	1078	1953	72 S	579	.583	35	Calm	0	,	7	Ditto, ditto, ditto.
1.30	1071	,010	72'5	581	.591	37	Calm	0		8	Ditto, ditto
1-35	169	7915	723	5 ⁵ 1	1247	58	Calm	n		8	D.:tn, ditto
1-40	469	1020	72'1	55.3	'306	39	Calm	0		8	Dato, ditta.
1-45	10/19	917	71.2	57'9	'3 01	40	Calm	٥	н	7	litto, ditto.
1+50	107	915	71'3	5//5	*263	35	ХW	1'2		7	Duto, duto.
1-55	70/5	'913	11.3	568	'271	56	NW	1.3	u l	6	Ditto, duto.
\$113	'065	.013	71.2	568	1269	35	NW	1.5		5	Ditto, ditto.
2∙5	·uris	912	72'1	5/18	*261	33	NW	2"4		4	Dato. Regan to get brighter and sky blue
2-10	1065	.015	723	57"1	-267	31	NW	3.0	,,	3	Ditta, ditto.
2-15	10/15	.911	72'5	571	*264	33	NW	1,5	-	3	Ditte, ditto.
2+20	1063	.939	73'1	57"1	1256	31	NW	2'4	r	2	Ditto, ditto.
2 25	v63	'935	73'3	57"1	754	31	NW	1.8	-	1	Weather line , sky Mun.
2-30	1059	'933	737	57"	*2.\$8	37	NW	36	~ {		Ditto.
3.40	1/3	'935	74°3	57'1	*241	28	NW	1,3	,,	1	Ditto.
2.45	4003	'y35	74.6	57'3	*243	28	NW	1.3	•	t	Ditto.
2150	'0/3	'935	74'6	57'3	.513	28	NW	۰	,,	1	Ditto.
2"35	1065	935	75"1	57'9	751	29	NW	24			. Ditto. Pelipre terminated. (Last contact at 2-51'-43" F.M
3.10	.0(1	7235	75'3	28.1	1258	20	NW	274	,	144	Fine clear sky.
3*25	16/43	·93 ⁸	75'3	57'9	*250	25	WK	1.2	: -	. •••	Mitto.
3-40	'069	,020	753	56°0	1251	29	NNA	48		**	Ditta.
4-0	'07,3	'944	75'1	5779	258	=9	NNW	30		***	1)itto. ·

SALEM.

Long. 78° 12' E,

Four hundred and eighty miles from central line of totality. Greatest obscuration 8,

Hour.	Ванов	/ETER		{			Wi	ĸъ,	C	Loup,		
Madras time.	Corrected and reduced to 30° F.	Reduced to sea- level and constant gravity.	Dry balb corrected,	Wet bulb co rected.	Адасова удрент ргомите,	Relative humidaly.	Durection.	Amount since proceding micryal, In miles per hour.	Proper-	Kend	Propertion of science, totality to.	WEATHER AND OTHER REMARK
, M.		-	•	•	"	%						
10-8	29'086	29'976	77'7	70'9	*666	70	E		9	S Cn.		The sky was almost cavered be strate-currelles and the neg bourhood of the sun by all
10-23 10-38 10-53	.081 .082 .082	973 971 967	78·5 78·6 79·4	69.7 69.7 70.4	'607 '607 '624	61 62 61	ENE ENE ENE	72 76 60		S. Cu S. Cu S. Cu	***	stratus clouds
11-8 11-23 11-38	1077 1075 1071 1066	963 958 955 948	79'0 80'8 80 5 61 0	70'7 69'9 70'3	'632 585 '606	62 56 57 60	ENE ESE	36 76 72		S. Cu. S. Cu. S. Cu		
11-58	1000	945	81.3	71.5	638		ESE	92		A. S. & S. Cu A. S. & S. Cu		
P M.	1062	945	81 9	717	613 616	60 ·	ENE	64 84		S Cu A.S.L	1	
0-8	'060	939	825	71'9	-641	58	ENE	916		S Cu	2	Daylight diminishing and si looking more and more yellow
0-13	1058	937	82'5	71'8	637	57	RSR	-916		A. S. & S. Cu, A. S. & S. Cu		
o-18	1020	'935	813	717	4637	58	ENE	72		S. Cu A. S. & S. Cu	3	
0-23	052	'932	82'1	719	610	59	ESE	7'2		S. Cu. A. S. & S. Cu.	.,,	1
0-28	'052	'932	82'0	71.8	1644	59	ESE	48		S. Cu,	4	1
0.33	1050	'932	817	71'7	641	бэ	В	4.8	zi	A.S. & S. Cu. A.S. & S. Cu. A.S. & S. Cu.	***	[
0.38	1048	929	813	717	'650	61	SE	84	1 7 01	A, S &	5	
0.43	*046	'927	813	718	⁶ 53	61	E	72	10 from 11 A.M.	S. Cu, S. Cu, A. S. &	***	
0-48	'044	·926	81 2	718	653	61	SSE	108	Ę	A, S &	6	
o-53	,014	1926	61,5	71.0	1658	61	ESE	60	Į,	S. Cu. A. S. & S. Cu	<i>,</i> ,,	
0.58	1040	922	81'2	71.8	'653	61	E	60	and 10		2	
1.6	'035	'917	81:1	71.7	1650	61	NE	7'3	60	S. Cu. A. S. & S. Cu. A. S. &		
1.13	'036	920	80.3	71.7	,663	64	ESE	4'8	Wed	A. S. & S Cu. A. S. &	8	Between 1-8 P.M. and 2-98 P.M. t sun was completely bidden und clouds
1-18	1032	916	80'2	71'6	'66t .	64	ESE	84	proportion between	A. S. & S. Cu A. S. &	1	,
1-23	632	916 917	799 795	71'5	1659	64	ESE	96	ortio	IS Co (1	
1-28	1030	917	793	7114	1653	66	ENE	96	doud	Cu, N &	7.8	
t-33	nati	912	793	71'5	'668 '671	67 68	ESE	60	Cloud	Cu N. k S. Cu,	1	
1-38	'024	116.	786	71.6	682	70	ENE	te.g	Ü	S. Cu, Cu, N, & S. Cu, Cu N, & S. Cu	,	Heavy masses of cura clead
1-43	*024	911	78 5	717	1687	71	ENE	132			٠,	caused very slight drixing in a minutes. The quantity re- cover was less than helf a cent.
1-48	024	·g11	76 4	716	685	71	ENE	72		Cu. N. & S. Cu. Cu. N. & S. Cu.	,	
1.23	'025	7912	783	71.6	1686	71	ENE	96		S, Cu. Cu. N. &	2	
1-58	-043	·gtı	98 a	71'6	1688	72	ENE	60		Cu. N. & S. Cu. S. Co.	2	
2·3 2·8 2·13 2·18	'021 '021 '019	909 909	78 t 78 o 78 o	71'5 71'5 71'5	-686 -686 -686 -686	72 72 72	ENE ENE ENE	12.0 6.0 15.0		S. Cu S. Cu S. Cu S Cu	2 2 2	
2+23 2+28 2+38 2+38	*617 *015 *013 *013 *011	*903 *901 *898 *896	783 785 787 768 790	71.5 71.6 71.7 71.8 71.8 71.8	-687 -687 -687 -688	72 71 71 70 70 70	ENE ENE ENE ENE CNE	64 72 96 72 106		S Cu. S Cu. S Cu. S Cu.	2	The sun is again visible, eclipse ended, and ann as usual.
2:53	1051	897	785	71'6	'682	70	ENE	44		S. Cu.		cures, and and as exemi-
3-8 3-23 3-38	'007 '011	893 896 897	78 G 78 B 78 7	71 6 694 695 696	'652 '593 '500	70 60 61	ESE ESE ESE	36		S. Cu. S. Cu.	:: ,	
3·53 4-8	£10.	·897	78 5		'503	61	ENE	32		S. Cu. S. Cu	Ξ,	
•••	, "	1 09)	793	70.6	633	63	ENE	32		S.Cu		İ

CHITTAGONG.

Long. 91° 50' E.

Four hundred and eighty-two miles from central line of totality. Greatest obscuration 8.

Hour.	BARO	BAROMETER. Wind.							oud.		1		
	Corrected	Reduced	n	Wet			 "	Amount		1	1		1
Madras time,	ond reduced to 32' F.	to sea-level and constant gravity.	Dry bulb corrected.	bette 1	Aqueous vapour pressure,	Relative humi- dity.	Direction.	preceding interval, in miles per hour.	Proper- tion.	Kind.	Direction of motion.	Propor- time of eclipse, totality	Weather and other remarks.
а.М.	,					*							
9-14	29'993	30036	71.0	67'2	-616	81	NNE		Nil				Heavy here extending from NW to N E.
9.29	'994	1032	72'0	67'1	399	76	E.	53	.,		ı		Ditto
0*44	.99z	.058	74'7	69-8	-625	72	SE	3,3	,,				Sun derk-red colour.
9.59	·986	1023	755	68-9	1620	71	E	232	D	***		•••	Ditta
							-						
10-14	*9S2	*019	764	690	·610	67	E	28	,,	,			Ditto
10-29	'972	'009	77'3	69'9	633	67	SE	60		***	ļ ,		Ditto
10-44	'967	.003	75.8	79'0	1651	66	s	4.4	i	,			Ditto
10-59	'96z	29'997	78.2	71°0	1663	68	ESE	48	.,				Ditta
													1
15-14	953	• 9 \$9	78-8	698	*609	61	SE	40					Ditto
11-20	,040	976	Sori	72.1	1636	62	SSE	52	3	Ci. S.	 N 10 S	121	Ditto
11-44	936	972	Sora .	71'9	672	65	NE	28	3	CL, CL S	N 10 S		Ditta
11+59	926	1962	80'8	699	556	55	SSC	3.3	3	Ci. S.	NioS		Ditto
"		,		,,		.,		3-					
P.M.					ł								
0-14	*916	952	81.3	71'0	*622	58	ESE	96	2	Ci to S.	N to S		Ditto
0-29	'912	946	80'9	707	615	59	SE	20	2	Ci. S.	NWIOSE	1	
0-44	'907	1943	79'8	70-2	611	60	SE	48	2	Ci. s.	NWtoSE	2	
0-51	1907	'943	80'5	710	432	60	SSW	24'9	3	Ci. S.	N WtoSE	3	
						ĺ							
1-1	'905	.041	Bo*2	70'7	·625	6	SE	126	3	Ci. S.	W to E	3	
\$-10	'903	939	796	70'4	1621	6t	SE	80	3	Ci, S.	W to E	3	
1-19	899	935	76.7	70'1	.622	63	s	2.0	Nit			4	
1-26	1899	1935	78.4	72'9	1736	76	иw	17				5	tiorizon still havy from NNW
1-39	-896	'933	77'4	723	*726	77	wsw	571					Io N E. Heavier hoze to N.
1.49	*894	.031	76:1	71.7	*718	80	WNW	72				7	,
1-54	.894	1931	754	71"1	705	80	wsw	60				7	North clearer, SE and S W
		ļ	- 1]		- 1	ł	l	}	1		ina.
2-4	-897	1934	75'0	71'4	722	83	w	2'4	,,		,,,	5	Eclipse began to diminish.
2.16	1893	930	752	71.6	728	83	W	60	"		,	4	guiper seguir to annual
2-26	.893	930	75'5	710	700	- 1	WNW	472	.]			3	
2-36	·891	928	75'9	70'4	671	75	WNW	42				2	
2-45	-889	926	76'8	70'9	-678	73	NW	36	,			1	,, very slightly observable.
3- 59	1887	924	764	710	•687	75	w	5"		•••		•••	Clear.
3-14	·891	1928	76-8	717	688	75	w	28		***			*
3-29	.893	.030	76.2	70'1	655	73	WNW	4'8	.				
											1	1	
. 1		1		- 1						ļ		1	1-0

No 106 Lat 30° co' N

DEHRA DUN.

Long 78° 8′ C

Four hundred and eighty five miles from central line of totality Greatest ob curation &

			r hundr		3,						itest ob curation &
Hour.	BABO	FTER	1			İ	W	CND			
Madras time	Co rected and educed to 12° F	Reduced to sea level and constan grav ty	Dry bulb orrected.	Wet bulb corrected	Aqueous Papour P essu e	Relative hum di y	Durett no	Amount s neu preceding, ate val n tr les per hoor	Cloud p oper ties	Proppet on of cel 180, to lotal ty	Wrate er and during hemarks
A M		,	•			%					
10-0	27759	30'015	64 a	527	258	43	sw		Nd		
10 15	759	atz	648	525	*245	40	SW		,,		
10 30	758	005	663	533	248	38	SW		,		
10 45	760	29,003	685	543	249	35	SW		,		
11 0	758	991	696	543	234	33	SW				
11 15	754	980	709	543	7219	20	SW				
11 30	748	970	71.7	54.4	'214	26	SW	2	ę		
11 45	740	959	72 2	538	187	24	sw)	'n		
12-0	137	954	726	54.4	200	25	sw	,	,		
PM						~					
0-15	732	947	73'0	552	217	26	sw				First contact at about 0-12 P M
0-20	727	937	74 1	55 5	212	26	sw		.,		
0-25	725	1935	74 I	553	206	24	sw	1	1	1	
0 30	722	935	736	543	185	21	SW	,	,,	ĺ	
0-35	721	931	740	544	183	21	SW	i			
0-45	719	933	730	542	189	23	SW	1	,	*	
0-50	714	926	735	55 3	214	26	SW				
10	713	'927	730	551	1214	26	SW			5	
15	710	925	727	55 2	27t	27	SVV				Light assum ng a dult pale colour
1 15	709	929	715	547	208	26	SW	4	١.	6	
£ 20	707	,050	709	54.6	226	30	SW	1		,	
1 30	707	932	702	55 1	250	34	SW	4		8	
1 35	707	933	700	553	258	35	sw		,	,	
1-45	707	937	692	55'3	166	37	SW				
1 50	707	937	693	56 2	291	41	SW	1			
40	707	938	689	55 6	279	40	sw	4		ļ	
25	707	1 941	689	54.4	254	36	SW				
2 10	709	943	68.3	544	252	36	sw	Į			
2 15	1	914	68 7	545	2,2	35	SW	{			Eight beginning to recover b unteres
2 20	1	1	691	55 I	263	37	sw				
2 25	1	1		55'9	*280	39	SW	24	,,		
2 30	1	1	1	544	952	35	SW		1	1	
2 35	1 .	1	1	542	*249	36	sw	6	1	-	
2 40	1 '	1	1 -	55 2	264	37	sw		1	1	
2-4	1	}	1	55'0	'261	37	SW		•		
2 5				55 3 55 7	268	37	SW	}	•	1	Last contact
30	1 .	5 94	693	550	257	36	SW	24		1	Eclipse aver
31				55-4 54-9	263	35	SW	4	,		
34	15 72	3 95	7 658	553	172	38	SW	4			
440		3 °95	9 683	556	286	41	SW	6	n		

PACHPADRA.

Long. 72" 18' E.

Five hundred and five miles from central line of totality. Greatest obscuration 8.

Hour.	Baro	METER.	1	1	,	1			of totality		, , , ,	
-100x.	- ARBU		ľ	1			<u>"</u>	TIND.	 	CLOUD.	Propor-	
Madras time.	Corrected and reduced to 32° F.	Reduced to sea-level and constant gravity.	Dry bulb corrected.	Wat bulb corrected	Aqueous Vapour pressure,	Relative humidity.	Direction.	Amount since preceding interval in miles per hour.	Kind.	Direction of motion.	tion of eclipse, totality 10.	Weather and other Remarks
A.M.	.					%						
10-32	29713	30-001	72'0		-218		_		l ca.	SULTE POP		·
10-47	714	7 '062	746	55'3	161	28 19	ESE	9.3	Ci.	WNWtoESE NNE toSSW		
11-2	709	7057	76'2	54'5	'168			-	1		l '"	
11-17	704	'05t	77'2	55'5 56'0	169	20 18	ESE	7.6 8.4	CL	NNE to SE	141	
11-32	704	*050	784	56.2	'166	18	ESE	5'2		14W 10 3E	***	
11-47	'700	,011	79'2	55'9	140	14	ESE	72			èn	
1	ĺ'	i										
P.M.	ŀ					i						
0+2	'697	1039	81'4	57'7	191.	16	ESE	100				
D-12	'693	'034	82-1	57'3	1142	12	ESE	96	***			Eclipse commenced from south- west; sky close; bazy horizon,
0-17	1692		Da									, ,
0:22	·68g	'032 '030	83'o	57'7	'149	13	ESB	24		"	***	
0-27	1683	'024	82'4	58·2	'157 '166	13 15	ESE	4*8 48	***	"	1 2	
0-32	·6\$2	'023	83'0	589	157	13	ESE	90		"		,
0.37	·68 ₁	'023	837	580	'150	13	ESE	96	***	i I	3	
0.43	1679	1020	83%	58'2	757	13	ESE	36	414	į	***	Immediate neighbourhood of
										1 1	- 1	sun was reddisti.
0-47	·678 •670	'019	83'4 82'6	590	175	15	ESE	7'2	***	-	4	
0-57	1670	110,	83.7	58*2	166	14	ESE	72	•••		4	Mark Control
1+2	670	'010	82.0	58°2	160	15 14	ESE	Go Go	***		5	Sun was surrounded by a red band
1.7	670	*010	82'5						***	"		Sun was surrounded by a red band fading into pink. Sun light dim.
1-12	'670	'010	824	58°0 58'1	158	14	ESE	4.8	***	•••	6	
1-17	1650	20'091	82'1	58.2	'168	15	SE	72 48	***	::	7	Sky grey.
1-22	1640	'980	8210	57'6	'151	14	SE	1'2	611		8	
1-27	630	'970	821	57'3	'142	12	SE	84	Ci.	W to E		
I:32	'630	'970	82.3	57 3	'140	12	SE	4'8	Ci.	SW&SE to NE & NW		
1-37	*630 *620	'970 '960	81.0 81.0	57'2	142	13	SE	4.8	Ci.	SE to NW	6	
1-47	1620	950	82.0	57°2	142	13	SE SE	4'8	Cî. Ci.	- 1	".	N
1.52	1620	'960	83.0	57'S 57'7	155	14	SE	36 84	Ci.		5	Blue grey sky, day-light Increasing,
1-57	·620	960	82'2	57'6	150	14	SE	24	cı.	"	4	
2-2	'620	'960	821	58-1	166	15	SE	36	Ci.] "		
2-7	·G20	960	82'1	582	168	15	SE	70 F2	Ci.		3	
2-12	619	959	830	58'5	'167	15	SE	2'4	Çi.		- 1	Sun resumed its full brilliancy.
2-17	1617	'957	83,1	59°a	181	16	SE	36	Ci.			
3-22	617	936	84'2	61.3	'237	20	SE	1'2	Ci,	***	1	
2-27 2-32	617 617	'956 '956	84°1	60.3	1204	17	SE	2'4	Çi.	SW to NE	•••	
2-37	'647	930	84'1	59'5	*208 '183	17	SE SE	1.3	Ci.		0'5	
2-42	651	990	84.4	59°5	182	15	SE	2'4 L'2	Ci.	i ::.		
3-47	-636	995	84.8	59'5	173	13	SE		Cī.			
2-51	'638	'996	86.2	61.0	'202	16	SE	30	Ci		F	Eclipse termnated.
3-2	'660	'997	87'1	60'2	-165	12	SE	3'5	Cì.			
3.17	-664	30,001	87'0	61'1	193	15	SW	56	Ci.			ł
3.32	'663	.000	87'1	60'3	.108	12	sw	2'4	Cì.			
3.47	659	29'995	87'9	61.2	'195	15	SW	3.6	Cir	***		*
4.2	617	952	87.8	61,3	191	15	SW	1'6	Ci.			
4-17	625	962	86.2	602	'177	14	SW	4'0	Ci.&A.Cu.	NNW toSSE	}	
4.32	-623	'959	87'1	61.5	'207	17 .	sw	24	***		. *** }	
1							:]					

MUSSOOREE.

	,				A1.			MUS:	SOOR	EE.	,	I ame	Š.
	Hou	BARONI	E-	1-106	nundred	and f	ve mile	s from a	ntral [ine of tot	ality, Grea	Long. 782	7 E
		TER.	- D	Wet	1.	ĺ	L'	VIND.	Co	LUD.	T	Tostaration 8.	_`.
	Madri time.	Correcte and reduces to 32° F	Corrected	bulb	bressure.	Reletive numidity	Direction	Force.	Proper-	Kind.	Proportion of eclapse; totality 10,	WEATHER AND OTHER REL	MARKS
	LM.	1.		•	1.	%	-					".	
	10-0	23.617	54'3	39'8	1007	23	E					1.	÷
	10-30	.631 .631	548 548	39.8	1092	22	ESE	1 1	Nil		••• .	Clear, blue sky throughout	
	10-45	.633	57'3	45'7	.188	22 40	SE E		н		***		
	11.0	960.				Ť	-		- 1				
- 1	11-15	*629 *621	57'3 56'3	45'7 45'7	188	40	E	1		-		,	
- 1	11-30	623 621	563	457	199	44	E		"		::.		· :
	12-0	617	56·3	457	'199	44	E		"	::	•••		Α,
1	P.M.			**/	199	44	E	1	,				
	0-20	623		457	199	44	E	- 1	- 1		*	• *	. •
,	0-25 0-30	623	57-8	457 15'7	183	42 39	E		- 1		1 1		٠.
- 1	0-35	615			183	39	E		"		2		
	0-40 2-45	-e I	568 4	57	193 193	42 42	E	- 1		:	3	•	
	-50 -55	613	563 4			44	E		» .	1	. 3		-
"	33	613 5	63 4				E		.	1	3 1.		-
1.		601 50	53 44				-11		" "				-
10		599 54	3 44	7 1	77 3 98 4		E 9	1.	,	1	. !		٠],
101	5 3	595 53			98 4	1 1	: E	1:	· ···	1	4	•	-
1-2	, ,	91 53°	3 437	78	7 46) Š	"		1	5		1
1-3		91 521	8 427	17		E	11			1 .	5	* * * * * * * * * * * * * * * * * * * *	1
1.40	55	52'3	42 7	170	43	E	1	:	•••		7	• •	1
1·45 1·50			427	'176	45	E.		1 "	\				
1-55	.28	518		181	47 53	E	lí	"	1:		3	,	
2-0	'589	,			1 "	^	!}			1	i	•	1
2-5	'585	51.8	43'7 43'7	'202	53	B	11	1.	1		.		
2-15	*58 ₃	513	43'7	'202	53 53	E	}	"	***	5	- [,	
2-20	'585 '579	51.3	43.7 43.7	'207 '207	'55 55	E	1		Ci,	4 3	-		
2·30 2·35	-581	21.3	43'7	*207 *207	55	E		1:1	Ci.	3.	ŀ		
2-40	'581, '579	21.3	43'7	207	55 55	E	1	1	Cī,	2 2	1 '		
2-45 2-50	.262	21,3	43'7	*207 *207	55 . 55	E		2 2	Ci.	1			
2.55	569	21,3	437 437	'207 '207	55 55	E		1	Ci.	, 1		·	
3-0	'575	503	43'7	'218	60	- 1			Ci.		1 .	·	
3-30	'573 '575	50'3 51'3	437 447	'218	60	E)		.t Nil	Cī.	***	1	· .	
3'45 4-0	585 579	51'3 51'3	44'7	229	60 60	E	Gentle	. 1	_ .	•••	1		
			+37	'207	55	E				***	1		
										***	1		

KINDAT.

Long. 94° 33'E.

Five hundred and twenty-eight miles from central line of totality. Greatest obscuration 8.

Hour.	BARONE-	<u> </u>	Ī	ī	T		IND.	!	ine of totalit	y. Greatest obscuration 8.
Madras Jime.	Corrected and reduced to 32° F.	Dry bails corrected.	Wet bulb corrected.	Aqueous vapour pressure,	Relative humidity.	Direction.	Amount since pre ceding interval, in miles per hour,	Cloud propos- tion.	Proportion of eclipse, totality so.	Weather and other rehards.
л. м. 9-2	29.620	621	60%	.210	% 92	ssw		Nil		Cu. n. clouds in SW moving southwards, greyish white Weather fron and clear.
9-17	'617	63.2	61'5	.231	89	S				Ditto.
9-32	' 616	63'9	61.7	'5º3	58	SSE	0'4			Ditto Small clouds arising NV moving N., pale coppery.
9.47	1620	645	625	"54 I	89	NW	074	,		Ditto ditto.
10-2	650	68'3	64"1	'544	78	SE	0'4	,,		Ditto ditto,
10 17	-646	70'1	647	540	73	E			***	Ditto ditto.
10-32	637	71.3	65'3	'545	71	E	074		***	Cloud amount to. Sky clear, westers clouds opreading coppary. Weather fine and clear.
10-47	627	72'3	653	532	67	www	0.4	ا , ا		Cloud amount +1 gravish white moving SW, Weather
13-2	616	73.1	66'1		67	Calm		,		fine, and clear, western clouds moving north-west. Weather fine and clear. Clouds aprending and becomis
11-17	4010			549	64	WNW	° '	1 1		thinner. S. co. clouds to B moving 5E, very small. Weath
11-32		74'0	66'3	*544	,		0-8	"	***	fiue and clear,
-	1600	75'0	65.7	'545	63	NW	٥	"	***	Clonds is W moving upwards to NE, Weather for and clear,
2 I-47 P.M.	'594	<i>7</i> 5'5	671	*55 ²	62	NE	0°4	"	•••	Wind variable. Clouds as above and weather fine.
0-2	. 588	76.7	67'3	'544	59	N	0'4	"	•••	Ditto.
0-17	1570	773	67'5	'541	58	N	0'4	»	***	Ditto.
0-32	363	775	681	'562	59	NW	۰		***	Ca. a. small, SW to NNE.
0-47	' 555	77'7	68°t	'560	59	w	04	,,	•••	Weather fine and clear. Eclipse commencing at o-S1 P.3
0-52	'511	785	68 1	548	56	NW	. 1'2	,,	***	SW of sun.
0.57	506	78'5	68-1	'548	56	NW		,	***	
1-2	. '512	78.5	66.6		51		· .		•••	A. cu, cloud,
1-7	- 1			'494		NNE	1*2			
1-12	508	78-1	65.2	462	48	WNW	12	1 1		San losing brilliancy,
	. 508	77'9	65'6	467	49	N	0	1	3.2	Fine clear weather, suo hazy,
1-17	508	77'9	659	'478	50	NW	0	1	***	
1-22	508	77'9	65'9	478	50	w	0	. 1	3	Sunshine mild, dasky.
1-27	*502	77'9	66'9	314	54	w	۰	Nil	***	
1-32	*501	78-1	67'5	533	56	Calm.	t 2	,	5	Daylight diminished so as to resemble twilight.
1-37	499	77'9	66'3	'493	52	NE .			***	
1-42	'499	7810	66.3	'491	, 21	NNE		,,	6	
1-47	'499	76'9	66%	512	55	N	1'2	.	8	Brightness of the suo diminished.
1.52	499	77'0	67'1	532	57	NNE				
1-57	499	77'0	67'1	532	57	Calm.		.,	8	
2-2	499	77'0	67°I	532	57,	Calin.	1'2	10	•••	
2-7	'497	76'1	67'3	.22	61	w	•		7°5	Misty.
2-17	495	76·1	67 3 67 3	352	61	NNW	٥	".		Fine, clear weather.
2-22	'496 '406	76.1	677	'55 ² '566	61 62	Calm.	0 1.5		6	
2*27	494	76.1	68.1	'581	64	w	1.3	-	5	
2-32	494	76'3	6 8 °1	579	63	Calm.		"	3	
2-42	494	76.2	68-1	*575	62	Calm.	٥		i	
2-47	494	76.7	68.3 68.1	573	, 62	Calm	٥	,,	7	
2.52	494	76'9	68'3	576 575	6a 61	Calm.		,		
2-57	*493	77'3	68.7	575	63	Caim.	. 。			•
3-2	'493	77'3	68-7	588	63		12	"		Fine weather with passing clouds.
3-12	493	77'3	68'7	588	63		: 12	: 1	03	A. zv. clouds.
3-16	'493 '493	77'5	68-1 68-1	*562	59		10	i		Eclipse terminated. Fine clear weather.
	493	77.7	00.1	' 560	59	W	. 12			

Five hundred and sixty-eight miles from central line of totality. Greatest obscuration 8.

			_							1	
Hour.	Basos	JETER.			. 1		w	IKD.			
	Corrected	Reduced	Drv	Wet	Aqueous	Relative		Amannt	Kind of	Propor-	
Madras	and	to sea-level	Dry bulb corrected.	Wet bulb	pressure.	humid- ity.	Oirection.	since preceding	cloud.	tion of eclipse, totality to	WEATHER AND OTHER REMARKS.
time.	10 ·	and	CONTRACTOR.	corrected.	htesau.	Ag.		interval, in miles		totality to	
1	32. 6.	gravity.					i	ber ponte	j	1	
	-	,			<u> </u>	-			<u></u>	-	
A.N.	1	ľ	'	•		74	1	l .	١		
1				1	١.	}		١.	ŀ		
10-0	29'373	30.025	646	53'2	256	41	·sw		Ci		Clear weather
10-10	393	'051	66 2	53'7	'249	39	SW	or6	83		Dittn.
10-20	*397	1051	68'5	550	*255	37	NW	σ6	,		Ditta
1	1	I -	1	i			w	016	1 ~		1
10-30	'399	,023	69'4	55'1	*246	34	1	1	. "	-	Dato.
10-40	*400	.023	70.0	55'3	*244	33	WSW	1.5			Ditto. +-
10-50	*400	.051	71'2	55'6	*237	32	WN	1.8	".		Ditto.
1 -	'	"	'	1	,	1	4	1	l "	1	, .
		1		Į.				!	Ι '	1	
11.0	396	044	72.7	26.3	*237	29	W	1.8		•••	Ditto.
31-10	*396	'044	72'9	56.4	1236	29	wsw	1.8	,,		Ditta-
11-20	1407			563		26	wsw	30		1	
1	,391	.038	737		'224	20	ı	1 -			Ditta.
11.30	'389	'035	747	56.3	.311	24	. M.A	36	. "	,,,	Ditte.
11-40	.382	1020	75'9	572	'221	25	w	4'2	,,		10111
11.00	'380	1 .		į.	,,,,,	I -	NW	54	l		'Ditto.
11-50	300	1024	75'8	57 2	1223	25	NW	34	**	* ***	"Date."
i		İ	J	ĺ		1	ı		ļ	1	·
32-0	376	1019	76.8	57'4	'215	23	w	5'4	,,		~Ditto.
P.M.	-	""	′ · ·			ľ] *	·	1	Dittee
P.M.	1		1	l	ľ	l	l	1		Ì	
0.10	'376	*019	77'4	57'8	*320	34	W	5'4	,,	1	Light yellowish in colour.
0-20	'371	'013	774	58 o	*225	24	wsw	48	,,		
0.70	367	1	ı	1	1	31	sw	60	j	1 3	Ditto.
0-30	307	800	77'8	57'1	194			1	"	1.	Ditto.
0.40	'357	39,008	77'7	57'0	192	31	SW	3.0		4	"Ditto
0-52	*355	'997	773	570	197	21	w	. 48	, ,	4	
Į.		-2.		,					1		Ditto-
1-2	.321	993	77'1	57'1	1203	72	WNW	4'9		5	
1-13	'351		768	56.6	192	31	NW	60	, ,	6	
1	l	*993	l '	- 1	'			ı	l "		
1-20	.321	1993	76.8	56'6	192	22	w	4'5	**	7	
1-32	*342	1985	76.4	56'9	1206	23	w	4'5		8.	Appearance as if our-set were approaching.
1-40	*337	1980	76'4	56'5	194	22	W	3'5	. "	7	Ditta.
	1						w		1	5	Light yellowish.
1.52	.350	*968	76.8	57.6	'222	24	"	53	n	° .	
			!					-		1	
2.0	*322	'963	77'0	57'3	*210	23	wnw	4'9	, ,,	4	Ditte-
2-11	*322	'062	77'8		1199	21	wnw.	53		3	· Ditto.
				57'3	**		, ,		**		Dicto.
2.20	,355	-960	78.8	58.1	'210	22	w	4'8	29	2	
2*30	*326	965	79'0	5810	1204	31	sw	4.8		1 1	Ditto
2+40	*326	963	79'9	58.1	196	19	w	48	.,		Sun clear,
		1 1		- 1							Weather clear
2.55	.326	.963	79'8	58 0	194	19	SW	4"2	10	"	
3.2	*324	*96o	80.0	59'4	*234	23	WNN	·28	٠,		Ditto.
3-20	-322	959	80 o	58.3	197	19	NNW	34'3(?)			Ditta.
1									P. :]	
3.30	.358	965	80'9	59'5	'225	22	StV	26	ø.	- 1	Čiear.
3-44	'324	.961	8012	588	'213	21	NNW	60			Digto.
3:35	,323		·		.,,		w			: '	Ditto.
	1					,"		·			1 7 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
		·	<u> </u>								

Fire hundred and seventy miles from central line of totality. Greatest obscuration 8.

Hour.	BARGE									
			1				W1		:	•
Madras time.	Corrected and redsord to 32* }.	Reduced to sea- level and constant gravity.	Dry bulb corrected.	Wet Lulh corrected	bicenner sabons ydneoce	Refelies humidity	Direction.	Amount nince preceding interval, in miles per hour,	Claud, kied and propor- tion.	ci Weather and Other Remarks.
,M.		•			•	*				
10-25	297297	30 060	68.8	540	7224	3,	NW		Nil	
10-43	300	*060	678	55'4	.510	34	NW.	13'2		
10-58	.301	*055	720	56.5	*247	31	ХW	12'4	"	1
13-13	302	*057	737	57'2	*258	31	N.M.	12.4	••	1
11-28	*297	.020	746	58'3	*27=	31	NW	48	**	,
11-13	*290	,011	75%	22.4	*262	29	NW.	1.8	**	"
11-55	1230	.032	766	59 0	*267	29	NW	3.5	"	1
₹.M. 0-13	7279	1026	776	50'4	12(4)	28	Calm	28	4	1
0.16	775	,051	28.3	59'4	7253	76	NW	3.5		
0-1\$	'275	,013	75.2	5974	*255	26	Calm	3.0		1
0-33	'273	'otg	78.6	576	1250	27	NII.	36	۳	
o-38	773	'019	786	50.3	1265	27	Calm	1,3	"	į.
0-43	1269	,010	78-6 78-fi	fore for:	*272 *275	28	Calm :		,,	İ
0-48	,525 1521	2005	786	6072	1275	28 28	NW	2643	"	ł
0-53 0-58	202	2000	256	Grz	1278	25	Calm		ï.	
103	1250	*00/	:\$6	6r2	278	28	Calm			1
1.5	*257	1002	78.8	654	1273	28	NW	24	-	
1-13	1252	29'997	784	6100	7274	28	Calm	٥	P	
1-15	,320	'995	78%	672	.581	20	24.	1'2	*	
1-23	.348	*593	786	fero	,525	28	V.W.	3,1	"	1
1+25	210	991	786	(1,1,2	*278	25	Calm	0 1.3	-	
1-33	.513	1,87 1994	786	(40 (40)	*272	28 88	Cnim NW	1*7	"	1
1-25	*239 *237	962	784	596	*202	27	Calm	1.3		
148	1237	42	84	576	*262	27	Calm			İ
1.53	233	975	784	612	*281	29	t alm	0		1
1-58	731	976	78%	612	*278	28	2.11.	177	-	
7-3	*229	*9;4	28.4	6m	'274	25	Calm	1'2		
2-8	(22)	'974	78.4	(erz	*281	29	Calm	0	(,	Cu, in SW herizon.
2-13	,550	975	78 0	59 2	'255	:6	Calm	a	Cu.	
7-15	*225	*97.4 *97.5	77 6	57°2 576	*\$143 *262	27	Calm NW	0	Cu.	Ca. Date
2-13 2-29	227	1070	784	592	.510	27 26	NW.	12	Cu.	
2-33	223	7/7	786	572	*246	25	NW	2'4	Cu.	
2-38	212	19%	786	596	253	27	Calm	ra	Cu. N.	Cu. N. Onto.
243	*210	19/12	791	602	771	27	Calm	0	Cu. N.	
2+45	219	19/1	796	Grz	767	26	NW	1,3	Cu. N.	
2-53	,250	1/12	8.00	Grz	*262	26	NW	4.8	Cu.N.	1
2-59	*220	19/1	R14	Gra Gra	.321	25	NW NW	36 2767	Cu.N.	
3-3	'214	1954	219	fer3	255	과 A	NW	36	Cu.N.	•
3-5	'215	951	817	612	269	25	NW	36	Cu.N.	
3-13	207	2011	8129	6r4	1273	25	wsw	120	Ci	c.s.
3-43	211	.950	821	620	289	16	wsw.	152	Ci.	
3-53	'214	951	E2 1	614	*270	25	wsw	6n	Çi.	
4-13	,518	957	F2'3	618	*280	26	14.24.	88	Ca. N.	Co. N. in SW lestion.
4-28	,318,	95%	82*5	621	,500	26	WSW	2.3	Cu. N.	

BHAMO

Five hundred and seventy-eight miles from central line of totality Greatest obscuration 8.

	BARO-				ì	W	1KP	C	oup.		
Hous.	METER	Dry	Wet	Agueous			Amount			Proper-	,
Madras time.	Corrected and reduced to 32° F.	bulb corrected	bolb corrected.	Vapour pressure.	Relative humidity.	Direction.	mete preceding interval _s to interval _s to interval _s to	Kınd	Direction of studion	eclipse, totality 10,	Weather and other demarks
A M. 8-53	29 655	64 4	58 3	408	67	NNW		Ci. Cu	S to N		Westber fine and clear, sky blue with scattered whereit brown cloudlets.
9-8	648	66r2	60,1	440	68	NW	40	Cı. Cu	NE to SW		Dirto ditto,
9 23	*642	68 5	603	416	60	E	28	A. Cu	WtoE		Weather fine and clear; sky blue, clouds sparsel scattered an greysh
9-38	*636	70'5	бо ' т	.381	51	NE	164	A. Cu.	WIDE		Ditto do clouds morray rapidly.
9-53	628	7P1	595	'356	47	NE	128	A Cu	E to S		і парімаў,
10 B	7621	723	601	.328	46	NE	64	Cı.	WtoE		Ditte clouds furning
10-23	617	715	59'1	337	43	N	84	Cı	SW to NE		Ditto clouds scattere
10-38	'610	725	60'5	*369	46	N	48	Cı,			Ditto to clouds here and libere.
10-53	1602	729	60 I	'351	43	NE	40	Ci		Ì	mere,
11-8	*600	74 I	609	362	43	NE	44	Ci. S.] .		Sky clear and blue,
11 23	*591	741	621	.399	47	E	32	Cu.		117	Clouds very low and collecting towards N.
11-38	*591	751	625	399	46	N	48	CL			Fine clear weather; clouds becoming white an approaching to noith and east
11 53 P.M	580	745	62 I	392	45	N	4'8	Çı,			Clouds low, detached and greyalt white,
0.8	*576	75 3	63'3	423	49	NE	5.0	Cu.			
0-23	570	763	64.3	'443	49	Calm	36	Cu.		1	
0-38	.265	75'3	633	'423	48	NE	32	S.	١.		Beginning of sclupse.
0-48	'559	749	623	395	46	NNE	60	S.			Clear. Sky slightly dim and dall,
0-53	'563	74.7	631	'425	50					1	
0-58	-563	74'5	62 3	'401	47			***		1	
1.3	'563	749	625	'400	46					2	
1+8	.263	75'1	623	.392	45	N	60	Cı.		2	Geiting cooler Clouds scattered,
1-13	.260	741	619	'394	46					3	'
1-18	560	74.5	617	380	44					3	Light losing brightoess.
1-23	'5 60	74 1	61 1	367	43	NE	60	Ci		4	Cool and pleasant.
1-28	560	73'7	61.1	372	45					4	Unusually dire. Clouds near the sun.
1.33	56a	733	61 1	.378	46					5	,
1-38	*560	72 9	603	*357	45	NE	60	S.	S to N	6	Weather cool and steamant; shy sear the sun it greyth white and Errey in places. Sky slightly dist and the sun intally black at the
1-43	'558	723	бо з	-365	46	}				6	Sky slightly dim and the sun totally black at the eclipsed part.
1.48	.228	723	61'1	391	49					7	
1-53	.226	72 1	61 1	*393	50	NE	44	Ci. S		ŧ	Few Cl S. coar the sun-
z-58	'559	71.5	6org	*397	52	-		A. S	W to N	8	Clouds district from the new yellow; such rays or imc-washed houses and district trees sellon yellaw, Daylight losing brightness. Atmosphere cool and pleasant.
2.3	'559	713	6org	'398	52		·			7	Clear and bright.
2 8	559	71'1	603	.381	53	NE	32	S.	- 1	6	Weather cool and pleasant,
2-13	557 '557	71°1	60 5 60 1	.388	52	•••	٠,	'		5 4	Eclipse decreasing. Weather pleasant and cool.
2-23		71 I	603	"375 "381	49 51	NE	40	S.		3	Sky blue.
2-25	'557	71'1	60'3	381	51	,				3	\$
2-33	557	711	60'I	'375	49	! <u>:</u>				3	Coolness passing off.
2 43		715	603	375	49	NE	40	S.		15 13	Coolbata Serpent mes
2-48	*555	71'5	60'3	375	49	i	-	***	7.	1,3	Weather fine and day bright.
2-53	553 557	71'3	59'7 60 1	'359	47	NE	36	S		***	Sun's dec all but clear.
1 3.3	357	7-5	001	*368	47	NE	36			1	Eclipse terminated, sua bright, weather fine and clear sky blue, clouds scattered.

DEESA.

Long. 72° 14' E.

Four hundred and twenty-fire miles from central line of totality. Greatest obscuration 78.

						,			tub.		1 1	1
110	UR.	Datos							Amount			
M: tio	dra	Coverted and reduced in 32' F.	Reduced Lo Lo Lo Lo Lo Lo Lo Lo Lo Lo Lo Lo Lo	Dry bells corrected.	Wet holb corrected.	Aqueoni napror pressare.	Relativa bomides,	Direction.	since pretriding interval, in miles per hour.	Cloud proper- tion,	Proportion of ealiging, futality to,	Weather and other remarks.
Γ,		•			-0	•	*					
	0-32	29614	30-039	838	597	.104	17	E		Nit		Sky entirely bluc.
1	0-47	-610	*033	84.8	(v):1	.192	16	E	8°0	89	'	Ditto.
١,	1+2	404	*027	85'5	60.0	.102	τն	ESE	40	8		Ditte.
1	1-17	600	*022	Str6	60.3	775	13	ESE	80			Dittn.
1	1-32	*593	,012	\$7:3	60.8	162	14		901	**		Fice, small toffs of c'ouds (Ci. Cu.) from NW to NE. Middle sky blue and clear.
1	1-47	*589	009	55 1	(0.4	.122	- 11	SE	40			Few, small ditto. Middle sky entirely blue NW borizon dall whitish colour.
	N.	•5 ^{\$} 2	*001	22.0	616	.182	13	SE	60 63	"	0'5 t	Middle sky blac. Small tufts of clouds resembling Cl. Co. from NW to NE. NW horizon dult.
1	0-7	379	29.933	£50	(4.0	.272	16	SE	60		1'5	Eclipse began 11-34 A.M. on SW.
1	0-12	*577	.0%	88.0	636	153	14	SE	60	"	1.8	
	0-17 0-22	*576 *573	'973 '973	871 878	(055	-166	13	SE	30		2	Poffe.
,	0-27	573	973	883	625	'773	17	SE	310	- 11	2*3	Herizon doll whitish. Sky dear-
	0-22	*569	120	Syro	63.4	:41	18	SE	60		28	Calm.
1	0-37	'567	957	540	(0'3	156	11	SSE	2.0	24	3	Tuli towards N.
1	0-41	54	051	175	Gri	155	11	SSE	3.9	"	3.2	Sanlight getting dim, blue, except N W horizon,
	0-47	.245	.99.3	57.4	61.3	*197	15	SSE	30	"	35	
	o-2s	*55\$	978	57.2	Gra	171	13	s	3.0	".	5	S to W horizon dun, and NW whitish.
ì	0-57	'537	.028	E7"4	61.2	Į.		s	1	1 "	6	
1	1.7	*534	975	866	614	1179	14	S	300	-	6/8	Sky duli in NW horizon and whitish in S ta SW.
1	1-7	*551	'972	E6.5	616	'215	17	s	120	"	7	NW and S to SW horizon and sky pinklah.
1	1-17	*547	910		603	154	14	s	30		75	S to SW and NW hourse pinkith.
1	1-27	*547 *545	907	\$5.6	61.3	1921	17	s	60	,,	78	S to SW and NW heriton pinkish. Sun dimer as it covered with Cl. S. Greatest obscurity.
			3/14	1 -	613	.,,,,	18	s	370	.,	2.5	as it covered with Cl. S. Greatest obscurity.
1	1-27 1 32	*54° *34°	9/12		Grs	.228	19	S	Go		7'5	S to S W and NW to W horizon pinkish.
	1:37	519	1/1	858	628	::16	22	s	30	,,,	7	Calm.
	1-42	533	100		623	18	20	s	30	,	6	Do. S to SW and NW horlton pinkish.
	1-47	537	957	1 .	608	*227	18	S	3.0	-	5.2	Sky and besiten as above.
1	1.52	*537	*939	\$63	ferti	1199	16	S	3.0	-	5	
	1-57	535	754	866	Gri	.500	16	S	30		4	
1	3+2	*533	934	F6.7	606	481	15	S	3.0		2.5	
1	2.7	523	7954	fire	61'0	'191	15	S	60	"	1.8	Sky and horizon as above.
1	2-12	*531	1953		Gr6	203	16	5 5	30	-	1.3	SLy and herizon as at 1-42 P.M.
	=-17	.233	7951	1	619	,510	16	S	30	-	678	Date. dite.
	2-22	\$ 527	.012	1 .	63'5	215	18	s	"		0.8	Calm.
1	2-37 2-37	*525	'911	1	61.8	191	1 14	s	3.0		475	Sky and Loilson at at 1-41 P.M.
1	2:37	523	911	1	671	'203	14	s	3.0		0.3	
Į.	2.42	'523	196	Fy7	629	.518	15	S	3.0		0.1	Calm.
	2-47	523	1940	gra	62 8	'217)	15	s	2.0	-		Calm.
1	2-57	'522	'939	8.78	6379	7248	18	5	370		1	Calm. Sun clear. S to NW horizon whillsh.
١	2.57	'572	'939	897	'6r7	.310	15	s	3.0			Ditto,
1	32	1322	939	896	625	706	15	S	370		1	Calm. Ditto.
1	3-17	1	'917	1	6,3°3	7221	15	S	40			Calm. Ditto.
1	3-32	.215	'933	F8 a	62.1	.312	16	s	3.0	"		
1	3-47	.25	1936	91%	610	230	15	s	2'0	"		Calm. Ditto.
Ì	4-7	*521	936	908	637	.230	16	s	3'0	-		Calm. Sky clear all around.
-	4-17		1	1	6r8	'254	17	s	30			Calm. Ditto.
-	4.32	1 -	1		639	*237	16	s	4'0		1	Ditto.
- 1	7 3	1 3") "	7.1	1	1 3	1	}	1	1	100	1

WELLINGTON

For r hundred and thirty one miles from central line of totality Greatest obscuration 75.

Hous	BA BA			1		1	ī	We		Т		ουο	ī	1	realest obscuration 7 5.
Madra t me	Corre	ced co	Dry bulb rected	Wet balb correcte	VADDO	rela	ter I	- 1	Amount since recedent interval in m'les	Pro	2000	Kand	Prop ci total	ortional clipse I ty to	WRATHER AND OTHER REMARKS.
A M IQ-I	1	08	60°1	٥	1	1	6	1		T			1		
to 3	1 1	1		55.1	384	1	- 1	s			8	S Cu	1	1	Gloomy with pas ing clouds power from tren
10 4	!		606	558	397	7.	1	s	40	1	8	S Cu			Gloomy with pus ing clouds moving from ESE carly morning} Date
	1	- 1	б2 8	57'4	414	7:	C	ılm	0] ,	9 [S Cu	j	ı	Diete
11-0		- 1	52 1	566	403	72	1 :	s	80	١,	,	S Cu	1	-	D.u.
11 15	2	05 0	36	57 5	412	70	1 :	s	40	١,	, 1	Cu N	l		O to.
11 30	29		42	574	403	66	SS	E	40	10	٠ ا ه	Cu N		- 1	ditto
11 45	28	9 6	55	588	427	67	Ca	lm		10	-1.	Co N	1		D ito d tro.
12-0 P M	28	7 6	36	575	412	70	l sı	- 1	40	10		O N		-	Ditto ditto.
0·5	28	7 6	44	578	412	68	SI	- 1	40	1	-11		ľ	- [1	D tte d tte
0 10	28	. 6	.		418	,	1 -			10	1	≥ N		1	Ditto
0 15	-28	1	17	57 9	1	69	SE	- 1	12 0	7	Ic	u N		V.	ry gloomy Clouds increasing a speed from S
0 20	*28.	1	- 1	582	418	68	SE	1	- 1	7	C	uN	2		est ght gl mpee of sultpree Ci Co above from the
		1	ia	579	408	66	SE	: [- 1	9	c	u N			of on anything the
0 25	25.	1	1	57 5	403	66	SS	3		10	c	a N			
0-30	28:	63	6	578	420	71	SE		30	8	C	u N	4	- l.,	ouds from SIV
0 35	279	63	6	58°a	425	72	s		- 1	10	l c	. N	7	- 1	
0 40	,379	62	6	572	413	72	s		ľ	9	1	N		104	ercast,
0-45	278	62	4	572	415	73	SE	Ι.	.	-	1	N			
0 50	*275	62	4	57.5	424	74	SR	'	٦	9	1	- 1			
0.55	277	62	- 1	57 2	418		~~	1	- 1	9	1	N			
10	273	62	- []		· 1	74	SSE	1.	- 1	9	1	N			
1.5	271	61	1	57 3	422	75	SSE	1 4	la	10	Cu	N			
1 10	,-	1	. 1 '	56-8	414	75	SSE	1	- 1	to	Cu	N			
1 15	26g	601	١,	56-6	416	78	SE	1 4	·	10	Cts	N		- 1	
- 1	.500	60%	Ι,	564	416	8u	Calm	1		9	Cu	N	7	A m	omeotary glimpse of eclipse.
1 20	264	604	` J •	566	420	8a	Calm		- 1	10	Cu	N		Over	
1 25	262	60'2	5	62	411	79	SE	1		,	Cu	N	75		de scudding averaun u sì "ht b cak
1 30	,561	59 6	5	52	391	76	Calm	1	- [,	. [Co	N		- 1	
35	259	59 5	5	58	409	80	Calm	١.	- 1		Cu	- 1		1	cast clouds slower in movement
1 40	257	59 7	5	63	419	81	SE	ľ	- [1]	- 1	Cu :			Ditt	
45	256	6o 6		60	402	26	SE		- 1	- 1	Cu	- 1		Ditto	
50	254	59 8	1	63	418	81	Calm	ľ	- 1			- 1		Ditto	
55	252	59 g		53	417	81	Calm		1	- 1	Cu i	1		D tto	
0	251	596	56		412	8r	SSE	١.	1		Cu I Cu I			Dita	
5	25t	59 8	56		415	81	SE		10		Cu I			Overcas	clouds slowly passing suo obscured by cloo!
15	249 246	60°2	56		422	81	Calm		1 9		Cu D			A sligh	t break clouds passing more alowly; soo
20	245	608	50	. 1	420 423	80 79	Calm SSE		10		u. N			Overca	the man and the state of the st
25	244	Ót 4	57	- 1	426	79	SE	48	10		in N in N			Ditto	
-30 45	244	618 626	57	5	431	78	SE	70	10	1.	o N			Ditto	
+5 j -0 ∤	233	630	58 58	- 1	438	77	SE	30	10	c	u N			Ditto	
15	238	63 z	58	- 1	439 143		SSE. SE	80	10		u N	1		D tto	
30	238	6-6	28.	a .	,		ola min	120	10		u N u N	1		D tto	gloomy and threatening weather from SS
45	240	62 4 62 3	58	- 1	46	79	SE	40	10		u.N			D	
15	243	61 g	58 58	. 4		·- I	SE	0	10	G	N	1		Dit	
- 1	- 1	-	" ا	· 1	,0,	8 ₁	SE	0	10	Cı	2. N	1	- 1.	De	

No 116 Lat 2,0 15' N

BHUJ

Long 69° 42' E

Four hundred and eighty seven nules from central line of totality Greatest obscuration 7

Hov	_	ROMETER	\dashv			1	-	WIND			T	reatest obscura	
Madr time		ed level a	and corrects	y Wet bulb ed corrected	YA DUT	Refrite	ty Direction	P nt	nount nce eced ing terval rrien bour	Cloud propor- t on	Proportion of ecl pse Total ty 10	of Weat 128	s and other remark
144						1 %					•		
10-42	1	30 03	5 788	57 1	180	19	NNV	v l		Nel			
10 57	- 1	035	5 79'2	57 1	175	18	NNW	!	52		ĺ	Fine weather sh	d, pjue
II 12	1 -70	1027	7 800	58 z	193	19	NNW	[66	.	ĺ	D tto	
11-27	1 7	023	822	584	174	15	NB	. 1	49	.		D tto	
11 42	1 "	1 1		586	167	15	N	1	5'9	"		Drite	
11-57	658	*009	837	57 8	135	12	NE		79	-	1	D ito	
PМ													
0 7	654	004	846	584	142	••							
0 12	654	004	850	580	124	12	.,,,	1.		•	2	Ditto	
0-22	649	29'999	84.6	58 5	146	10	NE	2	2	"	3	Duto.	
0-27	647	996	850	578	118	13	N.R		.		3	D tto	
0 37	645	995	846	577	120	10	NE	101	5	•	4	Ditto	
0-42	643	993	844	57.4	115	10	NB	_		,	4	Dito	
0-52	637	1987	846	58 1	133	11	an	50	,	•	5	F ne weather sky b	Jue and sue I ght dem s
0-57	1631	98z	84.4	578	127	11	ENE	١.	-	'	5	Ď tto	d tto
	=			"	·-'		BINE	77		1	6	D tto	dı to
1 12	629 627	979	838	57 3	120	10	1				б	D tto	d tto,
I 22	623	978	834	57 3	125	11	NE	65		,	,	Ditto	dito
1 32	615	974 966	834	57 o	115	10	- 1				6	Ditto	ditto
1 42	611	900 961	834	57-8	141	12	NE	72	Į	"	6	D tto	ditto
1 47	611	961	836	57 2	118	10	- (,	5	D ttu	ditto
1 52	607	957	842	57 6	124	11	- 1		1	.	4	D tto	ditto
22	605	957	844	577	124	10	N	26		$\cdot \mid$	3	Dhte	đ tto
27	605	955	84.4	57.6	122	10			,		3	D tto	d tto
2 12	603	952	85 o	58 2 58 8	138	11		***	.	.	2	î to	d tre.
2 22	599	947	85 3	588	149	1	WWW	64	.	.	2	D tto	ditto
2 27	599	946	856	58 8	131	10			١,	- [1	D tto	
2 37	597	911	866	588	142	- 1	NW	64	١.	-	1	D tto	
2 42	593	940	866	584	116	9		٠.	"		0	Ditto	
2 57	590	93/	87 2	1	- 1	- 1	N	6 t	"	í		D tto	
3 12	592	938	876								1	D tto	i
3*27	598	945	. 1	- 1	106	_ [N	68		1	1		
3 42	1600	947	. 1		- 1	1.	NW	53	•	1		D tto	į
3 57	600	947	1	-00		_] ~	l	32 29	**			D tto	
4 12	60.1	- 1		598	129	, N	NE SIN	_ [1			- 1
1-27	GOA			644	1	10 1		25 46			1	D tto	1
442	601	169	884 (144 10	1 1		42		1	1	[litto	ł

CHAKRATA.

Long. 77° 55' E.

Five hundred and fourteen miles from central line of totality. Greatest obscuration 5.

Hour.	BARONT-	1		1	1	W	IND.			1
Madras time.	Corrected and re- duced to 32° F.	Dry bulb corrected.	Wet bulb corrected.	Aqueous vapour pressure.	Relative hamidity.		Amount since pre- seding in- terral, in miles[per bour,	Cloud propor- tion.	Proportion of eclipse, totality so.	WEATHER AND OTHER REMARKS.
				,						
10-g	23'365	52.2	39'5	.110	7 ≘8	Calm		Ril		}
10-24	.362				***	Calm		p		
10-39	363	58.1	41'2	.080	17	S	13:8			1)
10-54	:365					S				Fine clear weather.
:1-9	363	58 1	40'9	.020	17	S	170			
11-24	.261	•••				SSW		(<i>!</i>
11-29	'355	60'5	41.8	1073	14	SSW	14'0	,,		
11.51	'353	•••	344		***	SSW.		٠ }		Slight hary clouds like cirrus in S., having appearance upldted dust-haze.
1.M. 0-9	.351	590	40'9	'070	14	S	27.8	,		
0-19	347					s]]	Bill	,	Slight havy clouds resembling dest-cloud,
0-74	347					s				,
6-29	'347					s				
0-34	345					S			2	Dest-cloud disappeared. Sky onesally dark blue. In
6-39	343	59'3	41'2	'073	14	s	82			Dast-cloud disappeared. Sky unusally dark blue, lig noticeably dominabing and of yellowish colour.
-44	343				***	s		.	3	Shadows thrown oppeared as of bright moon light.
0-49	'343					s	' I	.		onneeds through physical and of physic moon signe.
0-54	'343				i	s	i i	,	4	Yellowish light.
2-59	'339					s			•	
ten	339					s		. [
1-0	'339	57'5	40.1	1072	17	s	12'2	"		
1-14	253					s			5	Shadows thrown are indistinct and Iblaish. Air perce
1-19	293					s		- 1	•	Pale yellow light resembling moon light,
1-24	,381			***		s				
1-29	283			141		S		"		Light gradually becoming brighter.
1-34	283					s		- "		
1-39	*283 *375	24.0	38.8	'o\$a	20	S	170	"	3	Ditto ditto.
1.49	325		""			s	***	"		Date.
1-54	325					S				
3-0	323					S S		*	2	
2-0	329	54.6	492	102	23	5	270	[]	1	Light assumed almost usual brightness.
2-14	*321					S		10		
2-19	319	•••	···	1	***	5 S		*		
2-20	323	:::				s	***	"		Light resursed nurmal brilliancy.
2-34	'317		}		}	S		.		Dust hase in distance.
2-39	317	53'5	400	.100	24	. S	6-8			ACRE INC. III WILLIAM
2-49	'325 '325				***	S		"		Eclipse jerminated at 2.50 t.u.
2-54	325					s		"	0	Dust-hase diminishing. Distant objects very distinct.
3-9	.351	55'6	40'9	766	24	s	2.2	,		The state of the s
3-24	'321	***		-		S		"		Man day months
3.29	'323 '329	55'3	40.6	103	24	S	2472	"	i	Fine clear meather.
4-9	331	53'9	40'9	123	30	s	412	"		

Five hundred and thirty five miles from central line of totality Greatest obscuration 7 5

n Hous	BARDI	MATER		1			w	:No		1	
- HOUR			'				 "				1
Madras Ems	Corrected and raduced to 32° F	Reduced to sea level and constant gravity	Dry bulb orrected	Wat bulb corrected.	Aqueous vapour pressure	Rélative forméty	Direct on	Amount succe p eced ag interval in m les per hour	Cloud proper- tion	Proport on of ect pse, total ty 10.	Weather and other remares
A M 6-31	29,320	29 916	70'9	66'8	604	% 8a	NE		á		S clouds around the borizon a few Cu clouds obscured the san at rise Force of wed light colour of san yellon
7-6	726	921	710	668	603	29	NNE	1 27	6		A few 5 clouds in the N and ESE : near the britzen passing clouds gather from all directions
86	754	1948	733	679	613	74	NNE	05	2		Passing clouds abscured the sun
9-5	772	964	76'2	69 1	618	69	NNE	11.4	30		Overcast with dark clouds
20-6	770	961	788	695	598	60	NE	93	10]	Nimbus I overcast with chill breeze Itim V ip- ble for a second or two
10 21	765	957	776	686	580	61	NΒ	92	OZ.		Dark mmbus all over chill breaze
10-36	762	'95 4	777	688	586	62	NNE	10.8	10		Nimbus
20 21	*762	954	778	689	588	62	NE	1172	80	1	Oitte
11-5	760	951	785	gā.2	602	61	NNE	84	to	i	O He
11-21	758	949	78 5	69.3	590	61	NNE	88	10	}	Dark stratus and numbes closeds
11 36	758	949	78 2	6 8 g	585	60	NNE	84	10		Ditte
11:51	756	917	78 9	6g 1	581	59	N	10 0	to		A few Ca clouds moving from the north
2.M	752	943	796	69'6	592	58	NNE	76	10		Dita
0-10	745	957	79'5	689	566	57	NB	150	9	2.2	Bei pre seen at intervals of 8 or 3 seconds.
0 21	741	932	798	696	588	58	N	96	9	4	Ortio dittn
p-25	259	020	804	600	592	57	NNB	84	В	5	Detto dite
0-31	738	028	801	600	595	58	N	36	80		Sub is not visible
0 36	733	924	794	68 g	567	57	NNB	10.8	10		Oark clouds
41	731	923	79'3	68 g	568	56	NE	96	10		Dark clouds in the N a few drops of min.
0-46	730	921	78%	68 6	564	57	NE	1372	10		Dark gloomy Flying C: Ca clouds
0-51	722	913	788	689	576	59	N	96	10		Overcent
: T	720	913	787	69 2	588	60	NNB	14.4	10	7	The sun clear of clouds for a second or two.
0.26	722		77 1	68'0	598	64	NNE	132	10	75	A slight duzzle
1	1	914		692	599	6	N	48	20	73	Sun cannot be seen
'1 '-	718	910	779 760	687		64	NNE	96	10		Oark gloomy San connot be neen, willigh
1011	1 '	908	768	689	593 605	65	ENE	96	10		drizaja Otre grocer ann com not the nere, a roga-
8-16	716	908	76'0		-	1	NE	84	10		Odto dilto.
1 21	715	907		683 685	.590 600	65 68	RNR		10		Ditto alito
1-26	715	908 906	758	686	602	68	NH HVE	156 36	10		'Ditto dette
1 31	713	900	759 754	686	600	70	NNB	84	10		Nimbus all over 1 dark and gloomy
1-41	708	901	750	682	боо	69	N	-	10		Ditto
8-46	704	898	748	63 2	603	70	N		10		Dark, gloomy with a slight drazzle Datto
1 51	704	898 893	74 8 75 2	68 6 68 q	617 624	72 71	Calm Calm	60	10		Overcest
21	700	893	75'3	68°g	623	70	Calm	;	10		Oitto
2+6	698	891	75 ²	68'9	624	71	Calm	16	10		Ditte
2 21 2 35	698	891 886	75 4 76 1	688 696	617 637	71 71	Calm Calm	-	10		Ditto.
2 51	689	881	76.4	693	623	69	Calm	.	10		Nimbus all aver
36	695	877	76 g	699	639	69	Calm	er6	10		Ditto
3-21	681 677	872 868	78 1 8 8	697	615 614	63 61	Calm	7.	9	i	Ci Cu cloud, sky clearing up. 5 lower clouds Upper clouds, Ci Cu from N
3 36 3 51	674	865	79'4	69g	605	60	NNW	44	3		Nimbus clouds.
46	'670	861	79.8	70'0	628	59	NNW	42	8	1	Lower clouds stratus from N upper clouds,
	1	1]	Ci Ci

CUDDALORE.

Long. 79° 52'E.

Five hundred and thirty-eight miles from central line of totality. Greatest obscuration 7.

Hoor.	BARO	METER.	ı			1		tral line	1	anty, Greatest obscuration 7.
Madras time.	Corrected and reduced to 32° F.	Reduced to sea- level and con-tant gravity.	Dry bulb corrected.	Wet bulb corrected.	Aqueous vapour pressure.	Relative humidity.		Amount since preceding interval, in miles per hour.	Cloud proper- tion,	Weather and other rimares.
A.M.,	. •	•	•		•	%				
10.0	50,002	29'948	75'8	72'2	743	84	N		8	<u>'</u>
10-15	110.	952	76°0	72'2	740	83	N	0'4	8	
19-30	.013	*954	76'5	72"2	733	Bo	N		8	
10-45	.013	'954	77'0	72'4	735	79	N	44	8	Sky ash coloured, cloudy-
١							-			
11-0	,001	'954 '94a	77'8 79'0	72'4 73'8	'723 '765	75 77	N Nern	6'4 8'8	8	
11-30	20,000	'940	Boro	73'8	752	73	NEEN	0'4	8	,
11-45	'997	'93B	802	73'8	749	72	N	1'2	8	•
12-0	'991	932	804	73'8	*747	72	NE	28	8	1
P.M.	1									
0-15	985	926	80'0	7378	752	73	N	76	žo.	
0.30	975	916	800	73'8	'75 2	73	NNE	2.0	20	,
0-45	'958	1899	80.2	74'0	753	72	NNE	64	to	
1-0	958	-899	80.0	730	719	70	NE	52	10	
1-15	-958	1899	79'5	72.8	*717 *712	71	NNE	2'4	10	
1-35	1954	1895 1891	79°0	72°5	1692	72 70	WAE	2.4	to	
1-40	930	4880	79'0	72'0	692	70		***	***	
1-45	'944	885	79'o	72'0	*6g2	70	NNE	3.6	10	
1.50	.040	-88 ₁	790	72'0	' 692	70			***	,
1-55	1940	*88t	790	72'5	712	72	***		***	
]	١ ,				ļ	1	ł		Cloudy, but not very dark.
2-0	936	*877	79'0	73'0	732	74 j	NE	2.3	10	Cloudy, but not very dark.
2-5 2-10	'938 '936	·877 ·877	79'0	73'2 73'2	740	75 75				
2-15	936	-877	790	732	740	75	NE	372	10	
2-20	932	*873	79'0	73'8	765	77		***	***	
2-25	932	873	79.0	74'0	774	78				
2-30	· '932	·873	79.0	740	774	78	NNE	56	10	
8-45	,930	*871	79.0	74'2	•78z	79	NNE	4'4	ŧo.	
3*0	·918	859	800	750	·802	78	NNE	9.6	8	Sun almost brightly for four or five minutes, when a few drops of all fell. Afterwards the sky looked dim and cloudy until 4.7.18., when he hearm clear and the way begins as usual.
3-15	·928	•86g	79%	75'0	816	82	NNE	40	8	
3:30	928	*869	79'5	250	*809	80	NNE	4°B	8	
3*4 5	1928	·86g	79°5	752	*818	81	NNE	tro	8	
4-0	932	873	79'0	750	*826	82	NNE	72	, 8	

MADURA.

Long. 78° 10'E

Five hundred and fifty-four miles from central line of totality Greatest obscuration 7

Hour	BARO	MRTUR		1	l	П] v	/IND		T	test obscuration 7
Madras time.	Corrected and reduced to 32°F	Redoced to sea level sod constant gravity	Dry bulb corrected	Wet balb corrected,	Aqueous vapour pressure	Relation borned to	Direction	Amount since preceding soterval, a miles per hoar	propor	Propert on of ocluse total ty to	Weather and other remarks
A M	•	,		٠	*	7.					
10-8	29 564	29 .02 0	79'8	692	573	57	NNE		وا		b
10-23	560	946	80 a	695	582	57	NNE	52	و ا		Almost the whole sky covered with S colouds passing to W
10 38	559	945	802	698	589	57	NNE	68	8	ł	S Cu clouds covering a large portion sky and Ci. S. cleads a small portion in
10-53	555	940	8org	698	581	56	NNE	72	8		sky and Ci. S. eleads a small portless to S. Cu. elouds covering a large port on of s and Ci. S. elouds a small portion in E.
11 8	554	938	81 S	70"1	580	53	NNE	40	6		,
11 23	543	946	82 7	70'1	569	51	NNE	60	5	j l	A Ca clouds to the zeoth and E. and C. C
11 38	538	920	837	702	558	48	NNE	48	6	ļ	clouds lu W
11 48	535	917	839	704	563	48	NNE	60	8		Eclipse commenced at 11-47 A M from S. V
11 58	535	917	842	70'5	564	48	NNE	48	8	2	Eclipse commenced at 11-49 A M from S. W S Cu clouds in the zenth and A Cu cloud in W Ditto
PM		ł		Ì	ĺ						
0-8	534	915	847	713	587	49	NNE	54	9	4	Ditto
0 18	530	912	83 1	70'8	590	51	NNE	48	9	1	p-18 Pu to 2 Pu ten hidden by clouds
0.28	524	907	818	70°5	581	52	NNE	42	9	ŀ	S Cu clouds in the senith and E
0-38	511	904	821	70 E	576	52	NNE	60	10	İ	0-39 p 11 to 1-38 p 11 aky whally covered mak S. Ca cloads pass og wastnords
0-48	515	898	818	70'0	576	53	NNE	60	10		
0-58	514	898	813	700	583	55	NNE	66	10	1	
1-8	510	894	8009	700	587	56	NNE	42	10		
1 18	503	887	809	703	601	57	NNE	60	10	- 1	
1 28	497	881	80'9	70'1	593	56	NNE	60	10	1	
1-38	493	877	809	70"1	593	56	NNE	48	In	ł	
1 48	485	86g	8org	70'1	593	56	NNE	72	9	^	Cu elouds in E. and S Cu elouds in other parts of sky Do. passing westwards.
1 58	485	869	811	701	590	56	NNE	78	9	1	Do. passing westwards.
28	479	863	81 6	70 2	585	54	NNE	60	9		Ditto
2 18	477	861	818	70'2	584	54	NNE	96	9	2	n very slightly obscured
2-28	473	857	823	702	577	- 1	NNE	54	9		a-36 r u the eci pse ended fall round suo naible, S Cu. clouds passing nestwards
2 38 2 53	469 469	851	82 7	71 4	618		NNE	48	9	13	Almost the whole sky covered with 5 Cu clouds moving westwards
* 53	409	853	820	71 2	620	57	NNE	84	8	ĺ	
3-8	469	852	819	70'6	598	55	NNE	88	10	h	
3 23	469	852	817	70 f	60I	56	NNE	68	10		
3-38	475	860	80 7	70'3	602	-	NNE	88	10	}.	The whole sky was completely covered with
3 53	477	861	Bory	70*2	599	57	NXE	48	10		The whole sky was completely covered with S. Ca clouds passing westwards end the sun was not visible
4-8	477	861	8o 5	702	597	57	NNE	48	10	/	

Five hundred and sixty-five miles from central line of totality. Greatest obscuration 7.

		Five i	undred	ana six	ty-pve t			_			,. 5/6	atest ou.		 -
Hour.	BAROME-					W	ND.	Cro	UD.	Respec	Nocturant	Self-regis- teriog	Non-self-	
Madras time.	Corrected and reduced to 32° F.	Dry bulb corrected.	Wet helb corrected.	Aqueous vapour pressore,	Relative humi- dity.	Dîrectien.	Amount sioce preceding interval, in miles per houe.	Proportion.	Kind.	Proper- tion of eclipse, totality 10.	radiation thermo- meter corrected.	solar radiation thermo- meter corrected.	register- ing solac radiation thermo- meter corrected.	WEATHER AND OTHER REMARKS.
A M. 10-12	23,136	486	367	095	% 28	NNE	-	Nil			56.7	94'7		Clear.
10-27	198	49'1	37'2	100	28	NNE	50		•••		56.7	1082	***	Do.
10-42	202	49'1	373	, '102	29	NNE	50				56.7	109'5		Do.
10-57	204	49'6	38'3	*116	32	NNE	50				56.7	1124		Do.
11-12	.306	501	38.3	.111	30	NNE	3.0				56.7	111.2		Do.
11-27	202	20.2	38.3	107	28	NNE	3.0	.,,		1	56.7	1126	110.1	Do.
11-42	1198	500	387	110	30	NNE	3.0	,,			56.7	1165	113.6	Do.
11-57	108	500	379	'097	26	NNE	3.0	-	,,,		56.7	116.3	113.7	Do.
P.M. 0-12	196	509	37'7	1091	25	NNE	40	.,		\	567	1158	1126	Do. Eclipse began at oh. 11m. 35s.
0.12	194	51'0	377	1090	25	NNE	40	-		1	56.7	1152	112'0	Do
0-22	194	50'9	38.2	101	27	NNE	40	N	,	1	56.7	1120	1 07.8	Do.
0-27	188	510	378	1092	25	NNE	40			2	567	111.2	100.0	Do,
0-32	185	'51'2	3812	1098	26	NNE	40			2	56.7	11172	105.3	Do,
0-37	188	51'5	38.3	1097	25	NNE	4'0			3	56.7	1088	103'2	D ₀ ,
0-42	1	51"1	3810	'095	26	NNE	470	»		3	567	1057	99.8	Do.
0-47	188	500	37'9	7095	26	NNE	470	,,		4	56.7	101,2	962	Do,
0-54	1	51'5	38 9	108	29	NNE	4.0	,,		4	56.7	98.2	926	Do.
0.57	1	51'5	387	.101	28	NNE	40	n		4	56-7	95'5	89'3	Do.
1-2	182	1	37 8	1094	26	NNE	40	,,		5	56.7	91.6	855	Do,
1.7	181	1 .	380	'tot	27	NNE	40	,,		5	56'4	858	797	Do,
1-1:	1 .	1 * 1	37'9	100	27	NNE	4"0			5	56'3	837	783	Do.
1-17	1		369	1080	25	NNE	40	,,		5	53'3	789	73'6	Do.
1-2	1 "		37'0	1090	25	NNE	470			6	51'4	74'7	696	
1-27	1 -/-		37'0	1001	25	NNE	40	,,		7	50'4	71'7	674	Do. Relipse was greatest at 1'27 P. 25.
1.3	169	1	363	*083	23	NNB	40	۱.,		6	49'7	69.3	651	Do.
1-3	1 168		36 6	'089	26	NNE	40			6	49'3	67.4	64,5	Do. Eclipse began to decrease at 1-37 P.M.
1-4		٠,٠٠	364	-088	26	NNE	40		ļ	6	45.2	672	61.5	Do.
1-4	116		36-6	1089	26	NNE	470	"		5		67'5		Do.
1•5		49'1	36.3	'084	24	N	4.0	"		5	***	63.8		_
1-5	1	407	36.3	*087	25	N	40	"	-	4		71'5		1
2-2	16:	7-,	363	1087	25	N	40	"		4		74'8		
2-7		49.	36'8 36'4	*093	27	N	50	"		4		827	79"	Do.
2-1	7 46	49'0	36.8	'094	27	N	50	,,		3		877		
2-2		49.	37'0	098	28	N	50			3 2		91'4		
2-3		72	37'0	1098	28 28	N	50	"	"	ì		98:	95	Do.
2-3	7 15	49'3	37'1	'097	27	N	50	, n		1		101"		
24	1	. 773	371	1097	27	N	20	,	"			101,		Do Felinet wholly disap-
2-4	1	. 1 "	37'2	'098	27	N N	2.0	"	"		-	107	'	Do.
3**			37°3	°098	27	N	50	,,	41			1071		Do.
34		1 49 /	373	,100	28	N	4.0	"				106	100	Faw Ci. clouds moving from
3"	17 '16		1 -	107	28	N	40	"			•••	105	١.	and continued passing till
45			38:3	'111	30	N	4'0	1	Ci	1		105	1 .	4-13 P.M.
4-1	12 16	9 507	38.3	104	27	Cain	1 4.0	j z	Ci			101	9 90	٠

Five hundred and eighty four nules from central line of totality Greatest obscuration ?

Madras time	Corrected and	Reduced to sea-	Dry builb	Wet		l	_	Угир		- 1	
	reduced to 12° F	lorel and constant grav ty	corrected	ł bolb	Aqueous vapour pressura	Relat w bumdety	D rect on	Amount since preced a interval as in les per house	Propo		Weather and other remares.
AN		,	٥			7.			7	_	
10 1	30 005	29'903	72 6	704	715	و8 و8	NNE		1	- 1	
10 16	001	899	72'8	705	717	8g	N	72		10	to-t Am to 2-6 Pm drizzl og 10-1 Am to 1 11 Pm da
10 31	29'999	897	73 1	70-6	717	88	NW	172	1 1	0	tori Am to 2-5 FM drizzi og 10-1 Am to 2 11 FM da chomy weather The day dawned with dark gloomy weather light more north and light showers. Sun hardly vauble during the At the supposed time of echage it resembled a darky for The acather was cloudy and with drizzi or an anti-
10-46	994	892	733	70 6	715	87	NW	8.8	1 1	.	At the supposed time of eclipse it resembled a dosky in The acather was cloudy and with drizzling in at a torora the wind varying in force from light, to other a
11 16	992 978	890 876	738	70 6	707	85	NW	76	,		the wind varying in force from light to strong and a Sea smooth to si ght. The succeed on make make and the
11 31	972	-B69	743 75°2	70°9	712 711	85 81	NNE	88	1		The weather was cloudy and with driving ran at reterent the wind waying in force from light to strong and a Sea smooth io sight. The succeeding might and the following contract the same. Total rainfall up to 4 are succeeding to the same.
11 46	954	861	753	71 3	714	81	NW	972	1	٥	
11 56	960	858	749	710	707	8 2	NW	7º2	,	- 1	
01								į		1	
0-6	958 956	856 854	743	70'8	702	84	N	132	1	۱ ،	
o ti	952	850	73 8	71 2	720 731	86 88	NW	132	1		
0-16	950	848	73 7	70'9	722	87	NW	108	[*		
0-21	948	846	137	70'9	722	87	NW	96	1 1		
0-26	946	844	73 7	709	722	87	NW	36	1	- 1	
0 31	942	840 838	73 7	70 8	716	86	WNW	24	10	١.	
0 41	938	836	73 7 73 8	709	722 720	87 86	NW	36	10	•	
0 46	938	836	738	709	720	86	N/A 14.14	12	30		
0 51	938	836	737	70 8	716	86	NW	108	30		
0 56	,635	830	739	710	721	86	NW	36	10		
16	930	828 826	739 741	710	721	86	NW	36	10		
1 11	928	826	742	761	723	86	NW	96	10	.	
1 16	928	826	742	71 1	717	85 86	NW	36	10	1.	torn torgern durky twight
1 21	928	826	744	712	722	85	NW	36 60	10	1	and the matrix two But
1 26	926	824	745	71 2	721	85	NW	72	10	1	
1-31 1 36	924 918	822 816	74 8 74 9	71 4	724	84	NW	72	10	1	
1 41	916	813	75'0	71 4	724 726	84 84	NW	12	10	1	
46	914	812	749	713	720	83	NW NW	316	10		
51	910	808	749	71 4	723	84	w	24 60	10	ŀ	
56	908	8oG	748	71 2	718	83	w	7.2	10		
6	906 906	804 804	744	70 9 70 9	712	84	W	48	10	1	
ı ir	904	802	743	71'0	712	84 85	NW	36	10	i	
16	904	802	743	70'9	713	84	NW	36	10	2 11	TPH to S-SIPH Mining
21	902		742	710	717		NW	48	10	1	
31	900	- 1		711	722	:	NW	60	to		
35	898		. 1	713	726		NW	84	10		
-41	898	796	741	712	726		NW I	72	Io		
-46	898	**		710	720		NW	72	10	2 35	P w to 2-36 P w driesling and dark gloomy weather
51	896 896		- 1		721		NW j	24	10		
30	8g6				715 750		MIA	72	10		
16	896	794	738	- 1	747		N	48	10		
31	893		- 1	718	752	90	E	36	10	312	n to pron raining
46	893 893			- 1	752		ALA	68	10		
	-30		74.5	726	776	91 1	W	64	10		
- (- {						- 1		ı

TINNEVELLY (Palamcotta).

Long. 77° 44' E.

Five hundred and uinety-three miles from central line of totality. Greatest obscuration 7.

Hour.	BAROI	IRTER.				Ī	W	ND.	CL	pro.	
Hadras time,	Corrected and reduced to 32° F.	Reduced to sea-level and constant gravity.	Dry belb cerrected.	Wet bolb corrected.	Aquengs vapoer pressure,	Relative hamidity.	Direction.	Amount since preceding interval, in miles per hour,	Proper-	Kind.	Weather and other remares.
A.M.	•	•	•	•	٠	7					
10-10	29·E40	29:939	Sa-1	670	'56 t	55	NNW	_	8	S. Cu.	The sky heavily clouded throughout the day.
10-25	·832	*931	50°S	690	.221	52	wxw	474	8	Cu.	
10-10	-832	.031	8or3	69:0	.25g	54	ĸ	48	8	Cu.	
10-55	·\$54	*933	Sr.9	700	'574	52	N	26	8	Cu.	
11-10	-834	,633	82.3	200	-564	50	N	10'4	4	А. Сц.	
11-25	·£25	,özt	tyı	70'1	.263	49	WKK	20	9	€u.	
11-40	·Fat	. 655	£3.1	\$a1	263	49	NNW	54.05	9	S. Cu.	
11-55	*815	'g\$7	£29	706	'572	47	N	60	10	S. Co.	
5.M.	-813	7911	£379	71'0	-586	50	NNE	ot	10	S. Cu.	-
0-25	*Soz	,620	&c1	71.8	-616	53	NNE	1978	10	5. Cu.	
0-10	'795	*E94	83'3	71'0	-575	51	NNE	64	4	A. Cu.	
6-55	7723	•E56	839	7179	.623	54	NNE	37	10	M. Co.	
1-10	7lo	-8;5	£219	752	.260	50	и	80	10	5. Cu.	
1-25	7,80	2;3	£1.0	70'1	'577	52	NNE	379	10	5. Cu.	,
1.40	7770	1663	816	71'0	·(-24	55	N	6:4	10	N.	
1.22	750	-858	128	71'0	1601	54	NNE	¢B	10	N.	
2-10	757	·\$5\$	839	71'5	1619	54	NNE	1.6	30	N.	
2-25	757	·855	£3'8	71'3	1000	52	N	68	10	N.	
2-40	'746	.513	Eta	77'0	.654	54	NNE	36	10	N.	
2-55	'740	·£37	839	72'0	-626	54	N	16ref	to	N.	
3-10	1740	·8 ₃₇	83.6	72.2	*637	55	NNE	3,0	to	N.	
3:25	1749	1837	fyo	72'3	-650	5#	N	374	10	N.	The eclipee turnicated.
3.40	750	£47	83.0	73"1	.631	58	И	173	10	N.	
3.22	757	*847	£3'4	730	*673	59	NNE	1.6	10	N.	
4-10	'750	*847	figo	72'3	1650	5 8	NNE	3.8	. 10	И,	

LUDHIANA.

Six hundred and three miles from central line of totality. Greatest obscuration 7

Hous	BARO	HEFER					W	IND.	I	1	
Madras tune	Corrected and reduced to 32°F	Reduced to sea-level and constant grav ty	Dry bulb corrected.	Wet hulb corrected	Aqueous vapour pressure.	Relative humed ty	D rect on	Amount since preceding interval le salles per hour	Cloud propor- tion	Proposition of ecl pice total ty to	Weather and other remarks
10 0 1 M	29'226	30'052	607	517	266	% 50	wsw		Nel		Weather line and atmosphere coof
10-15	231	°55	621	52 I	258	46	wsw	28		!	
10-30	233	034	63.7	537	282	48	W	24	, ,,	1	
10-45	230	046	659	537	253	29	WNW	32		1	
11-0	233	047	669	543	257	39	Calm	20	l	ļ	
11 15	230	041	68 7	54 7	244	35	WNW	20	"		
11 30	223	Q33	697	54.7	231	32	MMM	2'4			
11-45	*213	020	70'7	549	7227	30	MMA	44	,		Į.
12 O	210	014	719	557	*230	29	NW	36	,		
0 15	207	010	72'9	559	1223	28	NA	44	"		
0-20	209	012	73 1	55.9	*220	27	NW	60		,	Eclipse commenced from S W at 0-19 r
o 25	'207	010	73 1	561	226	28	NW	24		2	at the light
0 30	205	1007	733	55 7	313	25	NN	24	,,		Day-1 ght decreasing
0-35	195	29 997	73.5	55.7	209	25	NW.	36	,		
0 40	201	30'003	73 3	55 7	1212	26	NW.	бо			Day-light looked yellow
0 45	197	29,999	733	55.7	212	26	NW	36			To a reason yellow
0 50	190	30 001	733	557	212	26	WNW	60	,,	3	}
o-55	Igo	29'993	731	55.5	200	26	NW	48	"		
1-0	186	988	73'1	555	200	26	NW	24			
15	188	991	72 7	55.5	214	27	NW	24	<u>"</u>		
1 10	190	994	72 7	55'5	214	27	NW	48		4	
1 15	193	997	723	553	214	27	NW	36	"	7	
1 20	188	992	72 1	5571	311	27	NW	,6	1		
1 25	182	986	71 7	551	216	28	NW	36	"	5	
1 30	184	988	71.7	551	216	28	NW	36	"	5	,
1 35	184	983	71.5	551	217	28	NW	36	'	6	
1 40	126	980	713	54.9	214	28	NW	· 1	n		Day-light turned deep arange colour
1 45	176	980	715]	1		MA	24	"	7 6	only after on nert rateb transfe colon.
1 50	176	980	713	55.5 55.3	230 227	30	NW	36	٠	•	0
I 55	180	984	713	55.5	233	29	NW				Day-I ght was as dam as before sun set.
2-0	174	978	715	555	233	30 30	NW	36	2		
25	174	9,8	717	55.5	237	29	N	36	2		
2 IO 2 IS	174	977 976	719	557	230	30	NW	36	2	5	
2 20	172	973	733	\$5.9 \$5.7	233 212	29 26	NW	12 34	1	4	
2-25	174	977	725	56-1	233	29	NW	36	- i	3	
2 30	170	972 975	727	55'9	225	28	NW NW	36	1	2	Day-I ght getting brighter
2 40	174	975	72 9	563 567	235 238	29 29	NW	Go I	- ;	1	Barer
2 45	171	972	73 I	565	238	30	NW	48	i		
2 50 3-0	171	972	73.3 73.5	56 s	235 220	29 26	NW	48	1		Eclipse terminated at 2-49 P M
3 15	179	980	/35	56 5	233	20	NW	24	3	}	Patches of white clouds moving from W
3-30	175	976	737	56 5	231	28	NW	36	3	1	
3-45 4-0	185	986	737	56°9 50°3	241	29	# N#	40	3	İ	
4-0	107	307	739	2n3	273	26	ANA	56	2		

Six hundred and twenty-eight miles from central line of totality. Greatest obscuration 7...

	Houn.	Вапом	ETER.					"	txp.		CLOUD.		
10-4 39964 3993 768 738 795 86 N Cl. Ca. N NW to SSE 10-19 766 793 766 738 798 87 NNE 100 Cl. Ca. N to S Di 10-31 766 793 766 738 798 87 NNE 100 Cl. Ca. N to S Di 10-31 766 793 767 740 8a1 86 NNE 308 S. Ca. NNW to SSE 11-4 768 932 770 740 8a1 86 NNE 112 M. Ca. N to S Di 11-31 963 932 770 740 8a1 86 NNE 112 M. Ca. NNE to SSW Di 11-31 963 977 768 740 8a1 86 NE 8a S. Ca. NNW to SSE 11-34 963 977 768 740 8a1 86 NE 8a S. Ca. NNE to SSW Di 11-31 963 977 768 740 8a1 86 NE 8a S. Ca. NNE to SSW Di 11-32 973 973 773 743 740 8a1 86 NNE 300 Ca. NNE to SSW Di 11-39 993 923 773 744 8a1 8a NNE 180 Ca. NNE to SSW Di 11-49 974 975 977 776 740 8a1 8a NNE 180 Ca. NNE to SSW Di 11-30 973 973 773 746 8a1 8a NNE 180 N Ca. NNE to SSW Di 11-30 973 973 778 746 8a1 8a NNE 180 N N to S 2 11-31 973 974 778 746 8a1 8a NNE 180 N N to S 2 11-31 974 974 977 778 746 8a1 8a NNE 180 N N to S 2 11-31 974 977 778 746 8a1 8a NNE 180 N N to S 3 Di 11-31 974 974 975 778 748 8a1 8a NNE 74 A. Ca. NNW to SSE A 11-4 933 967 782 748 8a1 8a1 8a NNE 748 A. Ca. NNW to SSE A 11-4 933 767 782 748 8a1 8a1 8a NNE 748 A. Ca. NNW to SSE A 11-4 933 767 781 748 8a1 8a1 8a NNE 748 A. Ca. NNW to SSE A 11-4 933 767 781 748 8a1 8a1 8a NNE 748 A. Ca. NNW to SSE A 11-4 933 767 781 748 8a1 8a1 8a NNE 748 A. Ca. NNW to SSW Di 11-4 933 767 781 748 8a1 8a1 8a NNE 748 A. Ca. NNW to SW Di 11-4 933 767 788 748 8a1 8a1 8a NNE	Madras time,	Corrected and re- duced to 32° F.	to sea- level mod constant	Dry bulb corrected,	Wet bulb corrected.	Vanour	Relative humidity.	Direction.	since preceding interval, in miles	Kind,	Direction of molian	Proportion of eclipse, totality 10.	Wrather and other remarss
10-19	A,34,						7.						
10-13 7963 7966 7278 7998 87 NNE 1000 Cl. Ca. N to S	10-4	20'061	207928	768	23'8	795	86	N		Cī. Cu.	NNW to SSE		Sea rough.
10-34 -965 -930 766 728 -798 37 NNE 1000 Fr. Cu. NNE SE Sea 11-4 -963 -931 770 740 -801 86 NNE 1078 M. Co. NNE to SSW Did 11-4 -963 -937 765 740 -803 87 NNE 1078 M. Co. NNE to SSW Did 11-4 -963 -937 765 740 -803 87 NNE 11-8 M. Co. NNE to SSW Did 11-4 -963 -937 765 740 -803 87 NNE 11-8 M. Co. NNE to SSW Did 11-4 -963 -971 765 740 -803 86 NE 11-2 S. Cu. NE to SSW Did 11-4 -973 -973 765 740 -803 87 NNE 180 Cu. N. NNE to SSW Did 11-4 -973 -973 743 -809 86 NNE 300 Cu. NNE to SSW Did 11-4 -973 -974	10-19			166			87	NNE	10'0	C1. C1.	N to S		Ditto.
11-4	10-34	.966	.930	76.6			87			•			Ditta. Cloudy.
11-19 953 927 768 740 -863 87 NE 168 M. Co. NNE to SSW District 11-19 951 952 758 775 86 NE 11-2 S.Cu. NE to SSW District 11-19 952 953 768 740 -863 87 NNE 18-6 Cu. NNE to SSW District 11-19 939 923 768 740 -863 87 NNE 18-6 Cu. NNE to SSW District 11-19 939 923 773 743 -869 86 NNE 300 Cu. NNE to SSW 0.00 0.0	10-49	963	927	770	74'0	.801	86	NNE	30.8	5. Cu.	NNW to SSE		Sea slight. Ditto
11-31 19-3	11-4	968	1932	77'0	74'0	*501	85	NNE	112				Ditto ditto.
11-19 951 915 770 740 801 86 NE 80 S.C., NE to SW Sq.	11-19	963	927	1 '		-			168				Ditto ditto.
11:59 939 933 763 740 863 87 NNE 180 Ca. N. NNE 10 SSW											1		Ditto ditto.
P.													Ditto ditto. Sea amoeth, Litto,
0-4	11-39	959	* 52 3	703	740	-963	87	NNE	15'0	CIL N.	WE 10 52W		res annotif Litto.
0-9 933 917 776 740 818 86 NNE 300 Cu. NNE to SSW 0-5 10 11 919 913 778 746 815 85 NNE 150 M.Ca. N5 5 1 917 778 746 815 85 NNE 150 M.Ca. N5 5 1 917 778 746 815 85 NNE 150 M.Ca. N5 5 1 918 746 815 85 NNE 150 M.Ca. N5 5 1 918 746 815 85 NNE 150 M.Ca. N5 5 1 918 746 815 85 NNE 150 M.Ca. N5 10 N5 2 2 85 NNE 144 Fr. N. N5 5 2 85 NNE 144 Fr. N. N5 5 3 DE 144 943 907 778 746 815 85 NNE 144 Fr. N. N5 5 3 DE 144 933 907 778 748 820 85 NNE 144 Fr. N. N5 5 3 DE 144 933 907 778 748 820 85 NNE 144 Fr. N. N5 5 3 DE 144 933 907 782 748 820 85 NNE 144 A. Ca. NNW to SE 4 DE 149 913 907 782 748 821 84 NNE 144 A. Ca. NNW to SE 4 DE 149 913 907 782 748 821 84 NNE 144 A. Ca. NNW to SE 4 DE 149 913 907 782 748 821 84 NNE 144 A. Ca. NW to SE 5 DE 149 921 921 921 748 821 86 NNE 276 N NE to SSW 5 5 DE 144 923 867 778 748 823 86 NNE 276 N NNE to SSW 5 5 DE 144 923 867 778 748 823 86 NNE 276 N NNE to SSW 5 5 DE 144 923 867 778 748 823 86 NNE 276 N NNE to SSW 5 DE 144 923 867 778 748 823 86 NNE 276 N NNE to SSW 5 DE 144 923 867 778 748 823 86 NNE 276 N NNE to SSW 5 DE 144 923 867 778 748 823 86 NNE 336 NNE 150 SSW 5 DE 144 923 867 778 748 823 86 NNE 336 NNE 150 SSW 5 DE 144 923 867 778 748 823 86 NNE 336 NNE 150 SSW 5 DE 144 923 867 778 748 823 86 NNE 336 NNE 150 SSW 5 DE 144 923 867 778 748 823 86 NNE 336 NNE 150 SSW 5 DE 144 923 867 778 748 823 86 NNE 336 NNE 150 SSW 5 DE 144 923 867 778 748 823 86 NNE 336 NNE 150 SSW 6 DE 144 923 867 778 748 823 86 NNE 336 NNE 150 SSW 7 DE 144 923 867 778 748 823 86 NNE 360 NNE 150 SSW 7 DE 144 923 867 778 748 823 86 NNE 360 NNE 150 SSW 7 DE 144 923 867 778 748 823 86 NNE 360 NNE 150 SSW 7 DE 144 923 867 778 748 823 86 NNE 360 NNE 150 SSW 7 DE 144 923 867 778 748 823 86 NNE 360 NNE 150 SSW 7 DE 144 923 867 778 748 748 823 86 NNE 360 NNE 150 SSW 7 DE 144 923 867 778 748 748 823 86 NNE 360 NNE 150 SSW 7 DE 144 923 867 778 78 78 88 NNE 360 NNE 150 SSW 7 DE 144 923 867 778 78 78 88 NNE 360 NNE 150 SSW 7 DE 144 923 867 778 78 788 87 NNE 150 SSW 9 DE 144 923 867 778 788 88 NNE 360 NNE 150 SSW 9 DE 144 923 86	P.M.			ŀ									
0-14 933 917 778 746 815 85 NNE 130 M.Ch. N 10 S 1 DD 19-99 913 778 746 815 85 NNE 120 Fr.N. N 10 S 2 S DD 19-99 913 778 746 815 85 NNE 120 Fr.N. N 10 S 2 S DD 19-99 913 778 746 815 85 NNE 180 N N 10 S 3 DD 19-99 19-19-19-19-19-19-19-19-19-19-19-19-19-1	0-4	959	923					Į.	6601				Ditta. Ditto. Suanet
0-19		1953				•							Ditto, Son visible.
0-21 945 909 778 746 815 85 NNE 180 N Nto S 25 Nto 9-24 943 907 778 746 815 85 NNE 180 N Nto S 3 Dr. 180 Nto S 3 Dr. 180 Nto S 3 Dr. 180 Nto S 3 Dr. 180 Nto S 3 Dr. 180 Nto S 3 Dr. 180 Nto S 3 Dr. 180 Nto S 3 Dr. 180 Nto S 3 Dr. 180 Nto S 3 Dr. 180 Nto S 3 Dr. 180 Nto S 3 Dr. 180 Nto S 3 Dr. 180 Nto S 3 Dr. 180 Nto S 4 Dr. 180 Nto S		}											Ditto ditto.
0-49												_	Sea alight. ditto.
0-34													Ditto ditto.
0-99 0-99													Set rough. ditto.
0-44 033 -907 78 748 -917 84 NNE 224 A.Cu. NW to SE 4 Di												4	Ditto ditto.
C-49						1817						,	Ditto ditto.
0-59 9-77 8-51 77-8 74-8 8-13 8-6 NNE 27-6 N NNE 10 SSW 5-8 8-14 9-35 8-59 77-8 74-8 8-13 8-5 NNE 138-4 N NNE 10 SSW 6-5 DB 1-14 92-3 8-57 77-8 74-8 8-13 8-6 NNE 40-8 Cu. N RE 10 SSW 6-5 DB 1-14 92-3 8-57 77-8 74-8 8-13 8-6 NNE 40-8 Cu. N RE 10 SSW 6-5 DB 1-14 92-3 8-57 77-8 74-8 8-13 8-6 NNE 40-8 Cu. N RE 10 SSW 7-7 DB 1-14 92-3 8-7 77-8 74-8 8-13 8-6 NNE 45-6 N NE 10 SSW 7-7 DB 1-14 92-1 8-15 77-8 74-8 8-13 8-6 NNE 45-6 N NE 10 SSW 7-7 DB 1-14 92-1 8-15 77-8 74-8 8-13 8-6 NNE 45-6 N NE 10 SSW 7-7 DB 1-14 92-1 8-15 77-8 74-8 8-13 8-6 NNE 45-6 N NE 10 SSW 7-7 DB 1-14 92-1 8-15 77-8 74-8 8-13 8-6 NNE 45-6 N NE 10 SSW 7-7 DB 1-14 92-1 9-15 8-6 NNE 10-1 N NE 10 SSW 6-3 DB 1-14 92-9 8-15 8-6 75-8 75-8 8-6 NNE 27-6 Cu. N NE 10 SSW 6-3 DB 1-14 92-9 8-15 8-6 76-8 73-8 70-5 8-6 NNE 24-6 NNE 10-1 NE 10 SSW 6-5 DB 1-14 92-1 9-14 8-15 76-8 73-8 70-5 8-6 NNE 24-6 NNE 10-1 NE 10 SSW 6-5 DB 1-14 92-1 9-14 8-15 76-8 73-8 70-5 8-6 NNE 24-6 NNE 10-1 NE 10 SSW 6-5 DB 1-14 92-1 9-1 8-15 76-8 73-8 70-5 8-6 NNE 24-6 NNE 10-1 NE 10 SSW 6-5 DB 1-14 8-15 76-8 73-8 70-5 8-6 NNE 24-6 NNE 10-1 NE 10 SSW 6-5 DB 1-14 8-15 76-8 73-8 70-5 8-6 NNE 24-6 NNE 10-1 NE 10 SSW 6-5 DB 1-14 8-15 76-8 73-8 70-5 8-6 NNE 14-4 N NE 10 SSW 6-5 DB 1-14 8-15 76-8 73-8 70-5 8-6 NNE 12-6 NNE 10-1 NE 10 SSW 6-5 DB 1-14 8-15 76-8 73-8 70-5 8-6 NNE 12-6 NNE 10-1 NE 10 SSW 6-5 DB 1-14 8-15 76-8 73-8 70-5 8-6 NNE 12-6 NNE 10-1 NE 10 SSW 6-5 DB 1-14 8-15 76-8 73-8 70-5 8-7 NNE 10-1 NE 10-1 N	6-49		197	78 2					14'4		Nos		Sea elight ditte.
1-4 925	0-54	929	*893						15'6				Ditto ditto.
1-9 923 85 778 748 823 86 NNE 408 Cu. N. NE to SW 65 Di 1-14 921 888 778 748 823 86 NNE 336 A.C. NE to SW 7 Di 1-14 921 885 778 748 823 86 NNE 336 A.C. NE to SW 7 Di 1-14 921 825 778 748 823 86 NNE 336 A.C. NE to SW 7 Di 1-14 921 825 778 748 823 86 NNE 456 N NE to SW 7 Di 1-14 921 825 778 748 823 86 NNE 456 NNE to SW 7 Di 1-14 921 825 778 748 823 86 NNE 45 Fr. N. NE to SW 7 Di 1-14 929 911 825 723 743 820 86 NNE 45 Fr. N. NE to SW 65 Di 1-14 929 823 168 738 795 86 NNE 170 N NE to SW 65 Di 1-14 929 823 168 738 795 86 NNE 326 Cu. N. NE to SW 65 Di 1-14 929 826 768 738 795 86 NNE 36 Cu. N. NE to SW 6 Di 1-14 929 826 826 768 738 795 86 NNE 36 Cu. N. NE to SW 7 Di 1-15 929 820 861 768 738 795 86 NNE 36 Cu. N. NE to SW 7 Di 1-15 920 820 820 820 820 820 820 820 820 820 8	0.59	'917	·89t	77.5	748	-623	86	NNE	276	N			Sea rough ditto,
1-14	1-4	'925	E£g				85		384	N			Ditto ditto.
1-19 771 825 778 748 8-3 86 NNE 456 N NE 10 SW 7 DB 1-124 7913 8-77 778 748 8-3 86 NNE 1170 Cu. N NE 10 SW 7 DB 1-124 7913 743 8-3 86 NNE 1170 N NE 10 SW 7 DB 1-124 7913 743 8-9 84 NNE 1170 N NE 10 SW 65 DB 1-127 7905 8-6 NNE 1170 N NE 10 SW 65 DB 1-127 7905 8-6 NNE 1170 N NE 10 SW 65 DB 1-127 7905 8-6 NNE 1170 N NE 10 SW 66 DB 1-127 7905 8-6 NNE 1170 N NE 10 SW 66 DB 1-127 7905 8-6 NNE 1170 N NE 10 SW 67 DB 1-127 7905 8-6 NNE 1170 N NE 10 SW 67 DB 1-127 7905 8-6 NNE 1170 N NE 10 SW 67 DB 1-127 7905 8-6 NNE 1170 N NE 10 SW 67 DB 1-127 7905 8-6 NNE 1170 NNE 10 SW 7 DB 1-127 7905 8-6 NNE 1170 NNE 10 SW 7 DB 1-127 7905 8-6 NNE 1170 NNE 10 SW 7 DB 1-127 7905 8-6 NNE 1170 NNE 10 SW 7 DB 1-127 7905 8-6 NNE 1170 NNE 10 SW 7 DB 1-127 7905 8-6 NNE 1170 NNE 10 SW 7 DB 1-127 7905 8-7 NNE 1170 NNE 10 SW 10	- 1	.053										65	Ditto ditto.
1-24 791.3 6-77 778 748 8-3 86 NNR 192 Cu. N. NE 10 SW 7 Did 1-29 791 6-75 773 743 8-9 86 NNR 45 6-7 N. RE 10 SW 6-5 Did 1-29 795 6-69 768 738 795 86 NNR 24 6-7 N. NE 10 SW 6-5 Did 1-29 796 6-69 768 738 795 86 NNR 3-6 Cu. N. NE 10 SW 6-7 Cu. N. N		1923											Ditto ditto.
1-29 7911 -875 773 743 -807 86 NNE 45 Fr. N. NE 10 SW 63 Di -1-34 7090 -813 168 718 775 86 NNE 170 N -1-37 7965 -569 768 738 775 86 NNE 170 N -1-37 796 -569 768 738 775 86 NNE 36 Cu. N. NE 10 SW 6 Di -1-37 794 -868 768 738 705 86 NNE 36 Cu. N. NE 10 SW 6 Di -1-34 797 -865 768 738 705 86 NNE 36 Cu. N. NE 10 SW 6 Di -1-36 797 798	- 1					'		3					Ditto ditto.
1-34 1-90 1-873 1-98 738 795 86 NNE 170 N NE to SW 6 Di						(-						'	Ditto Sun not visible.
1-17							,					6.5	Ditto Sun visible.
1:44 993												6	Datte ditto.
1-34 99-4 8-68 76-8 7378 795 86 NNE 36 Cu. N. NE to SW			-	768			\$6	NNE	8-4	Fr. N.	NE to SW	6	Ditto 6.tto.
1-59 -89; -861 768 738 795 86 NNK x4 Fr. N. NR to SW Di	1-49		*858		73'8	*795	56	NNE	36	Cu. N.	NE to SW	ļ	Ditto Sun not visible partly cloudy.
2-4	1.51					705		}					Ditta ditto cloudy.
2-9 2-93 2-95 2	1-59	129;	·\$61	768	73 ⁻⁸	795	86	ZZE	7.4	Fr. N.	NE to SW	ļ	Ditto ditto ditto.
2-14	2-4	1893			73'8	795							Ditto ditto ditto,
2-19 2-19									,			25	Dista Sun visible, part
2-14		. 1			1				1				Ditto Sun not visible,
2-29	-												Ditto Sun visible,
2-34								•					Dato Dittu.
2·39								ı					m
2-44 792 854 75-8 730 775 87 NNE 163 Cu. N. N to S			-							١			Ditto Sun not visitle. Drizeling cale
2*44 799 854 75'8 73'0 775 07 N.E. 100 Cu. N. N. N. N. N.		- 1										J "5	Ditto. Sun risible ditto.
2-20 -805 -900 428 -228 -162 1 86 N -804 Cn N N to S ""						• • •						i i	Date, date ditte
		1 1											Ditte. Sun nut visible
3-4 487 4851 758 728 767 86 NNW 10-4 S.Cu. N 15-S													Ditto. Ditto dark gleom
3-19 256 850 758 728 707 85 XXV 120 V.Cu. XV to SE			- 1									h	Dithe. Sun visible ; parti
3-34 285 850 75'3 7NO 782 89 NW 192 S.Cu. N to S 3-49 286 851 74'8 73'0 789 92 NW 160 N N to S													Sea alleht, Sun not visible
	3 77	""	031	140	/3"		,	· " ·	,,,,	. "		ļ	Dark gloom
4.4 828 833 748 728 780 90 NNW 132 N NW to SE	4.4	-628	1853	74'8	72.8	780	ga	WKK	. 13,5	N	NW to SE		tilito ditto ditto.

AKYAB.

Six hundred and twenty-eight miles from central line of totality. Greatest obscuration 7

Hova.	BARDN	ETER.	1	1	1		W	(AB		1	
Madras bus.	Corrected and reduced to 33°F.	Reduced to sea- level and constant gravity	Dry builb corrected	Wet bulb corrected.	btcssore 49bont ydscons	Relative humid- itys	Descrion	Amount amos preceding interval, in miles per hour	Cloud, kind and prepor- tion.	Proportion of eclipse, totality 10.	Weather and other remarks,
A W.						76	1	1			
9-10	30'054	30'017	748	656	'545	63	NE		Not.		Blue sky turning pale towards borison; bor
9-40	'044	1007	75'5	67 a	*549	62	ENE	34	,		zon greysek. Ditto,
9-55	4040	003	76'2	674	554	61	ENE	3,3	, n		Dilto
10-10	038	001	765	678	201	62	ENE	32		ļ	Detto ;
10-23	1631	29 994	769	682	574	62	ENE	48		Ì	Dillo
10-40	025	280	785	696	604	бі	ENE	376	-	j	Dino
10-55	*018	*981	79'1	701	1617	61	ENE	44		1	Ditto.
11-10	1010	973	79'5	703	61g	61	E	40	*	ì	Ditto
11-25	19'995	958	798	793	4515	ба	ENE	32	,,,		Ditto.
1140	1993	956	8t a	70°9	623	59	R	36		ļ	Ditto.
11-55 PM.	·g82	945	81.0	70"3	боз	57	E	372	"	}	Data.
0.10	1978	140	817	7,97	505	56	ESE	32		ļ	D.II.
0-25	974	937	817	707	1000	56	ESE	40	"	j	Ditto.
0.40	*966	919	623	71.1	614	56	SSE	40		ĺ	
0.20	'959	922	827	72.9	4638	58	WSW	42	91 17	,	Date obscuration commenced fro S.W.
0.55	929	'022	826	794	661	60	WSW	36	"	,	Ditto.
1-0	957	*970	82 1	729	686	63	wsw	72	, ,		Ditts.
1-5	955	918	819	73.3	707	65	wsw	60	ı.	3	D ttu getting husy.
1-10	'955	81e.	817	73 3	'709	бs	WSW	78	ı,	4	Ditto ditto.
1-15	953	916	81 1	73.3	717	67	wsw i	84	,,		Ditto ditto.
1-20	953	916	800	731	' '716	68	WNW	60	,,	4	Ditto ditto,
1-25	954	917	801	729	716	70	wnw	48	Narrow.	5	Narrow belt of Ci thand towards sant.
1-30	'954	1917	795	7279	724	72	WNW	84	belt of Ci. Do.	5	Dritto elitio
1-35	952	'915	79'0	729	1730	74	WNW	60	Do.	6	Dinto ditto
140	952	915	781	73 0	745	78	WNW	60	Ďо	6	Ditto getting more hazy
1-45	946	'909	775	730	*753	8a	WNW	36	Do.	5	Dikto Dritto
1-50	'944	907	27 0	734	'776	64	WNW	48	Do.	6	Ditto Vilte
1-55	,0 ta	905	77 0	73.5	780	84	WNW	48	Do	6	Drito Drito.
2-0	'947	'905	77'0	73'2	1768	83	WNW	36	Do	7	Ditto Detto
2-5	942	'905	76'4	72 9	'763	84	WNW	60	Do	6	Dito Ditto.
2·10	934	897	76%	73'0	'765	84	WNW	36	Nel.	5	Blue sky turmug pale tuwanda henzun Hori zon greynb but getting brighter
2-15	935	898 898	76.6 76.4	729	760	83	WWW	48	"	4	Ditto, data getting brighter Ditto ditto ditto,
2 25	'935 '930	·893	704	72'9	'763 753	81 8t	WNW	48	"	3	Ditto ditto.
2•30	930	-B93	77 1	72'9	753	81	WNW	35		3	Ditto ditto
2-35	*930	893	77'0	726	.744		WNW	48		,	, Digto ditte.
2-40	928	891	772	72'0	716	- 4	WNW	36	,	1	Ditto ditto.
2-45	928	891	778	719	.203	- 1	WNW	72	. (Bright, sea's disc clear.
2 55	926	1889	780	717	*6g4	73	WKW	54	,		Ditto
3-10	÷926	889	77 8	70'1	·644	66	NW	40	,		Ditto.

HYDERABAD (Sind).

Long. 68° 27'E.

Six hundred and fifty miles from central line of totality. Greatest obscuration 6.

Hour.	Bangi						Wi		1		
			D=-	Wet	Agueous			Amount	1	Proportion of	
Madras time.	Corrected and reduced to 32°F.	Reduced to sea- level and constant gravity.	Dry bulb corrected,	bulb corrected		Relative humidaly.	Direction.	preceding interval, in miles per hour.	Cloud, lend and direction of matter	eclipse, totality 10,	Weather and Giber Remares.
A.M.	,	•		•	•		Ì				
10-0	20,005	30.022	67.7	56.0	.331	¥7	Calm	•••	A, Ca. SW toNE.		10 A.M. to 12-30 A.M. Nothing snuspal.
10-15	1003	-056	65.1	57'0	'315	45	Calm	1.5	Do.		
10-30	°coS	1060	717	58'6	'321	42	Calm	0.8	Da.		
10-45	*010	าดว่าล	73'4	59'4	'322	39	Calm		Do.		
11-0	°ood	.028	74'5	59%	313	36	Calm	٥	Do.		
11-15	1001	.053	74'4	593	.302	36	WNW	20	Do.		
11-30	297997	.018	750	60.0	'319	37	Calm	0.1	Do.		
11-45	1996	જાઈ	78.3	61-3	'317	32	SSW	116	Do.	1	11-45 A.M. to 1-45 P.M. Passing whitish clouds
11-50	991	,041	777	61.4	-329	34	Calm	۰	Do.	1	11-45 A.M. to 1-45 P.M. Passing whitish clouds varying from 2 to 5 in amount. Sky blue and clear where cloudless. Nothing unusual observed in aky or clouds during eclipse.
11-55	7972	1012	78.5	61'4	-318	32		***	Do.	3	Continue in any or a second se
12-0	958	.033	790	61.4	1312	31			Do.	2	
P.M. 12-5	955	'035	795	61.6	.311	30	SW	1.6	Do.	2	
0-10	955	'035	79'0	Gr4	313	31			Do.	3	
0-15		.031	Soo	61.0	315	31			Do.	3	
1 -	1	1 -		61.4		30	sw	3.5	Do.	3	1
0-20	1979	1029	79'5	62'0	,302				Do.	4	
0-25	'975	1025	797	1	.321	32			Do.	- 7	
0-31	1975	703.5	1	616	.311	30			Do.	4	•
0-35	973	.023	19'5	61.6	.311	30	SSW	a.u	Do.	· ·	
047	3/9	1019	,	616	'317	31	1	1 ''		4	
0-43	3/2	610.	79"1	61'7	,320	32			Do.	5	}
0-39	757	617	ļ	624	339	33	***	""	Do.	5	
0.32	'937	1007	787	Grg	'35?	33	ssw	3.8	Do.	5	
1.0	955	1075	788	61.6	7,20	32		***	Do.	5	
1•5	'953	.003	78.3	61.3	'317	32			Do.	6	
1-10	.919	: 29 999	77.8	61'3	1324	34	SW	3.8	Da.	6	
1-15	.010	מפי	750	613	.321	31	***		Do.	6	
1-20	1917	'977	78.4	614	.319	32			Do.	6	
1-75	*915	7975	784	614	'319	32	sw	173	Do.	5	1
1-31	1941		1	Gr.5	3:1	32			De.	5	
1-35	43)	'9\$9	75.8	616	-320	32	Colo		Do.	4	
1-40	1915	.985	1	62'4	337	33	Calm	0.4	1)o.	3	
1:45		.243		674	337	33		-	Do,	3	1
1.55	.927	977	Ers	623	.324	31	Calm	67.4	Do.	3	1
2-0	927	'977		626	-378	31	***	-	Do.	,	
2-5	925	575	1 -	626	'321 '317	30	Calm	1 03	Do.	,	
2-15	1 1	973		626	315	29			Do.	2	
2+71	917	3/17	825	626	'3''3	27			Do.	1	
2-1	, ,	7962		62'6	*320	26 28	WSW	6'0	Do.	'	
2-45				63'3	305	20	SSW	36	Do.		
30	914			63.5	341	25	SW	3.3	Do.		
3-1	1 -			Grg	287	25	SW	64	Do.		
3-34	1			63'2	*285 *283	23	SSW	3'6	Da. Do.		
3.43	116.	1 -		63'4	*2B2	27	SW	40	De.	<u> • </u>	
								-			U 2

Six hundred and sixty three miles from central line of totality Greatest obscuration 5

Hou	R B	ROMETER	<u>. </u>				ī		Wind		_		Greatest obscuration 5
Made time	Carred Carred Ceduce 32 ⁹ 1	d to level cons	and cor) lb [Wet bulb rected	Aqueous Vapour Pressure	Relativ hum dig	Durect	pre- nt	nount ince red og erval m les bour	Cloud proper- bon	Proport ecl p totality	ion of the Westher and other rawa
A M 8 51	6 29 &	4 300	31 ,	46	53 2	# 426	% 50	SV	,,			_	
9 11	i i		`.l '	. 1	34		}		1		Mil	1	F'ne clear weather
9 26	5 8o			- 1	46	415	45	SW	.	36	**	}	
9 41	79	1	1.		52	440	47	SII	. [20	*	1	
9 56			1.	[54	449 451	46	SW	1 '	4	29	i	
10 11	811	1 '	1.	- 1 -	58	456	45		. `	50	*		
10-26	820	1 '	٠, "	- 1 -	52	450	46	SW	. `	2	,	ł	
10 41	819		1 1			466	46	SW	_ "	2	*		1
10-56	820	1111	1	- 1		- 1	45	SW	, ,	2	,,		1
11 11	820	'04:	1	_ 1	2	473	43	SW	3	- 1	·		
11-26	822	045	1	1 "	- 1	473	44	\$W	10	1	,		
11 41	698	29 919	1	. 1	ŀ	479	43	SW	12	1	-		
11 56	698	919	83	1 "		4Bo	43	sw	1	6	,		1
P M	1690	911	83:		- 1	485	43	SW	6	۱,			
D-26	685	906	84:	1 -	1	465	40	SW	074		- 1		1
0 41	678	898	84	1		476	40	SW	68	: }	.		
0-46	677	897	84 7	1	1	470	39	SW	0.8		*		
0-51	677	898	843	1	. 1	470	39	SW	1,3		- 1		1
0-56	677	897	1	1 '	1	453	39	SW		1		2	Dira
11	627	898	847	1	1	470	39						
16	672	893	84 I 84 3	674		449	38	W	6.0				
1 11	669	*890	84 r	672	- 1	(39	37			1	.	4	Dite
1 16	668	889	841	68 2	ł	178	40				-		
1-21	668	889	82 6	68.2		178	40	W	116	1	.	5	D tto.
25	668	88g	826	664		33	38				-		
18 1	668	889	826	66.4	f	133	38	- 1		1	-		
36	648	869	822	664	1	33	38	w	0'4	١.	•		•
1 4t	648	869	82 2	662	1	31	39		•		٠		
46	660	882	82 2	66°2	1	31	39 1				٠		
51	660	882	82'2	66-	1		39	W	D				
56	660	882	82 2	66 2	1	31	39	ļ		ļ			
11	660	882	82 2	66.2	1		39	_		,			}
6	660	882	822	662				W	0	,			Ditte
11	654	875	826	664	43		39			,	1		D tto
16	654	875	82 6	664	43	- 1	38 38	_		.,			
21	646	866	83'3	666	4		38	W	08	,,			
26	644	864	83 3	646	36		31			19			İ
31	656	876	833	662	41			v		•			
36	°658	879	833	662	41	1	36	1	•	**			
41	6#8	879	83'5	66-2	41	J	35		-	*	-		
46	658	879	835	656	39	- 1 '	1	v	. 1	,			
-56	658	879	830	66 o	41,	I AF	6 V		04	**	1	1	Ditto Sky blus from commencement t termination of eclopse

KURRACHEE.

Six hundred and eighty-two miles from central line of totality. Greatest obscuration 6.

			unarea :		7			MO.	_	CLOUD			
Hour.	Corrected and reduced to 32° F.	Reduced to sea-level and constant gravity.	Dry balb corrected,	Wet bulb corrected,	Aqueous Vapour pressure,	Relative homidity.		Amount since preceding noterval, in miles per bour,	Pro- portion,	Kind,	Direction of motion.	Pre- portion of eclipse, totality 10.	WEATHER AND OTHER REMARKS,
A.M.	•	,	•	٠		%							1
	1		78·o	60.3	'. '597	62	wnw		4	Ci. Cu	W to N & NNE.		
10-53	30'075	30.026	700	092	397								
11-8	*075	,020	78.7	68·g	'577	59	WNW	fro	4	Ci. Cu.	& NNB.		Fine weather with passing clouds. Neighbourhood of the sun clear and bright.
11-23	'075	'056	79'0	68:9	·573	58	w	972	4		W to N & NNE.		,
11-38	'072	'053	80'1	69"1	.262	55	w	9'2	4		W to N		Ditto Wind increase iog slightly.
11-43	'066	'047	803	684	'538	52	w	30.0	4		Wto NE		Ditto
11-48	-064	.045	80'3	68 3	'532	51	w	316	4	Ci. S.	Wto NE		
11-53	1 .	*045	80'4	68'5	·538	51	w	2'4	4	CI.S.	Wto NE	1	Ditto.
11-58	*062	'043	80 5	. 68'7	'535	52	w	36	4	Ci. S.	Wto NE		Ditto.
P.M.			1	i				ا ا		Ci. S.	Wto NE		1
0.3	'060	1041	80.8	68-8	*544	52	w	36	3	Ci. S.	Wie NE		Ditto.
8-0	'058	,930	80'3	68.3	'529	51	w	8'4	3	1		-	5-130
0-13	1056	*037	80'3	68:3	'529	51	W	96	3	Ci. S.	Wto NE	1	
0-18	*054	'035	802	68 6	'545	53	w	13'2	2	Ci. S.	Wto NE		Ditto Clouds direlaish: ing fast,
	2052	7033	79'9	6971	1568	56	wsw	72	2	Ci. S	}	3	
0-25	1050	1031	79'7	694	'582	57	wsw	10.8	1	Ci, S	WSW.		Dilto.
0-3	1 -	1	1	697	*597	59	wsw	10-8	1	Ci. S.	to NE WSW. to NE		Ditto. Clouds clearing away towards N. E. Atmosphere getting clear and cool.
0-35	1 .	1 '	1 .	70'1	1620	62	wsw	8-4	1	Ci. S	WSW to NB.	4	
0-4			1	70'3	1625	63	wsw	72	I	Ci. S	to NE.		Ditto.
04	1038	*0 19	78.4	703	1634	65	wsw	60	1	Ci. S	to NE.	ļ	Clouds clearing ditto.
0.5	1036	'017	77'9	693	615	65	wsw	84 96	Net	***		5	Fine clear weather, Atmosphere still very clear,
05 05	'034 '032	.011	7770	70°1	619	65 63 63	WSW	8'4	**	-		1	Ditto.
1.8	7032	1013	1770	693 693 694	604 610	63	W	96	:		***	6	Ditto.
1 1	1026	1007	77.4	69.1	602	64	WSW WSW WSW	84 96	"				DRO.
1-2	1 1024	1005		20.0 20.0	1626	65 57	wsw	72	39			5	
1-3	022	1003	78.4	68.1	'550 '542	57	WNW	06	**		***		Weather exceptionally clear,
1.3	016	29 997	700	67'9 68 o	1 '516	55 54 54 53 55 59 48	WNW	72	, ,	:::	***	4	Temperature rising.
1-4	8 I '014	993	79'I 79'2	68.1	'538 '540	54	. wsw	48				١.	
1.5	010	001	79'5	68'1	.535 .530	53	WNW	8.4	"	:::	:::	3	
2-3	.000	080	79'9	67'0	1 '510	50	wsw	96	,	:::	:::	١,	
2-1	3 '00: 8 '00:	y gree	80 6 80 8	67.7	506 480	46 48	WNW	10.8	77		1	1 -	
2.2		98,	80'9	673	'48g	48	WNW	9.6	t	Ci. S	to NNE		Fine weather with passing clouds.
2-2	8 .001	982	81.4	67'9	593	47	WNW	1 1	1	Ci. S	to NNE		Ditto.
2:3	3 '00'	·982	820	68.3	'506	46	WNW	1 1	3	Ci. S	to NN	3.	Ditto,
2-7	8 'oo:	1980	821	683	'508	46	WWW		2	CI. S	I to NNE	u	
2-5	3 29 99	980	825	67:3	'466	. 42	W	64	3		Wto N	B 0	
3:	199	980	82.8	68 2	'496	44	WSW	1 '	Nit	Ci. S	NNE.		
3-	3 '99	980	82.6	68-1	'494	44	WsW	1	2	Ci. S	Wto N	!	
3.	gg. Bg	97:	82'9	70'1	'566	50	WSW	1 '	t	Ci.C	to NE.		
3.	3 99	97	826	69'7 69 3	1554	49	WSW	128	Nil		4		Fine clear weather. Wind increasing
4	99	8 '97	82.5 82.5	703	540 578	49 48 52	WSW WSW WSW	84		***			Ditto. Strong winds,
4	38 30 00 53 '00	o 98	1 82°0 5 82°1	70'3 69'7	562 635	51 58	WNW	100	27	· Iai		1	
1	- 1		- 1	.	1	1	1	J	1 -	(3)	1	1.	

LAHORE Sex hundred and muety-three unles from central line of totality. Greatest obscuration?

110	UR I	AROL	METER	_					\top	Win	D	1 /	Ctouro	1		t obsens	ration 7	
	Corre		Reduc	ed [איני לוט	Wet	Aques	Rel			Amount	 `	1	-	-			
Ale:		° F. I	to ser level a co ista gravit	ed com		bulb rected.	Vapor Present	T BW		ton F	aince réceding uterve! m miles per hour	Propo tion	Kind	Direction of mo- too	Propor- tion of teel pse, teta lity is	Nocturna radiation thermo- meter corrected	frankling bloom	WEATREN, OTHER REH
10-	24 29 3	39	30°04	- 1	37	6 543	299	20	Ca	ılın		-	A Cu	<u> </u>	-		 .	
10-		45	'05	1 "	44	542	-283	47	C	lm	ь		A, Cu	W to E	1. '	773	1170	AN Partral
10-	54] 3	59	o 6	4 6	58	54.5	277	43	1 10	, [D	1	1	W to E	l' i	773	1170	
21-	9 3	45	04	8 60	55 .	545 P	4159	40	Cal	_	_	1	A Cu	W to E		276	1182	transparent ing from W.
11-2	24 3	32	033	3 67	6	#5	254	37	W		08	°		•••	ΙI	785	12to	Ulue aky
11 3	9 3	32	03:	63		59	281		1	- 1	08	۰		-	1 1	8a 7	121.2	Do.
115	4 3:	15	023	1	11.	· 1		ήt	Nu	_ 1	08	1	C	W to E		847	1260	
≱ M 0•9	31		015	1	. 1 7	63	279	38	WN	1	16	0		l l		83.5	- 1	De
0-1	1	1	-	1	1 1	7 1	287	38	WVI	W	12	1	Cı	W to E		- 1	121.3	D ₀
0-10	7 "	1	*013	1 '	1.	72	286	38	\$17	<i>'</i>	12	1	C.	WtoE	0.2	842	1260	TH Clouds
	7	4	012	71	4 5	74	287	37	Calı	n	12		C ₁		1	83 7	124'2	the from over
0 24	1	1	1009	71	7 5	74	283	36	w		12			W to E	2	837	12270	10 1-29 PM 2-39 PM W 5 W Ect
0 29	J 34	1	003	71 8	8 5	32	306	40	Caln	, (172	-	Cı	W to E	2	82'9	1192	Commerced
0-34	'30	B	002	72 0	o 51	4	310	40	s		12	1	A Cu	WIOE	3	82'9	1188	commerced og P H from nad ended NE alla boet: P H extension over the d oc 1 mg a little pa the IV nursies Both the cities and internal c texts of shoe
0-39	301	3	002	718	57		296	38	Calm	.		2	Ci	W to E	3	842	1180	P M extension
0 44	302	29	g ggG	718	1	1	296	38		- 1	0	2	С	W to E	3	8279	1160	mg a little pa
0 49	300	1	994	718				1	Calm	'	12	2	C	W to E	3	825	1310	Both the extended and internal of
0-54	300		994	718	1 -	- 1	303	39	W	1	0	2	Ci	N IDE	3	820	1100	vers of share
0-59	300	1	994	718	1 -		296	38	WNW	'	12	2	Cı.	W to E	4	802	107 0	and internal citects of above wore thorough within the confider of the confider of the confider of the middle of the middle of the middle of the confider of t
14	303	1	997	71 8	58	- 1	306	40	Caim	1	12	2	Ci	wsw [. [1070	scipse became
1-9	298	1	1		58	1	306	40 1	Calm		.	1 1.	A Cu	VSW	1	197	102 5	oman while eather and
1=14	298		992	71 8	58:	- 1	306	40	Calm	١,	12	. //	A Cu	O ENE	- 1	78,3	903	kh uesa de
1 19	298		992	718	58 :	- ('	306	40	Calm	١.	.	1/		O EN B	- 1	77.5	955	
1 24	296		993	716	58 :	1 '	308	40	Calm	١,	.	- 1	_ 4	USW	- 1 '	768	940	
1 29	291		100	716	584	3	15	41	Calm	١,	2	2	- 10	FNE	1 '		garó	
1 34			986	716	587	3	24	42	Celm	١,	,	2 A	- Ite	ENC	- 1	- 1	898	
1 39	289		183	71 6	589	3	31	43	Calm	١,	1	- 1	_ to	END	. [,	892	
1 44	289)83	71 6	584	3	13	41	Calm	١.	- 1		. 1"		1 -	f2 1	B8 8	
49	287		81	71.6	584	3	15	41	Calm		1	1	- I"	to E	1 -	12 8	8-2	
54	287		81	71.6	58,5	31	9	42	Cates			-	- "	to E	"	1 8	92	
	287	30	81	716	585	31	9	42	Calm	۰			- 1	to B	75	0 9	06	1
59	279	9	72	718	584	31	z .	40 (Calm	0	1 2	1	- 1	10 E 4	75	3 9	38	1
. 1	283			718	590	*33	ır .	i	Cilm		- 1	1	- 1	to E 3	76	8 90	57	j
9	.287	98	So	72 o	587	81	- 1		Cilm		1 2	1	. [to E 2	781	100	0	
14	279	197	72	72'3	589	32	- 1	- 1	alm	-	2	19	" ["	lo E 2	79	104	2	į
19	279	397	72	726	5872	•29		- 1	alm	•	1 2	0	1	10 E 2	812	108	0	ı
24	779	97		72 6	58 2	293	٠١,	- 1	alm	0] =	C	1	o E ı	815	110	8	- 1
34	277	96 96	-n (729	58.2	1291	. 1 .		alm alm	0	2	C			837	114.	в	- 1
39	277 277	90 90	<u>۶</u> ۶	735	584 588	302	3		N I	12	2 2	C		1 '	837	117		- 1
54	273	96	° '	737 734	59 I	309	1 3	C	alm	0 4	2	Ĕ	W	E nz	84 7 86 3	120 0		- 1
2,1	275	96	ء ا ۽	43	58.0	295		- (1	12	3	Ğ	WS	wı	857 849	1238	1	1
39 54	277 278 280	96) 96)	7 7	47	59°2 59°2 60°0	200	33 34 33	6	ilm ilm	08 I 2	3 2	Ç:	It E I	E	845	1220		- 1
9	280	968	7	50	- (312	33	C	lan lan	1 2 0 4	0 2	Cı	!	1 1	834	1180	Blue sky	. 1
4	283	97:		56 58	60°2	318 316	35	Ç.	lm	σ4	2	Ci	W to	- I J	807	116-2		- 1
			<u> </u>		- 1		35	C ₄	1794 - 1		1 5 1		W to		817	1035		

LEH.

Seven hundred miles from central line of totality: Greatest obscuration 5.

House	BARO-	<u> </u>				W	ND.	C	LOUD.	1
Madras time.	Corrected and reduced to 33° F.	Dry bulb corrected.	Wet bulb corrected.	Aqueous vapour pressure.	Relative humidity.	Direction.	Amount once preceding interval, in miles per hour.	Propor- tion.	Kind.	Weather and other rumares.
A,M.	,		a	,	%					,
10-10 10-15 10-20 10-25 10-30 10-35 10-40 10-45	19'822 '820 '815 '813 '805 '805 '810 '809 '801	261 271 271 271 271 279 281 281 291 290	22'0 22'0 22'0 22'0 22'8 22'8 22'8 23'5	-085 -079 -078 -078 -082 -079 -082 -081	52 54 52 53 53 53 53 53	sw sw sw sw	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	3 :: 4 ::		
10-55 11-0 11-5 11-10 11-15 11-20 11-25 11-30 11-35	*801 *807 *807 *799 *793 *793 *788 *788	29'1 29'1 29'1 29'1 29'4 29'9 30'1 30'1	23'5 23'5 23'5 23'5 23'5 23'5 24'0 24'0	082 082 082 082 080 076 081 081	53 53 53 53 46 49 49 49	sw sw sw sw	16 116 14	n iioiioii	1 1 Pi 1 Pi 1 Pi	Cloud amount increasing rapidty in NE.
11-40 11-45 11-50 11-53	786 786 783 783	30.0 30.0 30.0	24'3 24'4 24'4 24'5	*085 *081 *081 *082	47 48 48 47	sw sw	674 1270	5 4	gs GR	Direction of higher clouds, SW, to NE, 2 few seem to, more in opposits direction.
72-0 F.M. 0-5 0-10 0-15, 0-20 0-25 0-30 0-35 0-40 0-50 0-55	7777 7777 7773 7773 7762 7764 7764 7764 7764	31.0 31.0 31.0 31.0 31.0 32.1 32.1 32.0 32.0	24-8 250 153 - 253 254 255 255 260 260 253 253 250	'083 '085 '085 '085 '085 '085 '086 '092 '084 '084	49- 50- 53-48- 48- 48- 48- 51- 47- 44-	sw sw sw sw sw	: :8 ::2 :5 :5 :5 :5 :5 :5 :6 :8		CL.S. C.S. C	Ct, means to develop into Qu. All clouds in SW, look dark in the excite.
1.0 1.5 1.10 1.25 1.20 1.25 1.30 1.45 1.45 1.55	*758 *754 *752 *744 *742 *742 *725 *725 *726 *726	31'0	245 245 245 245 245 245 240 238 238 235 235 235	*074, *074 *074 *074 *072 *067, *068 *066 *066 *066	41 41 41 41 41 39 39 39 39 39	sw sw sw sw sw sw	572 	5 6 7	Cu,CiS Ci,SCu Ci,SCu Ci,SCu	Colour of clouds very grey, (yellowith).
2-0 2-5 2-10 2-15 2-20 2-25 2-30 2-40 2-45 2-50 2-55	"718 "718 "718 "715 "707 "707 "707	31.1 31.4 31.6 31.9 31.9	23'5 23'5 23'5 23'5 23'5 23'8 24'1 24'4 24'4 24'4 24'4	*e66 *a66 *o66 *o66 *o68 *o71 *o72 *o72 *o72 *o72	39 39 39 39 39 39 39 39 39 39	sw sw sw sw sw	24	8 9	CI, SC	
3-0 3-5 3-10 3-2 3-2 3-3 3-3 3-4 3-4 3-5 3-5	703 707 707 707 707 707 707 707 707 707	31.9 31.9 31.9 31.9 31.9	24'4 24'4 24'4 24'4 24'4 24'4 24'4 24'4	'072 '072 '072 '072 '072 '072 '072 '072	39 39 39 39 39 39 39 39 39	SW.	28. 08. 36:	7 8 9 8,	Ci. Cu.	
4.1	5 70	31'9 7 31'9 7 31'9	24'4 24'4 24'3	'072 '072 '071	39 39 39	sw	28	7	A.S.	

Seven hundred and five miles from central line of totality Greatest obscuration 6

Hour	1	ARON	ZZTER					1	-	_	(#p	Ť					obscuration 6
-	ا		_	- [1	ŀ	w	(HD	-	Cı	OUD			
Madra hme,		ced	Reduce to sea leve and constan gravity	el corre	nip 1	Wet bulb rected	Aqueou vapou pressur	baz	and 1	Direct on	Amous ence pe codin Interva in sode per hos	1	Proper- tion	R.		ropert of of eclipse, total 19	
l.,	1 .	1			•			7	x			7		-	—¦-		
10-28	29.50	93 Is	30'051	60	, ,	56	265	1	8	Calm		1		_			İ
10-43	51	- 1	058	70	,	66		1 1	8	Calm		1	1	Ci	- 1		1
10 58	Sc	,, l	052	72		71	277	1	- 1		ľ°	1	1	Cı	- 1		
11 t3	50		1049	73	- }	73	269	3	` J.	Calm	12	1	:	Cı	1		1
11-28	49	- 1	*040	74	1	- 1	262	3	- 1	WSW	0.8		1	Ct	s		
11 43	48	- 1	031	74	1	76	257	3	- 1	W	16		r	Cı	s		
11 58	48:		1020	1	- 1	76	257	3		SIV	16	1	1	Ci	s		
N.	4		020	75	9 50	16	264	30	,	SW	32	П	- (Cı	s	- 1	
0 Z3	479	,	016	76;	3 58	4	251	22	. .	sw	36	ļ	. 1	C: :		- 1	
0-23	470	1	007	76	1 -	. 1	244	27	1_	rsw			1			- 1	Eclipse commerced at a S P M
0-28	469	1.	'007	75 9	1 .	- 1	249	27	1"	s	42	1	1	Cis		1	
0-33	466		003	76.4	1 1	- 1	257	27	1	w	48	l	•	C) S	- 1	2	Dayl ght d m obscured past of the a looked red sky clear
a 38	464	1.	1001	76-1	1 7		246	27 27	1	SW	36		1	Ci S		2	D tto d tte.
0-43	46a	29	997	26 6	1 -	- 1	240	26	1	W	48		· (Cı S	- 1	3	
0-48	458	1	995	26 6	1		255	28	1 -	SW	60		1	Cı S		3	
0 53	456	1	993	76'1	58	1	246				48		1	Cı S		3	
0-58	454	1	991	26 6	58 9	- 1		27		SW	60		2 Í	C: S		4	
13	454	1 '	191	76 I	1 .	1	263	29	1	SW	48		1	Cı S		4 0	louds grey sh white, sky blue dayl ghi d and slightly sedd sh
18	452	1 -	101		58 1	- 1	246	27	1	SW	60		.	Cı S		4	D (to,
1 13	450	1 -	80	75 9 76 1	58 1	1	149	27	SS		36		. 1	Cı S	Ι.	.	D tto.
1 18	448		87	•	58 2	1	246	27	SS		36	1	: (Cı S		5	Drito.
1 23	446	1 1	85	756	57'9	1	247	28	"	- 1	60	1	1 (Cı S] ;	;	Difto
1 28	446	.98	- 1	754	57 6	1	240	27	W	- 1	84	1	1	i S	1 6		D Ito.
33	446	98	1	75 3	57*6		142	28	"	- 1	60	1	- 0	à S	6		D eta
38	444	98	- 1	753	57'9	1	49	28	W	- 1	48	1	10	15	5	Day	d ght increasur
43	444	98	٦,	75 1	575	t	42	28	SII	'	84	ı	0	i S	5	1	D the
48	441	98	. 1	75 I	57 6	1	44	28	SW	- 1	9 6	1	C	ı s.	5		D'ito
	439	97	.	756	581	1	53	28	SW	1	96	2	C	15	5		Dilto.
اما	439	97	- 1	75 6	58 1		53	28	SSI		72	2	C	s	4		D tto.
	437	97	- 1	76°I	58 r	24		27	SSV	1	72	4	C	s	4		Ditto.
	437	•••	·	761	58 I	24		27	SW	1	34	2	c	s	3		D tto
	435	97:	- 1	769	58 9	26	- 1	28	S	1 2	12	2	G	s.	3		Ditto
. 1	432	956	. ! '	773	59 I	26	- 1	27	S	4	4	2	Cı	s	2		Ditto
28	432	968	. 1 '	77 1	58 g 58 g	725		28	S		6	2	G	- 1	2		D tio.
	432	967	1 2	78 z	593	25		27 26	S	1 -	2	2	Cı		1		Ditto
	430 430	966 966	. 1 1	74	59 I	-26	- 1		SSW	14		2	C	s s.	1		D to-
48 .	430	'966		73	593 594	26			SW	8		2	0		ı		s terminated
	430	955	7	81	Go'I	28:		28 28	Viz Vize	10		2	Ci			Fine we	ather with passing clouds. Ditto
_	428 424	964 939		79 8-6	for	284		29	S	7		2	Cr				Dit to.
43 4	127	962	7	8 2	604	284			SW	6.	١,	2	Ct S				D tto
	133	958	7	84	6009	303			VSW	70		2	Cis				D tto.
- 1	133 137	*968 *973		8 r 78	60°6	~97		r s	SW	44	, ,		Cis		-		D tto
				- 1	000	301	1 3	1 1	SV	76		· i	CI S.	^}			I

No. 133. Lat. 20° 15' N.

MINBU.

Long. 94° 58' E.

Seven hundred and twenty-two miles from central line of totality. Greatest obscuration 7.

Marie Company Compan	Hour.	BARONE-				_	w	IND.			
9-1 29865 760 649 455 49 ESE WILL 9-10 6858 770 649 455 49 ESE WILL 9-10 6858 770 649 455 49 ESE WILL 9-10 6858 770 660 450 460 NE 24 Ditto ditto 10-11 6841 806 667 454 42 ENE x0 Ditto ditto 10-16 687 818 667 454 42 ENE x0 Ditto ditto 10-16 687 818 667 454 42 ENE x0 Ditto ditto 10-16 687 818 667 454 42 ENE x0 Ditto ditto 11-17 804 817 667 456 39 ESE 24 Ditto ditto 11-18 804 817 667 450 39 ESE 24 Ditto ditto 11-19 804 817 667 450 39 ESE 24 Ditto ditto 11-19 804 817 668 448 35 NNE 24 Ditto ditto 11-10 703 847 668 448 35 NNE 24 Ditto ditto 11-10 703 847 668 448 35 NNE 24 Ditto ditto 11-10 703 867 667 333 E 32 Ditto ditto 11-10 703 867 667 333 S E 32 Ditto ditto 11-10 703 867 667 333 S E 32 Ditto ditto 11-10 703 867 667 333 S E 32 11-10 703 867 667 334 23 11-10 703 869 699 393 31 ESS 36 Ditto ditto 11-10 703 869 699 393 31 ESS 36 Ditto ditto 11-10 703 867 667 337 23 11-10 703 869 669 393 32 ESS 37	Madras	Corrected and reduced	Dry bulb corrected.	Wat bulb corrected.	VBDOUF .	becomildan.		preceding interval, in miles	mortron	echase,	Weather and other remarks
9-16			1	1 1			ESE		wet		Fine clear weather; whole sky blue.
9-16	l l		1 '	1 1	"	1	1 1	1 1	1 1	i	
9-15 84, 795 660 460 46 NE 24 101 410 10-16 837 818 667 454 42 ENE 230 10-16 837 818 667 454 42 ENE 230 10-16 837 818 667 454 42 ENE 230 10-16 837 817 667 454 42 ENE 230 10-16 837 837 667 436 39 ESE 24 11-1 804 837 667 410 35 Calm 32 11-16 792 847 666 488 35 NNE 24 11-14 771 857 666 405 33 ENE 572 11-14 771 857 666 405 33 ENE 372 11-16 771 877 673 396 390 Calm 12 10-16 731 869 669 393 31 ESE 376 10-16 731 869 669 393 31 ESE 376 10-16 731 869 669 393 31 ESE 376 10-16 731 869 669 393 31 ESE 376 10-16 731 869 669 393 31 ESE 376 10-16 733 894 667 322 23 11-16 722 897 657 322 23 11-16 722 897 658 316 32 33 11-16 722 897 658 316 32 33 11-16 722 897 658 316 32 33 33 34 35 35 35 35 35		1	1 '		1		1 1	1 1	1 1	i	
9-46 8-99 795 600 400 40 N.C. 24		-	1 -	1 1	1 '	1 1	1 1	1 1	1 1	i	
10-16 847 848 666 73 7454 44 ENE 20 m Ditto ditto			1		1 '	1 1	1 -	1 1	1 1	ı	
10-31 824 826 665 437 40 NNE 32 11-16 827 656 448 35 NNE 24 11-16 773 827 666 448 35 NNE 24 11-16 773 827 666 448 35 NNE 24 11-16 773 827 666 448 35 NNE 24 11-16 773 827 666 448 35 NNE 24 11-16 773 827 666 448 35 NNE 24 11-16 773 827 666 448 35 NNE 24 11-16 773 827 666 448 35 NNE 24 11-16 773 827 666 448 35 NNE 24 11-16 773 827 666 448 35 NNE 24 11-16 773 827 666 448 35 NNE 24 11-16 773 827 667 738 35 35 37 38 37 38 37 38 38 48 657 673 326 30 Calm 12 12 12 12 12 12 12 1	10-1	1	1	1 1	1			1 1	1 "	i '	
10-46 817 831 667 436 39 ESE 24 " 11-11 804 837 669 440 35 Calm 32 " 11-16 792 847 666 448 35 NNE 24 " 11-31 784 847 660 390 33 ENE 52 " 11-46 771 857 666 4405 33 E 32 " 11-46 771 857 667 7388 31 E 32 " 11-46 771 857 667 657 388 31 E 32 " 11-40 731 869 669 333 31 ESE 36 " 11-41 877 673 396 39 Calm 12 " 11-41 877 673 396 39 Calm 12 " 11-40 731 854 650 5310 23 W 40 " 11-41 723 897 657 332 23 " 11-41 723 897 657 331 23 " 11-41 723 897 657 331 23 " 11-41 724 897 657 333 23 " 11-41 724 897 657 333 23 " 11-41 724 897 657 331 23 " 11-41 724 897 657 313 23 " 11-41 724 896 649 284 20 " 11-41 719 896 649 289 21 SSW 44 " 11-41 719 887 633 243 18 " 11-41 719 887 633 243 18 " 11-41 719 887 633 243 18 " 11-41 719 887 633 243 18 " 11-41 719 887 633 243 18 " 11-41 719 887 633 243 18 " 11-41 719 887 633 243 18 " 11-41 719 887 633 243 18 " 11-41 719 887 633 243 18 " 11-41 719 887 633 243 18 " 11-41 719 887 633 243 18 " 11-41 719 887 633 243 18 " 11-41 719 887 633 243 18 " 11-41 719 887 633 243 18 " 11-41 719 887 633 243 18 " 11-41 719 887 633 243 18 " 11-41 719 887 633 243 18 " 11-41 719 887 633 243 18 " 11-41 719 887 633 243 18 " 11-41 710 877 631 251 19 " 11-41 712 877 631 251 19	10-16	-	١		1	1 !	1 1	1 1	1 1	i .	
11-1		1 .		1			1 ' 1	1 -	!!	i	
11-1	10-46	1	1.	1 '			-	1 1	1 1	ı	
11-16	11-1	-804		i		1	1 1	1 1	1 1	i	
11-31 784 847 600 190 33 ENE 512 # Ditto ditto P.M. O-1 761 867 667 1388 31 E 32 # Ditto ditto O-16 731 869 669 393 31 ESS 36 # Ditto ditto O-31 741 877 673 136 30 Calm 12 # Ditto ditto O-51 734 869 657 132 23 W 40 # Ditto ditto O-51 730 869 657 132 23 W 40 # Ditto ditto O-51 730 869 657 132 23 W 40 # Ditto ditto O-51 730 869 657 132 23 W 40 # Ditto ditto Dit	11-16	*792		1		1	1 1	1 1	[*]	í	
11-16 771 857 606 49 33 E 32 " Ditto ditto	11-31	784						1 1	- 1	i	P.150
O-1		'771	85'7	668	.405	33	E	3"2	1 * 1	i	Ditto
0-16 751 869 669 393 31 ESE 36 "Ditto ditto Dits dit ditto Dits ditto Dits ditto Dits ditto Dits di		61	867	66 7	**188	11	E	172	1.,	i	Ditto ditto
O-31 741 877 673 398 30 Calm 12 O-46 737 894 655 310 23 W 40 O-51 730 896 657 322 23 I-1 727 897 665 341 25 SSE 572 I-1 728 897 657 313 23 I-1 728 897 657 313 23 I-1 728 897 657 313 23 I-1 728 897 657 313 23 I-1 728 897 658 316 23 SSW 56 I-1 724 896 660 322 23 I-1 724 896 660 322 23 I-1 724 896 660 322 23 I-1 724 896 660 322 23 I-1 724 896 660 322 23 I-1 724 896 660 322 23 I-1 724 896 660 322 23 I-2 717 888 639 7263 19 I-3 717 888 639 7263 19 I-4 719 887 632 243 18 I-4 719 887 632 240 I-50 717 884 642 278 21 I-51 717 884 642 278 21 I-50 717 884 647 326 20 I-50 717 887 630 249 19 I-50 717 887 630 249 19 I-50 717 887 631 251 19 I-1 712 877 631 251 19 I-2 710 875 626 234 18 I-2 710 875 626 234 18 I-2 710 877 627 254 19 I-2 710 879 627 254 19 I-2 710 879 627 254 19 I-2 710 879 627 254 19 I-2 710 870 627 234 18 I-2 710 870 627 234 18 I-2 710 870 627 234 18 I-2 710 870 627 234 18 I-2 710 870 627 234 18 I-		1								i	Ditto ditto
0-46 737 894 695 310 23 W 40 m				1	1	1 -		1 1	1 1	i	Ditts ditto
0-51 730 850 657 322 23		1			1		1 1	1	"	i	Eclipse began ; sun obscared at its lower part, The
0.56 733 894 660 1327 23		1	0	1	1 -	1	1 1	1 '		i	MING MAS MITTER
1-1		1	9011		1 -	1		1		i	
1-1	1 . ~				- '	1 -		1 1			Clouds of cirrus type seen towards north-west, but not
1-11 723 897 657 313 23		1 '''		_		1	1	1 1	"	, .	ps-mng.
1-16	1			1	1	_			1 1	i	
1-16			'			1 -				١ .	
1-26 719 896 649 1284 20	1		00	_	1 -			1	"	1 -	1.
1-31 777 894 649 289 21 SSW 44 " 4 Ditto seem towards south. 1-36 717 888 639 263 19 " Clouds seem towards S and N W were ditto san shines dim. 1-41 719 887 633 243 18 " Clouds seem towards S and N W were ditto san shines dim. 1-46 717 887 632 240 18 WSW 72 5 1-51 717 884 642 278 21 " 6 Circus clouds towards S disappeared to " 7 2-1 711 879 636 265 20 WSW 60 7 2-6 713 876 630 249 19 " 2 2-11 712 877 631 231 19 " 2 2-11 712 877 631 231 19 " 3 2-12 710 875 628 243 19 " 4 2-21 70 875 626 236 18 WSW 84 \$ 5 2-21 70 877 632 254 19 " 4 2-24 708 877 622 234 18 " 4 2-31 708 877 622 234 18 " 4 2-44 704 877 622 231 17 " 4 2-44 704 877 622 231 17 " 4 2-55 704 877 678 212 17 " 4 2-57 704 877 678 212 17 " 4 2-57 704 877 678 212 17 " 4 2-57 704 877 678 212 17 " 4 2-57 704 877 678 212 17 " 4 2-57 704 877 678 212 17 " 4 2-57 704 877 678 212 17 " 4 2-57 704 877 678 212 17 " 4 2-57 704 877 678 212 17 " 4 2-57 704 877 678 212 17 " 4 2-57 704 877 678 212 17 " 4 2-57 704 877 678 212 17 " 4 2-57 704 877 678 212 17 " 4 2-57 704 877 678 212 17 " 4 2-57 704 874 678 1212 17 " 4 2-57 704 874 678 1218 17 WSW 1000 " 4 2-57 704 874 678 1212 17 " 4 2-57 704 874 678 1212 17 " 4 2-57 704 874 678 1212 17 " 4 2-57 704 874 678 1212 17 " 4 2-57 704 874 678 1212 17 " 4 2-57 704 874 678 1212 17			00				1			i	
1 36		1	٠ ا		}	1			1 1	1	Printer and Invested Shullis
1-41	j -				_	+			1 1	1	Ditto seed towns
1-46	1 36	717	1			1 -7			"	ĺ	Clouds seen towards S and N W were disappearing, an
1-51	1-41	.719	' I	1	1	ì		1	- 1	i	the sun shines dim.
1.56 717 884 64 72 278 21	1-46	717		1 -	1 '	Į.	WSW	'-		I -	Cirrus clouds towards 5 disappeared totally.
2-1 711 879 636 226 20 WSW 60 11 7 2-6 713 876 630 249 19	1.51	717		4	1 '	l .				· •	Childs Coding marine a combiner
2-1 711 719 630 149 19 22 2-11 712 877 631 1231 19 22 2-11 712 877 631 1231 19 22 2-12 710 875 628 243 19 2 2-23 708 877 632 254 19 2 2-36 708 877 632 254 19 2 2-31 798 875 626 236 18 WSW 84 2 2-31 798 875 626 236 18 WSW 84 2 2-31 798 875 626 236 18 2 2-41 704 877 622 221 17 2 2-46 704 877 621 228 17 WSW 1070 2 2-51 704 874 618 212 17 2 2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2	1-56	717	88.4				-	1	. !	1 _	
2-11 712 877 631 231 19	2-1	711		63.6	*265	20	wsw	60	- 1	7	
2-11 712 877 631 251 19	2-6	'713	87-6	63 a	249	19			- 1	1	
2:16 710 87'5 62'8 743 19 WSW 84 " 5 2:17 710 877 632 254 19 " 4 2:26 708 877 632 254 19 " 4 2:31 798 87'5 626 256 18 WSW 84 " 3 2:26 706 877 626 224 18 " 2 2:41 704 877 622 221 17 " 2 2:41 704 877 621 218 17 WSW 1070 " 1 2:51 704 877 621 218 17 WSW 1070 " 1 2:51 704 874 61'8 212 17 " 4 4.6 704 874 61'8 212 17 " 4 4.7 704 874 61'8 212 17 " 4 4.	2-11	712	87.7	63.1	'251	19	l l	1			
2-21 710 877 632 254 19	, 2-16	710	87'5	62'8	243	1	wsw	8.4		5	
2-20 700 97 03 2 2-3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	1		1 .			1 .		1	1 1	1	
2-35 706 877 626 234 18	1			_					1 1	1	
2-41 704 877 62'2 221 17 " 2-46 704 877 62'1 '218 17 WSW 10'0 " 2-51 '704 874 61'8 '212 17 " Very little part of the sun is obscured.	1 -				1	1			1 "		.†
246 704 877 621 128 17 WSW 1070 " 1 Very little part of the sun is obscured.	2-41	704		62.3	*221	17				1	
Very little part of the sun is obscured.	2-46	704	87.7					1			
2-56 704 877 610 211 16 1 *** 1	2-51			€1.8 €1.8	212	17		ì	n		
2-56 .704 877 619 211 16	4					71.		. 1	1 1	1	2-6 r.u. sun was seen clear.

Seven hundred and thirty-five miles from central line of totality. Greatest obscuration 7.

Hove.	i Baro	METER.	1		, , , , , , , , , , , , , , , , , , ,				eine of	totatity.	Greniest	obscuration 7.
11000	-		-].		l		Wieb.	0	buo,		
Medras time.	Corrected and reduced to 32°F.	Reduce to sea- level and constant gravity.	bilb corrected	Wet bulb corrected	Aqueous repodr pressure.	Relativ	e Directio	Amous since precedin inderval in mile per hose	Propor-	Kind.	Proportion of totality 10,	Weather and other rem
A.M. 10- 0	20.505	30.020	59'6			% 56					<u> </u>	
10-15	204	'048	61.6	51'9	'287	56	Calm	-	3	Ci.		Cloudy. Sun shining brightly
10:30	'205			52'4	*274	49	Calm	. •	3	Ci.		Ditto. ditto.
10-45	'207	'045	63'8	23.8	'283	48	Calm		3	Ci.		Ditto. ditto.
11-0		'045	65'0	54'9	'299	49	Calm		3	Cī.		Ditte. dilto.
21-15	*20G	'046	66.1	360	'317	49	wsw	1'2	3	cı.		Ditto dilte.
11-30		'036	67.0	563	'314	47	Calm	3.0	3	CI.		Ditto, ditto,
11-45	198	.031	68.0	573	.330	48	Calm	e/8	2	Ci ,		Ditto. ditto.
12:0	.191	'027	68.4	57'2	'322	46	sw	21	2	Ci.		Dittu. ditto.
P.H.	.180	,018	69'2	S7'7	'326	46	WNW	28		Ci,		Disto ditto
0-10	.186	.014	70°8	59°0	'345	45	Calm	1:8	3.	Ci,	1	Ditto, Eclipse continuoseed.
0.12	182	,010	70'8	59'1	.348	46	Calm		3	Ci.	•	Ditto.
0.20	1279	*005	71'0	59'2	*348	45	Calm		3	Ci.		Ditta.
0-25	1277	'002	71'8	59'4	'343	43	Calm		3	Ci.	. '	Ditte.
0.30	1777	'002	71'8	59'2	*328	43	WNW	Fo :		CL	*	
0-35	175	'002	71.8	59'2	*328	43	Calm	4	4	1		Ditin:
0-40	1272	29'997	71'4	5816	'325	43		1	4	Ci.	3	Diffe.
0.45	1271	996	7£'8	50.5	'338	43	Calm	***	4	Ci.	· i	Ditto. Cloud around the tun.
0-50	1169	'995	71.6	588	327	73 42	Caim	er6	5	Çı.	1	Dilto.
0.55	'166	992	71.6	58.4	'316			٥	5	Ci.	i	Ditto. Sun tovered by this lay
ž+ 0	162	987	71'8	20,2	338	41	Caim	١٠	5	Ci.	2	Dittu,
1- 5	*160	985	71'8	20.5	*338	43	Calm	١٠	5	Ci.	1	Ditto.
1.10	*158	984	71'4	58-6	325	43	Calm	۰	5.	Ci.		Diftu,
1-15	158	985	71'3	58:2	'313	42	Calm	۰	5	ci.	6	Dirto.
1-20	154	180	70'8	59'0		42	Calm	۰	5	Ci,	' 1	Ditte.
1-25	154	980	754	59'4	'345 '348	45	Calm	٥	5	Ci,	?.	Ditto. Cloud around the sun.
1-30	154	981	71'0	'		45	Calm	•	. 5	Ci,	. 1	Ditto,
1-35	153	978	71'0	59.3	348	45	Calm	•	5 .	Ci.	6	Ditto
1.40	'152	979	71'0	\$9'z	348	45	Calm	•	5	Ci.		Ditto.
2-45	150	976	71.6	59'2	'348	45	Calm	•	5	Ci.	1.1	Ditlo.
1-50	146	972	716	59'9	362	47	Calm '	•	5	Ci.	5 .1	Ditto.
1-55	146	971	71'4	59'4	355 j	46	Calm	.	5	Ci.		Dino,
2. 5	148	973	71'2	59'2	345	45 45	Calm		5	Ci.		litto,
2.10	148	973	71°8 72°4	59'7 50to	'335	46 .	Calm	٠.	5	Ci.	". D	itto. Sue clouded,
2-15	142	'966	72'6		354 352		Calm VNW	٥	5 1	Ci.		itto, Ditto
2-20	144		728	60'2	356		Calm	I'2		CI.		itto, Ditto
2-30	148				349	43	Calm	•	5	Ci. /	3 D	tto. Sun covered by thin layers of cloud,
2-35	150	973	1	1	350 334	43 42	Calm	12	6	Ci.	. bi	ito.
2-40	'146 '146		730	60°0 .	346		Alm .	1.3		CI. ,	I Die	
3. 0	152		- 1			42 · (alm .	ь	6 6	3.·]	Die	
3-15	152	'976		['			/NW	68	6	1	Dit	to. Sala covered by Goods.
3·30 3·45	*154 *158		73'2	50'1	47		alm .	6		i	- Die	
	162	! '			54	44 / C	alm .	ъ ქ.	7 CL		. Die	n. Ditto.
				-3 3	30	4r c	alm	•	7 Ci		Ditt	

MOOLTAN.

Long. 719 33E

Seven hundred and fifty-two miles from central line of totality. Greatest obscuration 7.

Martens Reduced to season Proportion of the season Proportion of th	love. I	BARON	UKTER,	· ·	1		1	l w	IND.		CLOUP			I
8-35 29619 307039 SS1 4975 782 64 Calm NII	edras	and educed to	to sen- level and constant	Dry bulb corrected.	balb	vapour	Reletive humesty.		Amous I sioce precoding interval, in miles	Prapor-		Direct	Proportion of eclipse, totality to	WRATHER AND OTHER ROMARK
9 25	A.M.	•	•	•	•	•	%							
935	8-35	29'619	30039	22.1	49°5	-282	64	Calm		มส	**			Sky clear from 8-35 A.M. to 3- P.M. and cloudy from 3-35 F.
9-35 -6-38 -6-34 -6-13 -3-13 -2-45 -4-4	9. 5	-622	1039	58:3	50'3	260	53	Calm	۰	,,				to 4:35 P.M. Thick cloud sudden appearing in the SW, at 3:35 P.
10-35	9-35	1628						Calm	0.3		•••			
10-35	10- 5	-612	.013	602	570	*256	42	SE	64					
10-50				i '				1)	1		
11-20 '639 '644 71'0 56'5 '266 36 SSW 04	10-50	.641	1052	68.a	l			s	28	,,				
11-20 '639 '644 71'0 56'5 '266 36 SSW 04	11-5	648	2054	fors		'256	76	SSE	0.8					,
11-33	- 1		1											
11-50	11-35	636	,030	1		263	-	SE	1'2	i i				
0 - S '6-28 '1030 74'0 57'5 '256 31 SSE 64 n Slightly core Signature State	11-50	634	'037	73'0		*270	34	SSE	9.6	,				
75 692 743 775 750 31 55E 74 74 74 75 755 750 31 55E 74 74 74 74 74 75 75 75	7.M.							l						Pater
0-25 611 012 74'S 58'O 264 31 S 72 11 11 11 11 12 12 13 14 14 14 15 15 15 15 15	- 1				57'5	1	l			n		1	obscured.	from SE. The largest portion the zun's disc obscured was a li over then two-thirds, after wi
0-45	- 1		1	ł		ı	Į i		į .	1			obscured,	over then two-thirds, after wi the obscumtion secreased completely cleared in one t
0-45	- 1			1	1 -		i	1				1		ned 18 mientes towards N The mys of the sun were of br
0-55 29/992 74/5 580 264 31 SE 1/3 4 1-5 591 1992 74/5 57/5 1250 30 SE 370 5 1-15 582 7984 73/3 57/9 1275 34 SE 1/2 6 1-23 57/2 1974 73/3 58/3 1993 35 Calm 0 7 1-35 57/2 1974 73/8 59/5 1300 39 Calm 0 6 1-45 57/0 1971 73/8 59/5 1300 39 Calm 0 5 1-55 57/0 1970 74/3 60/0 1306 38 Calm 0 4 2-5 55/9 195/9 75/2 60/1 1320 37 Calm 0 3 2-15 56/3 196/2 75/5 60/1 1315 35 Calm 0 3 2-15 56/3 196/2 75/5 60/1 1315 35 Calm 0 1 2-25 55/9 195/9 75/9 60/1 1316 35 SE 3/6 1 2-35 55/9 195/9 77/0 61/5 1341 37 SE 1/6 1 3-3-2 56/3 196/1 77/0 61/5 1341 37 SE 57/2 3-3-3 56/1 195/9 77/0 61/5 1341 37 SE 57/2 3-3-3 56/1 195/9 77/4 61/5 1335 36 SW 6/8 2 A. Cu. SW to NE NE 3-50 155/0 195/0 77/4 61/5 1335 36 SW 0 4 A. Cu. SW to NE NE 3-50 156/1 196/2 77/4 61/5 1335 36 SW 0 4 A. Cu. SW to NE NE 3-50 156/0 196/0 76/0 61/3 1348 39 Calm 0/8 5 A. Cu. SW to NE NE	- 1			} `	1			1						commencement to so min befere the end of the eclipse.
1-15	0-55	'591	1	1			,	ł				.,,		
1-15	1- 5	'Sat	'002			*250		SE.	1 20					
1-43 572 974 73'5 58'5 293 35 Calm 0 1 7 1-35 577 974 73'0 58'0 284 35 Calm 0 1 6 1-45 570 971 73'8 59'5 330 39 Calm 0 1 5 1-55 570 970 74'5 60'0 336 38 Calm 0 1 5 1-55 559 9870 74'5 60'0 336 38 Calm 0 1 4 2- \$ \$ 559 9870 75'5 60'1 330 37 Calm 0 1 3 2-25 561 960 75'8 60'1 315 35 Calm 0 1 1 2-35 559 998 76'4 60'5 316 35 SE 36 1 A very little obscurration remained. 2-50 961 999 77'0 61'5 341 37 SE 1'6 1 3-3-0 963 961 77'0 61'5 341 37 SE 572 1 3-3-3 561 999 77'4 61'5 335 36 SW 68 2 A. Cu. SW to NE 3-50 556 954 77'4 61'5 335 36 SW 0 4 A. Cu. SW to NE 3-50 567 960 76'0 61'3 348 39 Calm 0'8 5 A. Cu. SW to NE NE	- 1		1			i		1	1		ļ		ı	
1-35 '572 '974 73°0 58°0 '284 35 Calen 0	:-25	*572	1				i	Calm	۰	1	ì		7	
1-55 '570 '970 74'5 60'0 '336 38 Calm 0	1.35	'5 72	'974	73'0		1284	35	Calm		19			6	1
2- S '559 '959 752 60'1 '320 37 Calm 0 3 3 2 3	1-45	'570	'971	73'8	5975	'320	39	Calm	٥	,,		•••	5	
2-13	1+55	'570	'970	74'5	60°a	*326	38	Calm	٥		***		4	}
2-25	2. 5	'559	959	75'2	60'1	*320	37	Calm		,	***		3	.
2*35	2-15	'563	1962	75.5	60'1	315	35	Calm		,,		•••	,	
2·50	2025	'561	1960	75'8	Gora	'312	35	Calm	٥			***	1	
2-50 '561 '959 77°0 61°5 '341 37 SE 1°6	2:35	'559	'958	764	60'5	.316	35	SE	3.6				obscuration	Periectly cleared at 2-31 p. u.
3-30 'S63 '961 '770 61'S '341 37 S 372 "	2:50	'561	'959	77'0	61.2	'341	37	SE	1.0				remained.	
3-20	3. 2	1561	'950	770	61:5	'341	37	SE	52	۱.				
3-33	- 1		1	ľ	1		ļ	1	1	1 "	l	ı		
3·50 '556 '954 77'4 61'5 '335 36 SW o 3 A. Cu. SW to NE 4·5 '564 '962 77'4 61'5 '335 ' 36 SW o 4 A. Cu. SW to NE 4·20 '567 '966 160 61'3 '348 39 Calm o'8 5 A. Cu. SW to	3-35	'561	.959	1	7	'335		sw	68	9	A. Cu	SW to		1
4 · 5 · · · · · · · · · · · · · · · · ·	3.20	'556	'954	77'4	61'5	'335	36	sw		3	A. Cu	SW		
4-70 '567 '966 760 61'3 '348 39 Calm or8 5 A. Cu, SW to	4. 5	1	1		1			sw			1	SW		
NE	4-20						`			`		NE		
4"35 '570 '070 '070 '070 '070 '070 '070 '070	A.a.r			İ					l	1		NE		1
4'35 '579 '979 75'2 61'3 '358 40 Colm 1'2 8 Cu. N.SW to	4.32	579	'979	75'2	61.3	'358	40	Colm	172	8	Cu. N	R		

THAYETMYO

Long 95° 12' C

Seven hundred and seventy four miles from central line of totality Greatest obscuration 7

Hous	BARO	MRTER					W	IND			
Madras time.	Corrected and red ced to 3 ° F	Reduced to sea level and constant gravity	Dry hulb corrected	Wet hulb corrected	Aqueous vapour pressure,	Relat ve hum d ty	D rection	Amount since preced ag inte val in m les per hour	Cloud	Proportion of cellpse fotality to	WEATHER AND OTRES REMARKS.
AM	۱ - ا	*		•		%					
9 0	29 909	29'987	791	670	501	51	w	i	Nel		Fino clear weather with blue sky through
9 15	898	974	82 z	688	526	48	w	20	,,		has cied wearing with table and thusidy
9 30	893	1969	833	688	510	45	w.	08	1		
9.45	884	960	84 ı	68.8	500	43	ssw	24	١.		
10 0	88 t	956	86 s	670	407	33	SSW	0.8	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
10 15	874	949	87 2	670	392	31	NNW		١.	1	
10 30	863	938	87 2	67.0	392		w	٥	İ		
10 45	854	929	87 2	66 0		30		0.5	*		
11 0	848	923	88 2	660	357	27	W	32	n		Strong wind.
11 15	839	913	890	660	343	25	NNW	0	[!	
11 30	830	905	88.3		332	24	W	32	,,	1	
11-45	824	898		650	308	23	NW	28	•		
12 0	812	886	902	670	352	24	NNW	20	n	1	
P M 0 15	1		892	66 o	330	24	w	3.5			
0 30	803	877	897	66 o	323	22	NW	08	b	İ	
· 1	795	869	902	66 n	316	23	w	32			Commencement of est pro-
0-37	797	871	80.3	66°0	316	23		ļ	,	i	
0 45	789	863	897	6610	323	22	wsw	28	,	İ	
0-50	789	863	8972	638	322	23	ł		*		
o 55	783	857	89 7	660	323	22			, 1		
1-0	781	855	89.2	65.5	313	23	w	82 07			Strong wind.
1 5	779	853	892	66 0	330	23	i	İ			
1 10	779	853	892	66 o	330	24			, !		
1 25	777	851	88.4	652	312	23	w	20	Ü	3	
1 20	775	850	88 2	65'2	315	23	- 1		,	•	
1 25	775	850	882	658	335	25	- 1	- 1	" [
1 30	775	850	87 7	650	315	23	w	40	ļ		
1 35	775	āşo	87.4	65 a	318	24	"	"	"		
1 40	771	846	872	650	3 2	25	- 1		"	5 6	
1-45	269	844	86 g	648	319	25	w	20	'		
1 50	768	843	866	645	313	25	"		' [6	
1 35	768	843	869	63 2	332	26		- 1	-	"	
2 0	769	844	866	648	323	25	w	or8	"	. 1	
2 5	769	844	866	645	313	25	"	"	"	3	
2 10	769	844	866	64.5	313	25		ĺ			
2 15	769	844	866	645	313	75	w		"	. 1	
2+20	769	844	866	64.5	313	25	"	24	.	2	i
2 25	769	1	866	64.5	313	25			.		
2-30	763	838	866	648	323	25	w	28	: 1		
2 35 2 40	763 763			650	322	24		~	.	1	
2 45	763	838	. 1		328 T 335	26	w			1	
2 48	763		874	635	335	26 3	w	40	:	o N	nimmation of ect pse o unusual appearance of the sun,
3-0	753	838	872		322	- 4	w	12 07	,	0 1	Google Negaritace of the Bast

Seven hundred and seventy-five miles from central line of totality. Greatest obscuration 5.

	Ji	en manara	#1100 CZZZZZZZ	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	jrom centr		orearest obscurations of
Hour.							i
Madras time.	Dry bulb corrected.	Wet bulb corrected.	Aqueous vapour pressure.	Relative humidity.	Wind Direction.	Clond proportion.	Weather and other remarks,
A.M. 8-52	64'0	54'7	323	% 54	ssv	Nil	Fire clear weather throughout. 8-52 A.M. to 9-37 A.M. small circus clouds appreared moving from 5 W., and then disappeared.
9- 7	649	54'9	'317	52	SVV		Ciolina al Prima in management
9-22	657	553	319	50	S/V		
i	663		319	51	SSW	,	
9•37	1 -	55'9	l .	,	SW	,,	1 1
9-52	66'9	567	'344	52	SW		
10- 7	66.9	569	'349	53	SW	,	
10-22	67'9	56'9	'338	49	SSW		
10-37	68.9	57'1	'333	47	SIV	"	
10-52	69.7	57'3	,328	44		"	
11- 7	70'1	569	.313	42	WSW	"	
11-22	6979	569	'375	43	wsw		1
11-37	70.2	57°t	'314	41	SW	"	}
11-52	70.9	56-9	.303	40	VIZII	•	
2,M. 0-7	707	567	-300	40	wsw	,	
0-22	71'5	573	*308	40	W] "	
1	1 '	1	*308	40	sw		o-38 A.M. eclipse commescod.
0-37	71'5	57'3	1327		SSIV	"	
0-43	71'3	57'9	1	42	ssw	,	
0-47	71'9	57'9	'320	41	sw		
0.23	70'9	57'9	,53t	43	WSW		
P57	71'3	57'9	'327	42		,,	
12	1 '	57'7	'324	42	W	"	
1-7	1	565	1292	39	WWW	"	}
1-12	70'1	54'9	1257	35	WNW	"	1
1-17	699	54'9	7259	36	w	"	1
1-22	69.7	547	.526	36	W	"	
1.27	65'9	54'7	*266	38	MMA		i i
1-32	68 5	53'9	'249	36	MMA	" 1	• [
1-37	6S-1	53'9	'254	37	WWW.		1
1-43	679	537	'25 t	37	W	"	1
1-47	677	53'7	1253	38	WSW	»	1
1-5	2 671	53'5	1256	39	wsw		
1.5	669	53'7	*257	40	wsw		
		54'1	*574	41.	w	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Ī
2.	1	54'5	1284	43	wsw		1
2-1		54'7	•289	44	W	n	
2-1		557	'316	48	WSW	n p	
2-2	_	547	'289 '262	44 39	NW	, ,	1
2:3		53 9 53 9	265	40	WNW	. "	
2-	7 66.9	53'7	'262	40	WWW	,,	
. 2.4		53'5	.528	30	W	,,	J 7
2-2		53'9 53'9	'265 '267	40	WSW		"
2.		539	265	40	W	1	
				1	Į	1 1	•

. JACOBABAD.

Seven hundred and eighty-five miles from control line of totality. Greatest obscuration 7.

			$\overline{}$			-		711			Cio			,
Houx.	BAR	OPETAR	-	l			;	Wa	Amount				Proper	
Aladras fisse,	Correct and reduce to 52°	dleve	and c	Dey bulb precied.	Wet bulb corrected,	Aqueous vapour pressure.	Relative humidity.	Direction.	preceding interval, in miles per hour.	Proper-	Kind.	Direction of motion.	tion of eclipse, totality	WEATHER AND OTHER REMARKS
4.44.	1.	٦,	-		,	•	*	-						
10-48	29.85	1 30	036	67'9	569	319	47	Calm	a	2	Ci.	NW to SE		All sky blue, except to NV, where whitish thin clouds we necession.
11- 3	-88	7	042	696	58'z	333	45	Calm	0'2	2	C.	to SE		
11-18	-89	ı	°045	10.0	28.7	.319	43	s	0'2	3	CIL	to SE		Clouds increased towards against and west, Colour of aky changed from blue to reddish in the north and for alsa ppeared.
11-33	189	11	1045	11,1	28.1	.313	42	s	0'8	1	Ci.	NW to SE	,	Clouds increasing in amounts and getting thicker. Colour changed from white to reduce in the north.
11-4 ¹	8)r	·045	71'6	28.1	-305	40	s	20	4	ci-s	NW to SE	1	Clouds getting thicker and thang- ing from circus to circo-strates.
0- 1	3 8	Bı	*034	736	29'0	307	38	SW	rs	6	CiS	NW to SE	*.	Cirro-stratus clouds (sereasing in amount from NW. Redder colour of the sky and clouds disappeared from NW.; school commenced from SW.
0-1	8 4	67	,030	73"7	593	315	38	\$	1'0	6	CiCu	NW 10 SE	2	Clouds changed from sire deate to cive-carealus.
0-3	3 4	61	'014	73'9	59'9	,33t	40	Calm	0.6	,	ACu	WNW to ESE	3	Clouds intreasing nod changing from citto-cumulus to alto-cumu lun and getting darked at WNW.
Q-4	ıs) 🔻	361 \	'013	246	581	1266	21	wsw	226	ء	A.S	WNV to ESE		The claude increasing and gelting Enther man changing from Abocumulus to sho-trates and now occupied simost all the sky. Slight cold beers from WSW helphe manned be need enting to the sun being contrad
1-	3 4	162	014	732	58.1	7285	35	w	0%	9	.A.S	NW to SE		ening to the run being covered with clouds.
1+1	18 4	153	'005	72'7	58:1	'292	37	W	06	9	S.·Cu	NW to SE	1	Clouds charged to strate cumular aclipse stri invisible.
1-	33 .	841 :	29*994	72"5	58:1	,300	37	Calm	04	. 9	CiS	NW to SE	,	Clouds became thinner sad ass appeares.
۱۰	48	845	994	72'7	58-3	1297	37	Caln	04	9	Cirs	NW to SE	6	Ditto Ditto
	١	831	·984	73'2	58 4	*294	. ∫ 3€	W	64	8	CiS	to SE	5	Do. and the sky charge in colour from dark to darks brown.
	18	831	, 984	1	1		34	}	0.6	1	j.	10 30		Clouds as before and the su
1	-33	831	'984	1	58.	(128)	34	W	111	' ''	Ci,-5	, to SE	3.	Clouds became again thick as
2	-48	631	1984	1	59"	30;	j (3;	√] W	11	5 S	CI-C	to SE	١ ،	changed from caro stratus to ciri
	3 3	813	966	7'2	7 59	1 '32:	4	N	21	•	.s.c	to SE	1	Almost all the sky was 'cover with strate-cumulus, Drizzling rain; clouds shaped fro
i	81-18	*813	' 96	1		1.		2 N	r	5 J		NW to Si	1	Strate-comples to simbes.
	3-33	·813	'96					į	1.			to SE	}.	sun invisible,
1	3·48 }	-813 -813	*95			1.7		1				to ES	E	
1	4-18	*805	95	1							1 .	to ES	E	Drizzhog rain ; zuo visible ilugui
1.	4-33	\$05	93	1	- { -	.		t N	1:	- [.	S-C	to ES	E	strato-camulus, Strato-esmulus ; son invisible.
1	4-48	805	1	1	76. 5	. "	1	G Cal	11:	- []	1.	to BS	E	Whole sky covered by nighting sun invisible; for drops of railed.

KHUSHAB.

Long . o'. E.

Eight hundred and twenty miles from central line of totality. Greatest obscuration 6.

Hour.	Baros	meter.	1		,	, -		VIND.	,	Ctou		1	
		Reduced	Dry	Wet	١.	idaty.	<u> </u>	Amount	۳-	1	1	Propor-	
Madras time	Corrected and reduced to 32° F.	to scalered and constant gravity.	Dry buth en- rected.	holb cor- rected.	Aqueoue #8pour pressure.	Relative humi	Direc- tion.	priceding interval, in miles per bour.	Propertion.	Kind,	Direction of motion.	tion of eclipse, totality 10.	WEATRER AND OTHER REMARKS.
10-0 10-15	29:450 '457	30°068 '073	60°9	49'7 50'1	'210 '204	7. 39 36	VSV Calm	3,0 h-	5 4	Ci. S., Ci. Cu. Ci. S., Ci. Cu.	W to E		Sun in clear sky, Sunshine dim. Thin clouds passing before the son. Sky elear in the centre. More clouds in E and S.
10-30 10-45	*447 *458 *453	1050 1050 1064	653 653 659	52.0 25.1 25.0	.535 .518 .531	39 34 36	Calm Calm Calm	: .:	4 4 5	Ci. S., Ci. Cu. Ci., S. Ci., S.	W to E		Amount of clouds decreasing. Weather ditto, etouds etailonary. Ditto Ditto. Ditto, Amount of cloud increasing.
11-15 11-30	*445 *443	*055 *051	68·1	54°0	.535	33 34	SW	1°1 4'8	8	CLS, CLCu. CLS, CLCu.	S to N		Ditto, Clouds increasing. Ditto, Sky almost all covered with small scattered clouds.
11-45 12-0	'423 '433	*027 *036	6g·8	54°4 53°7	'219 '186	30 24	sse sse	28 44	9	Ci. S., Ci. Cu., A., Cu. Ci. S., Ci. Cu.,			Suns ine getting more dim. Alto- famulus cloude in the centre of the sky. Cure-stratus towards the horizon in the NE.
P.M. 0-5	'430	1032	71.8	53.8	177	23			8	Ci.S. Ci.Co.		or5	Sombine and clouds as above.
0-10	424	1024	726	54'8	195	24	l	,	9	C. S. Ci.Cu.		,	Disto. Sky in the rentm and
0-15	-426	-026	72'6	55'0	*201	25	SSW	56	9	Ci. S., Ci. Cu.	SW to NE	,	west getting clear, This structs passing before the sun, Atto-cumulus moving towards NE,
6-20	1425	*027	72'0	54.8	1204	26	,		8	A., Cu. Ci. S., Cl. Cu., A. Co.	SW to NE	,	Alto-cumulus moving towards NE. Ditto ditto.
0-25	'417	*018	72'3	54.8	.199	25			وا	Ci. S., Ci, Cu.,		,	Sue in clear sky; alto-comulus totally disappeared in NE.
0-30	'414	*015	72'3	54'8	'199	25	SSE	62	,	Ci. S., Cl. Cu.		,	Western sky getting cloudy. Sec-
0.35	.416	2016	72'8	546	*187	23			وا	Ci. S., Ci. Cu.,		2	Clouds towards the herizon between N and W looking like nimbes,
0-40	1407	1006	73'0	550	'195	24			8	Ci, S., Ci, Co.,	W to E	3	Sunshipe yetherish; thin glouds passing rapidly from VV, to B.
0-45	397	29'997	72'8	548	192	24	SSB	40	9	I N	W to E	3	Ditto dilto.
0-50	397	996	73'0	550	195	24			,	Ci. S., Ci. Cu., N., Ci. S., N.,	₩ to E	3	Southing very dim. Thick cland
0-55	397	997	72'8		307	26			0	CIS N. A.Cu	Win P	3	Susshine very dim. Thick clands before and alto camples to and the suc. Yellowish clouds to SR of sun.
1.0	395	.995	72.8	553 558	221	28	SSE	2.8	ģ	C.S., N., A.Cu.	S&W to N&E	ă	to SE, of sen, Seachine still very dim. Alto- cumulus clouds moving towards
1•5 t•to 1•15	'389 '389 '385	985 989 984	73°0 72'8 73'0	55'8 55'8 55'3	"2t8 "22t "205	28 28 25	 ESE	:: 20	9 8 9	Ci.S., N., A. Cu. Ci.S., N., A.Cu. Ci.S., N., A.Cu.	S&WtoN&R S&WloN&E ""	4 5	to SK, of sun, Sombile e still very dim, Alte- cumulus cloude moving towards N and E, Nimbus more acar the horizon between N, and w. Alte-cumulus disappearing, Halo of greenish yellow colour round the sun distillect on NW;
1-20 1-25	.387 .385	986 986	73°2 73°2	55'8 55'8	*215	26 26			9	N., A. Cu. Ci. S., Ci. Cu.	W"io E	5 5	cound the sun distinct on NW ; bleigh lines between the yellow and preen. Closde getting less dense.
1-30	'385	1954	73'4	500	1218	26	Calm	116	9	Ci. S., Cl. Cu.,		6	Ditto sunshino dim, greater
1-35	'385	983	73'6	566	234	29		•••	9	Ci, S., N. Cu.,	WANDERS	5	portion of sun being obscured. Sunstans more dim. Some clouds moving from W., others from N.
1-40	.381	'979	738	563	*223	27	_	***	8	Ci. S., N., Cu.,		5	l laie still iocomplete, Data ditto,
2-45	'383	992	73'3	500	.220	27	Celm	08	9	S. Ca. Ci. S., N. Cu.,		5	Dilto,
1.50	379	978	73'3	553	'200	25			,	5. Cu. Ci.S , N Cu.,		4	Ditto. Yellow colour of halo get-
1-55	'383	381	736	56°0	'217	26		•••	9	S. Cu. Ci. S. S. Cu.		4	ting deeper. Ditta, Bloish grees color tande the yellow colour increasing syellow colour getting meen light.
3-0	.381	'979	736	568	*240	29	Calto	172	8	CL S, S. Co.	***	4	Surchine dim; hate incomplete still, bleish green colour inside the yellow incressed. Thick clouds to 5, and E, of the rue.
2·5 2·10	377 375	975 973	73 ⁻⁸	564 566	*232	27 29	::	400	9	CL S., S. Cu. Cl. S., S. Cu.	***	3	Halo complete, but the circle of the hato to the Send E indistinc—like yellow colour feding.
2-15	.380	978	74'0	568	236	28	ESE	r6	9	CL S., S. Cu.	41	٥	Cloud round the sun getting less dense; yellow colour nearly dis-
2-20	1382	979	74.6	568	*227	26			9	CLS, S. Ca.	•••	2	Ditto, Hele looking like circu- lar, white colour cloud,
2·25 2·30	376	973	74'8	568 57'0	*225 *230	26 26	ESE	 r6	9	CLS. S.C.	···	1	Ditto ditto.
2-35 2-10	376 358 372 380	'968	748	57°0 56'6	'230 '230	26		bee	9	CLS,S.CL CLS,S.CL CLS,S.CL		1	Ditto ditto. White-coloured circular cloud round
2.55	360	977	74 0	568		26	***	in.	9		W to E		White-coloured circular cloud round the suo tosing circulat form. Ditto. Sunshine very dim.
	-	'958	74.8	500	*225	26	ESE	26	9	CLS, S. Ca.	17 10 15	***	Ditto. Sunshine very dim. Ditto. Sunshine very dim. Thick cloude before the son moving from W. Eelipse ended. Italianhite circle visible. Ditto.
3-10	372 372 365	.968 896.	74'6 74'8	56°0	'204 101	24	ESE	4'0 1'2	9	CLS, S. Cu.	***		Circle disappearing Ditta.
3·40 3·55	365	*961 *968	74'8 74'8 74'0	558 556	196	23 24	ESE	3°2 36 44	9	Ci. S., S. Cu. Ci. S., S. Cu. Ci. S., S. Cu. Ci. S., S. Cu.			Ditto Ditto. Circle disappeard altogether. Ditto.
1	I -	1		1 ""	-97	177		77.7	,		1 "	1	

TOUNGOO.

Long 96° 24' E.

Eight hundred and forty-two miles from central line of totality Greatest obscuration 7

Hour,	BARG	METER				[11	IND		
Madras time.	Corrected and reduced to 32° F	Reduced to sea- level and constant gravity.	Dry bulb corrected	Wet bulb corrected.	Aqueous vapeur pressure	Refetive kemidity	Direction	Amount a nea preceding snierval, an m lea per hour	Cloud proper tien	Weather and other remains
å 32 8 55	29 868	29 997	75'1	67.8	583	% 67	E		Nel	·
9 to 9-25 9 40	867 857 858	995 985	77°0 78.5 80.0	69'3 69 8 70'8	614 613 631	66 62 61.	E ESE ESE	20 36 28	2717	
9 53 10-7 10 12 10 17 10-22 10 27 10 32 10-37 10-42 10-47 10 52 10 57	853 850 845 845 836 831 831 831 832 831 832	980 977 975 971 962 962 957 957 957 957 947	81 0 81 5 82 0 82 5 83 0 83 5 0 83 5 6 83 5	70 3 71 3 71 7 71 3 71 7 71 7 71 7 71 7 71	637 646 623 640 633 646 626 626 626 613 565	59 59 57 59 57 57 57 56 54 53 49	ESE SSE SSE SSE SW WSW WNW NNW	15 12 12 12 12 24 12 24 12 24	# # # # # # # # # # # # # # # # # # #	There was an almost complete abstract of cloud. The tens tens residings were higher by a few degrees than on the preceding the occlipse. The amount of wind was only 17 rolles during the six bon observation.
11-2 11 7 11 12 11-17 11 22 11 27 11-32 11 37 11 42 11-52 11 52 11 57	817 816 810 806 805 803 797 797 795 789 785	943 937 935 935 931 940 928 922 922 920 914	00 10000000000000000000000000000000000	69 8 70 8 70 8 70 8 71 3 71 3 71 7 71 7	539 539 571 564 584 584 587 587 587	47 47 49 47 48 48 48 48 48 48 48 48	N NNW NAE NNW NW NW NW NW WNW WNW WNW WNW	7 4 8 8 6 0 6 8 4 4 8 8 4 4 4 8 3 6	# # # # # # # # # # # # # # # # # # #	
P M 0-2 0 7 0 12 0-21 0-21 0-27 0-32 0-32 0-42 0-47 0-52 0-57	783 780 778 776 774 771 775 763 763 761 759	908 905 905 903 901 896 896 890 888 888 888	869 869 869 869 869 869 874 874 874	72 7 72 7 72 7 72 7 72 7 72 7 72 7 72 7	620 613 613 613 613 613 613 608 608 608 608 648	50 49 49 49 49 47 47 47 47 47 47	VSIV WMW WMW WW WW WW WW WW WW WW WW WW WW W	3 448666668646 224666668646 23333346	, , , , , , , , , , , , , , , , , , ,	
1-2 1-7 1 12 1 17 1-22 1 27 1-32 1-37 1 42 1 47 1 52 1 57	759 757 757 757 757 750 750 750 750 750 748 748 748	884 882 882 870 875 875 875 875 875 875 875 875	874 869 869 869 869 869 864 859 8550 8550	73 7 73 2 72 7 73 2 73 2 73 2 73 7 73 7	648 634 613 634 634 634 641 668 668 674 681	50 50 50 50 50 50 50 55 55 55 55 55	NW NW NW NW NW NW NW NW NW NW	36 48 36 24 12 36 24 24 24 24 24 24	# ## ## ## ## ## ## ## ## ## ## ## ## #	Felipse with at 10.41 PM and ended at 3.22M presidentials about seren-tentla.
2-2 2 7 2 12 2 17 2 22 2-27 2 32 2-37 2 42 2 52 2 52 3 57	743 741 739 739 737 736 736 728 728 728 732 732 732	867 866 864 864 862 861 861 853 853 857 857 857	850 840 840 840 840 840 835 830 830	737 732 732 732 732 727 727 727 727 727	681 673 673 673 673 653 653 653 653 656 646 646 626		NW NW NW NW NW NW NW NW NW NW	12 12 12 12 0 0 12 12 12 12 24 36	11 4 22 22 22 22 22 22 22 22 22 22 22 22 2	
	7.5-	435	830	71.7	636	55	NW	12	*	

No. 141. Lat. 33° 54' W.

MURREE.

Long. 73° 27' E.

Eight hundred and forty-nine miles from central line of totality. Greatest obscuration, 6.

Hous	BARO-	T	Т	ΤŤ	Ť		IND.	entrat tine	Ctoup.	<u> </u>	stest poscuranem, o.
Atadras time.	Corrected	Dry bulb corrected.	Wet helb corrected,	Aqueous vapour, pressure,	Relative humidity	Direction	Amount nince preceding interval in miles per hour	Proportion.	Kind	Direction motion.	WEATHER AND OTHER REMARES.
	,			ļ			·				
A.M.	*		•	•	%		j		1		
10-42	23'935	52.8	41'1	138	34	SSE		9	A.C	D+ +++	Dark gloomy weather.
10-57	1937	527	410	'137	34	SSE	13.6	9	Cu	· [••	Ditto,
		ĺ		i I		ĺ	ľ	1	1		
11-12	*939	52.6	4ra	138	35	SSE	78	8	Cu		Ditto,
11-27	'933	51.8	40°6	.138	36	SSE	160	10	S. C		Overenst,
11-42	1927	50.8	40'9	*155	41	5SE	8.8	10	S. Ct		Ditto.
11-57	925	497	40'4	156 •	43	SSE	17'2	10	S. Cu		Ditto.
	"	777	, ,		~		•				
2,1£,				· 1							
0-27	-919	49'3	400	152	43	SSE	76	9	S. Cu	. NW to SE	Dark gloomy weather.
0-42	110.	463	39.6	180	56	SSE	t2'0	10	S. Cu		Overcas,
0-57	'905	455	390	172	56	SE	12:8	10	S. Cu		Drizzling.
-		- 1		- 1		- 1			1	1	
1-12	901	49'5	39'0	131	37	s	184	9	S. Cu.		Unusually dark.
1-27	1001	40'6	390	1130	37	Calm.	44	9	S. Cu.		Ditto.
-						SE	1		S. Cu.		Ditto.
1-42	·893	49'8	400	147	41		140	9	ĺ]	
1.57	*891	49'3	39'9	'150	42	Calm.	ço	10	S. Cu,	-	Overcast
		ľ	i	ĺ		- [Ì				
2-12	-889	48-8	397	.121	44	Caim,	3.3	8	S. Cu.		Dark weather.
2-27	-887	.48-8	396	1249	43	Calm.	48	8	S. Cu,		Ditto,
2-57	·891	49'6	39'9	747	41	Calra.	2.2	. 9	S. Cu,		Dark gloomy weather tinged with yellow.
	1	Ĩ.					ļ				
3-12	·891	497	40'1	150	42	SE	76	9	S. Cu.]]	Ditto ditto,
3-27	·893	49'7	40'4	156	43	SE	100	9	S. Cu.	[[Ditto ditto.
	- 1	1				ſ	- [[[Dark gleomy weather.
3-42	-895	49'4	41'0	171	48	SSE	56	9			
3.57	299	486	40'4	168	48	SE	12'4	10	S. Cu.	EtoW	Overcast,
4-12	907	480	40'9	184	55	Calm,	1.3	10 · .	S. Cu.	SE toN W	Ditto.
4-27	'917	47'8	41'0	288	50	Calm,	20	10	S. Cu.	SE to NW	Dita.
	-	-	.	J		j				,	' ,

Eight hundred and fifty-two miles from central line of totality. Greatest-obscuration 6:

	Hot	Ja. 1	AROUET	ER,		{r	1	· ···	s j rom	Willia.		lotality. Gi	eatest-obsc	uratio	1.6:	
		Corn	Re Re	ducad					~		dan 4				2 70 11.15	
	Mad	iras er		sca-	Dry bulb corrected	Wet bolb	Aqueou vapour pressure	tive		Amoun since precedir		8	Diam'r.	Proper tion of	1 1 1 1 1 1 1	
	""	320	F. Co	ostaot vity.	corrected	corrected	hesagre	dity	Directi	miles ne	in tion.	Rind.	Direction of motion	eclipse, totality	WEATHER AND REMARKS.	97261
							ļ	J		hone.	<u> </u>			. 10,	3.	1.
	1.5	ı. "	- 1				١.	1 _			1		i	- 1	7 4	- 6
	8-	0 28.3	20 20	ro63	4817	42'1		7					1	'		
		"	- J 3°	~3	45'1	421	1232	77.	Calm		9	Cu N	i 1		Sun obscured by	clouds:
	10-0	0 3	31	*044	53'8	48%	'265	46	Calm		و ا	S. Cu.	1		sky dark.	10
	10-1	15 3	36 .	044	55'1	484	*258	59	Calm		,	N. & Fr. N.		٠ ,	Ditto ditto	Peg
	10-3	30 3		[_				•		Ι,		. "	. ']	Ditto Skyda	
	10-4	.	. 1	041	561	48.7	253	56	Calm	0	9	N. & Cu. N.	2	7.		
		34	٠, ا	918	570	48.5	237	5z	Calm	0,	9,	N. & Cu, N.		10	Ditto Sky da Ditto Sky g blue	hf.
	11-0	34	в .	048	57'8	49'0	*235	50	Calm					. 1	blue	patcher
	11-7	5 35	3 4	45	60.0 I	49'8	'234	45	Calm	1	9	N. & Cu. N.	7"		Sun shining Di	uta,
	11-3	a '34	ي ∫و	41	60'1	49.5	'235		W	l °	٩	N. A. Cu. N.	' · · · · ·	J:	un obscured Di	litte.
			1			43.3	3	44	W	1.6	9	N. R. Cu. N.	- in [.		Ditto Sky da	irk will
	11.4	5 33	3 '0	119	625	50'9	1232	41	w	148	8	N. & Cu. N.	E to W		bluep	
	12-0	-33:	٠, ا،	16	02.0				*****		- (1			on shiping. Sky with blue patches.	dark
				1	~	50'5	'227	41	NNW	23'6	9	N. & S. CIL	StoN	.	un obscured. 5k	
-	P. 31,						- 1	- 1		ŀŀ	. 1	-	- , .		with bire patches.	
Į	0:15	320	۰ ا	02	61.0	51'0	'215	36	NNW	8.0	اؤ	N.				
1	0-30	316			.	- 1		1		•	'	• • •	E to W	s	on obscured. Sky with blue patches.	duk
-	0.45	1 -	1		63'5	20.0	219	37	NNW	11'2	او	N. & Fr. N.	E to W	· ·	Ditto date	• .1
ı	~ 43	322	'9	38 (64.1	23.1	270	45	Calm		9 1	r. N. & S. Cu	E to W	3: Pr		
1	1.0	'318	199	3 6	36	53'0	,510		Calm						itial eclipse. N. vey and blue petche	
1					Ĭ		7	42	Calan	•	F و .	r. N. & S. Cu.	B to W	Su	o Obscured by el	loud.
J	1-15	'308	'98	18 6	30	51.2	'241	42	Calm		g F	. N. & S. Cu	S to N	6 Par	titches.	
i			ĺ					-	- 4	l.		· ·		. A	nd blue patches, 1-2 flickering light over	17.51.
1		1	l			ļ			İ	"	.	1.4	.]		nk at first, grade en brighter for 3 mm	ually inter
1		1							Í				. 4 .	8	alches. iial ecilose. Dark iial ecilose. Dark ind bius patches. 1-2; flickering lybt over nk at first, grad- ew brighter for 3 mm d extended in g Ni n nward direction for ray 1, again seep at	ding
ı	1.30	306	29'98	5 6	2'5	51.2	247	44 [Calm	. 0	g Fr	N. & S. Cu			Habut not so marke	ed vii
ı	1-45	.501	97	ء اء	2.0		. 1	1		1				Sun	Obscured; zio	uds .
1			, ,,,	1	••	51'5	253	46 (Calra	°	9	Fr. N. E	to W / 4	Paci	ial cellose in NN	w
ļ	2.0	*296	'97	6	2'5	52'3	268	17 0	alm		g Fr.	N. & S. Cu. W	to E : 3		id grey.	
١		l	l		-				- 1	· ·	1			N.	ot disc; few drops	ot Ind
	2-15	'286	-96:	6-	5'5	·				.].			#`	-1		• il s
1			,,,,	1 "	"	23.1	245° 2	12 C	alm	٠	.7 5	Cu. & Cu.	··· ·. ·	Do.	Sky light grey ni k and blue patches	ith
I	2-30	1284	'959	63	r8 's	j1'2 '2	221 5	7 0	alm	.]	g Fc.	N. & Cu. SW	to NE	,		
1	2-45	'278	950	64			. 1 .				1			Sky	bscured by clos light grey with da blue patches	iķ :
ļ		,,,	350	1 04	3 3	13 2	117 3	5 .	N .	208	9 .Fr.	N & Cu S	o N	Sin	obscured by clou	<u>.</u>
1						11	: 1 :	-	- -	· 🕯 .	. [.]		. 12	0nd 2.55	obscured by clouded the blue patches. It is not patches. It is no pass of the succession of the succes	At at
1	30	*282	'956	61	o ··s	7'1' 2	17 3	6	N F	12.8.	9 Fr.	N-& Cu. St	N			1
۱	3-15	."282	'956	.64	0 5		21 3	1 -	i		-	N. & Cu. SE to			itto ditto.	.1
1	3-30	284	· 959	63	, [] .			-			1			Sky	bscured, by cloud ight grey with dar luc patches,	
	.	. 1		"	° 5		16 3	1	N i	1014	9 Fr.	N. A. Cu. SE to	NW .	D	tto ditto	,- · ·
1	4-45	286	903	63	. 5	07. 2		i c	lim			N		1		T.
1	40	204	975	62		20 2		- 1	1.	1 *		N T		1. 1	Few drops of raio clauds dark litto ditto	1
-	<u> : / </u>	<u> </u>		<u> </u>	11.	<u>: ك:</u>		1.							A	100

DERA ISMAIL KHAN.

Long. 71° 5' E.

Eight hundred and fifty-five miles from central line of totality. Greatest obscuration 6.

Hous.	BARON	KIER.			<u> </u>	1	10	IND			Сении,		
Madras time.	Corrected and reduced to 12° F.	Reduced to era- level and constant gravity.	Dry bulb corrected.	Wet built corrected,	Aqueous vapour pressure,	Relative humedity	Direction.	Amount since preceding interval, in miles per hour,	Pro- pertion.	Kind,	*Direction of motion,	Proportion of cellipte, 1 totality 10.	. Weather and other semanks.
A N.		•			,	*							
10-0	59,180	30'095	562	520	'334	74 .	w	•	4	A. Cu.	W to E		Clouds over the sus's disc
10-15	.180	.093	57"2	52.0	.331	63	Calm	0	4	A. Cu.	W to E		Ditto.
10-30	.189	,093	57'2	52'9	333	73 79	Calm	o.1 o	6	Ci.S.	W to ENE		Sky clear in N. Closds les drosc. Ditto ditto.
10-12	'489	1091	585	53'5	'346		NW		7		SW to NE		
11-0	*48 <u>2</u>	.023	61°9	22.0 21.3	'319 '328	57 57	NNE Calm	1"2	7		SW to NE		Clouds still less dense.
11-30	424	1017	647	559	'331	3/ 54	Calm	0	7		SW to NE		Do. getting sttenuated
11-45	417	'007	667	57'5	353	54	SSE	1.6	7	Ci. S.	SW to NE		
12-0	'414	,001	669	572	.310	51	SE	1'6	7	CL S.	SW to NE		
r.n.													
0 -5	'454	'014	67.8	589	.3 5 £	56	SE	4'3	7		SW to NE		Clouds getting very sitent
0-10	456	° 1045	67.9	5\$ o	352	51	SE	1.5	7		SW to NE	1	
0-15	'450	.041	65'4	556	.364	53	Calm	0 1'2	7		SW to NE		11-55 7.M. } 0-7 ,, }five san spot 0-4. ,, Yieible,
0-20	'456 '454	1012	68·0	58 8 58 9	·366	52 52	SE	36	7 7		SW to .NE		0-4- 9- 3 Yearnes
0-30	452	.010	689	588	364	52	ESE	24	7		SW to NE		
0-35	452	*039	697	590	358	49	SE	0.3	,		SW to NE		
0-40	'446	7032	698	50'2	363	49	S	48	7		SW to NE	at 0-40 P.M.	Gloom setting los
0-45	'444	.030	69.8	59.0	'357	48	ESE	2'4	7		SW to NE		Ditto.
0-50	'412	.028	ty8	59'2	.363	49	S	172	7		SW to NE		Ditto,
0-55	'439	1026	694	58 9	*359	49	Calm	٥	7		SW to NE		Ditte.
1-0	'435	1022	69.8	59'5	356	55	SSE	2.4	7		SW to NE		Ditto.
1.2	435	1022	69:4	59 2	.368	51	SE Calm	1,3	7		SW to NE		Ditto.
1·10 1·15	'433 '429	'010	69°7	59°0	'358 '372	49 \$3	Calm	۰	7		'SW to NE		Parties .
1-20	429	*017	679	20.0	379	56 56	SE	1'2	7			6 at 1-19 p.m.	Dall-Palling Ricom.
1-25	'427	1015	67 8	59'9	413	60	Calm	0	7	ci, s.	SW 10 NE		, Ditto. 1-19 P.M. 051 11-57 11 11 11 11 11 11 11 11 11 11 11 11 11
			/m.	50.3		-	Calm		ا ۔ ا	C: S	SW to NE		Ditto.
1-30 1-35	'427 '425	'017 '014	67.4 67.8	59'5	395	59 59	Calm		7 7		SW to NE		Ditto.
1-49	425	'ota	678	595	400	59	SE	1'2	,		SW to NE		Ditts.
1:45	'422	'009	653	58.2	-362	53	SE .	1'2	7	Ci. S.	SW to NE		Ditto.
1.50	'420	'007	65-8	60°0	402	57	Calm	٥	7		SW to NE	4	Ditto.
1.22	'418	,002	65.9	590	*367	52	ŞE	1'2	7		,	nt 1:57 P.M.	Detto.
2-0	415	*003	674	59'9	. '391	54	SE	0	7		SW to NE		Gloom lifting off.
2.2	'413	29'999	657	59'8	.383	53	E	1.5	7		SW to NE SW to NE		Ditto.
2-10 2-15	'411 '407	997	699 679	60%	'3 ⁸ 7	53 54	SE Calm	1.3	7 7		SW to NE		Ditto.
2-15	407	'9'93 '9'9	70°t	Gro	397	53	Calm		<i>;</i>		SW to NE		Ditto.
2.25	'401	956	70'7	600	377	50	SE	1'2	; l		SW to NE		Ditto.
2-30	'300	984	70'9	613	'384	51	SE	24	7		SW to NE		Ditto.
2-35	*401	1996	71'3	Ger3	.378	49	SE	24	7		SW to NE		Ditto. 2-35 P.u. far sus spots visible
2·40 2·45	403	'955 '970	71'1 71'7	Gort Gora	375 370	49 47	SE SE	1'2	7 8		SW to NE SW to NE		2-42 P.M. clear disc. fiv
3-0	1 1			(cro	_		SE	0'8	8	1	SIV to NE		Apots visible.
3-15	'405 '404	7997	71'4	58'9	367	47 44	S	16	8		SVV to NE		
3.30	404	938	71.8	599	358	46	s	04	8		SW to NE		,
3.45	'404	*988	71'9	Q0,3	3/17	47	SE	32	8		SW to NE		
40	404	1989	70'9	60'2	,380	50	SSE	0'4	8	CI.S.	SW to NE		

Eight hundred and ninety-eight unles from central line of totality Greatest obscuration 4

	Hour	BA	OMETER	\Box				1	With	D [Cı	OUD			st obscuratu		_
9 2 30°045 30°08 79 4 700 616 60 ESE 2 C 8 Dite dite 9-17 0.44 '007 '799 70-3 614 60 NNE 2 C 8 Dite dite 9-18 0.49 '007 '899 82 704 586 53 NNE 1 C C S 9-19 0.40 '007 '899 82 704 586 53 NNE 1 C C C S 9-10 0.40 '007 '899 82 704 586 53 NNE 1 C C C 10-17 0.21 983 843 700 543 46 NNW " 10-10 0.21 983 843 700 543 46 NNW " 10-10 0.21 983 843 700 543 46 NNW " 10-10 0.21 983 843 700 543 46 NNW " 10-10 0.21 983 843 700 543 46 NNW " 10-11 29997 959 856 70.5 542 44 N " 11-12 29997 959 856 70.5 542 44 N " 11-13 '981 943 859 71.4 57.5 46 NNW " 11-14 '971 933 868 71.7 57.5 56 43 NNE " 11-14 '971 933 868 71.7 55.5 43 NNE " 10-14 '971 933 868 836 72.0 563 43 NNE " 10-14 '971 932 869 87.7 71.7 550 43 NNE " 10-14 '971 932 894 87.7 71.7 550 43 NNW " 10-14 '971 932 894 87.7 71.4 551 41 NNW " 10-14 '971 932 894 87.7 71.5 56 43 NNW " 10-14 '971 932 894 87.7 71.5 56 43 NNW " 10-14 '971 932 894 87.7 71.5 56 43 NNW " 10-14 '971 932 894 87.7 71.7 555 43 NNW " 10-14 '971 932 894 87.7 71.7 555 43 NNW " 10-14 '971 970 887 87.7 71.7 555 44 NNW 1 C NW to SE 2 Ditto dito dito dito dito dito dito dito	Medrae time	l mad	d sea le	vsi con	D y bulb rected	ding	vapour			on P	roper- tion		Dire	of [Proportion eclipse, to 104	of Weather	r and other b	Æ¥,
9 32	¥ N	•	"		$\cdot \mid$	•	,	*									/	
9-17 044 007 799 70-3 614 60 NNE 2 C C S D D D D D D D D D D D D D D D D D	92	30'045	30'00	8 7	94	70 a	616	60	ESE		2	c s	.			_		
9 30	9-17	014	*00	7 2	99	703	624			1		ı						clo
9-47 033 29 59 5 82 2 704 586 53 RNE AVI. 10-17 021 983 843 700 543 46 NNW " 11-27 985 997 999 860 77 75 509 45 NNE " 11 17 985 997 999 880 880 71 5 509 45 NNE " 11 29 997 999 898 800 71 5 509 45 NNE " 11 33 981 943 859 714 575 44 NNE " 11 47 971 933 868 715 574 46 NNV " 11 47 971 933 868 717 550 45 NNE " 11 7 949 911 87 5 717 565 45 NNE " 1-2 932 898 880 720 563 42 NNE " 1-2 932 894 879 717 560 43 NNW " 1-2 933 894 879 717 560 43 NNW " 1-2 934 894 879 717 560 43 NNW " 1-2 935 894 877 714 551 41 NNV " 1-2 936 898 886 77 715 560 43 NNW " 1-2 930 898 886 77 715 560 43 NNW " 1-2 931 894 877 714 551 41 NNW " 1-2 932 894 877 714 551 41 NNW " 1-2 932 894 877 714 551 41 NNW " 1-2 934 895 877 714 551 41 NNW " 1-2 935 894 877 714 551 41 NNW " 1-2 936 888 875 717 565 43 NNE " 1-2 937 894 895 877 714 551 41 NNW " 1-2 938 894 879 717 560 43 NNW " 1-2 939 894 895 877 714 551 41 NNW " 1-2 930 895 886 77 715 565 44 NNW " 1-2 930 896 886 77 715 565 45 NNE " 1-2 930 897 877 714 551 41 NNW " 1 C1 NW to SE 2 Date ditlo dit	9 32	038	00	o 8						1		l	1			Di	to ditto,	
10-17	9.47	933	29 99	5 8	12				1	1.		M. 3		- 1		De	to ditte.	
10-17	10-2		ĺ	1					1	1 1	114					l'ine clear w	eather	
10-32	10-17		'	,		1	- 1			.	*		1	- [Die	0	
10-47	10-32			T .	- 1	- 1					"		1			D'tt	0	
11-2 99 997 959 8-6 70 5 542 44 N N . 11 11 17 965 947 8-6 8-7 15 56 43 NNW 11 11 17 965 947 8-6 8-7 15 56 45 NNW 11 18 99 997 959 8-6 10 5 542 44 NNW 11 18 99 997 959 8-6 10 1 8-7 11 56 14 NNW 11 19 943 8-7 11 559 45 NNE 11 11 17 965 947 8-6 8-7 11 56 14 NNW 11 18 99 997 998 8-8 8-8 6 72 0 56 9 42 NNW 11 18 99 997 998 8-8 8-8 6 72 0 56 9 43 NNW 11 18 99 997 998 8-8 6-7 71 56 9 43 NNW 11 19 949 941 8-7 71 4 551 41 NNW 11 11 11 11 11 11 11 11 11 11 11 11 11		,		1		` J		46	1	Ĺ	•			-		Date	p.	
11 17	"		•	1 '	- 1	1	1	45	N		»		l I			Die	x,	
II 33 981 943 859 714 575 46 NW " 1I 44 971 933 868 717 579 45 NNE I C Dilto Dilto Dilto Dilto Dilto Dilto Dilto Dilto Fine weather with passing Fine weather with passing Fine weather with passing The clear weather Date Date Date Dilto The clear weather Date Date Dilto The clear weather Date Date Dilto Dilto The clear weather Date Dilto Dilto The clear weather Date Date Date Dilto The clear weather Date Date Date Date Date Date Date Date Date Date Date Date Date Date Date date Date date Date date Date date Date Date date Date Date date Date			-	1		- 1	542	44	N	1	.		1			Ditta	,	
### 147 971 933 868 717 579 45 NNE C Ditto. From weather with puning ### 147 971 933 868 71.5 568 45 N Mil ### 157 949 911 87.5 71.7 565 43 NNE C ### 158 940 902 87.7 71.7 563 43 NNW Ditto ### 159 934 898 88.6 72.0 563 42 NNE C ### 159 935 898 88.6 72.0 563 42 NNE C ### 150 117 932 894 877 71.4 551 41 NNW C ### 151 12 930 892 89.9 91.4 548 41 NNW C ### 151 12 930 892 89.9 91.4 548 41 NNW C ### 151 12 930 892 89.9 91.4 548 41 NNW C ### 151 12 930 892 89.9 91.4 548 41 NNW C ### 151 12 930 892 89.9 91.4 548 41 NNW C ### 151 12 930 892 89.9 91.4 548 41 NNW C ### 151 12 930 892 89.9 91.4 548 41 NNW C ### 151 12 930 892 89.9 91.4 548 41 NNW C ### 151 12 930 892 89.9 91.4 548 41 NNW C ### 151 12 930 892 89.9 91.4 548 41 NNW C ### 151 13 994 881 877 71.7 565 43 NNE C ### 151 13 994 881 877 71.7 565 43 NNE C ### 151 13 995 881 897 71.7 565 43 NNE C ### 151 13 997 881 897 71.7 564 45 NNE C ### 151 13 998 881 869 71.7 576 45 NNE C ### 151 14 91.5 867 867 71.7 576 45 NNE C ### 151 14 91.5 867 867 71.7 576 45 NNE C ### 151 14 91.5 877 867 71.7 576 45 NNE C ### 151 14 91.5 877 867 71.7 576 45 NNE C ### 152 14 NNW to SE 4 Data data ### 151 151 91.5 879 869 71.7 576 45 NNW C ### 152 151 151 151 151 151 151 151 151 151	- 1	- 1		}	*		574	46	VNE	1			-			Ditte		
### 271 933 868 717 579 45 NNE 1 C1 Fine nearther with passing ### 281 C2 7959 921 867 71.5 568 43 NNE n n n Datic	٠,	- 1		1 -	1	714	575	46	NW	Ι.	.		l			Ditte		
E M	2 47	'971	933	86	8	717	579	45	NNE		,	Cı	l	- 1				n de
0 17 949 911 87 5 717 563 43 NNE "" 0 23 949 921 87 7 717 563 43 NNE "" 0 37 936 898 886 720 563 42 NNE "" 1 Ditte 1	м				1	Ī	- 1			1	- 1		1	-			,	***
0 17 949 911 87 5 717 36 5 43 NNE	0-2	-040	021	86	,		_			١	. [1	İ		1		
0-32 940 900 877 717 563 43 NW "Ditte Pine weather with pass age of the pass o	0 17	1	-	1 '	,					<i>"</i>	<i>'</i>	ı		1			ther	
0-47 936 898 886 720 563 42 NNE I C	0-32	- 1	-	1 .	- 1			- 1		,	1	- 1	*			Ditte		
0.57 1-2 932 894 877 71.4 531 41 NNW 1 C1	- I				- 1 '			43		"	1	- 1		ĺ		Ditte		
1-2 932 894 877 717 560 43 NNW 1 C,		930	090	800	' '	720	563	42	NNE		١.	۱ ۵				Fine weather s	nth pass ng cion	đe,
1-7 932 894 877 71 4 550 43 NNW 1 C1											1	- 1		1	1	Ditto	d tto	
1 12 930 892 819 714 548 41 NNW I C NW to SE 2 Dilto ditlo 1 17 926 888 875 717 555 43 NN I C NW to SE 2 Dilto ditlo 1 12 924 886 875 710 538 41 NNW I C NW to SE 3 Ditlo ditlo 1 127 919 881 877 717 553 43 NNE I C NW to SE 3 Ditlo ditlo 1 132 919 881 869 715 555 44 NW I C NW to SE 3 Ditlo ditlo 1 137 917 879 869 715 555 44 NW I C NW to SE 3 Ditlo ditlo 1 142 917 879 869 717 576 45 NNE I C NW to SE 3 Ditlo ditlo 1 142 917 877 867 717 576 45 NNE I C NW to SE 4 Ditlo ditlo 1 142 917 879 869 717 576 45 NNE I C NW to SE 4 Ditlo ditlo 1 153 913 875 867 717 576 45 NNE I C NW to SE 4 Ditlo ditlo 1 154 915 879 879 879 879 870 45 NNW I C NW to SE 4 Ditlo ditlo 1 157 913 875 869 717 576 45 NNW I C NW to SE 4 Ditlo ditlo 1 158 913 875 869 717 576 45 NNW I C NW to SE 4 Ditlo ditlo 1 159 913 875 869 717 576 45 NNW I C NW to SE 4 Ditlo 1 159 913 875 879 715 570 47 NNW I C NW to SE 4 Ditlo 1 159 913 875 879 710 559 45 NNW I C NW to SE 3 Ditlo 1 159 913 875 879 710 559 47 NNE I C NW to SE 3 Ditlo 1 159 910 872 857 711 567 46 NW I C NW to S 3 Ditlo 1 159 910 872 857 711 567 46 NW I C NW to S 3 Ditlo 1 159 910 872 857 711 567 46 NW I C NW to S 3 Ditlo 1 159 910 872 857 711 567 46 NW I C NW to S 3 Ditlo 1 159 910 872 857 711 567 46 NW I C NW to S 3 Ditlo 1 159 910 872 857 711 567 46 NW I C NW to S 3 Ditlo 1 159 910 872 857 711 567 46 NW I C NW to S 3 Ditlo 1 159 910 872 857 711 569 45 NW I C NW to S 2 Ditlo 1 150 150 150 150 150 150 150 150 150 15	- 1		- '		7	71.7	560	43	NNW	1	٠ ١	Ci		1	1	Ditte	ditto	
1 17 926 888 87 5 717 565 43 N I I C1 NW to SE 2 Ditto ditto ditto 1 22 924 886 87 5 717 565 43 N I I C1 NW to SE 3 Ditto ditto 1 22 92 886 87 5 717 569 43 NNE I C1 NW to SE 3 Ditto ditto 1 33 939 881 869 715 565 44 NW I C1 NW to SE 3 Ditto ditto 1 33 939 869 715 565 44 NW I C1 NW to SE 3 Ditto ditto 1 34 937 879 869 717 576 45 NNE I C1 NW to SE 3 Ditto ditto 1 35 937 867 717 576 45 NNE I C1 NW to SE 4 Ditto ditto 1 35 923 873 873 875 867 717 576 45 NNW I C1 S NW I C1 S NW	· 1	- 1	- '				551	41	NW	1	١ ١	cı [1	D sto	disto	
1 22 924 886 875 710 538 41 NW 1 C NW to SE 2 Ditto ditto. 1 27 919 881 877 717 556 43 NNE 1 CI NW to SE 3 Ditto ditto. 1 32 919 881 869 715 565 44 NW 1 C CI NW to SE 3 Ditto ditto. 1 37 917 879 869 717 556 45 NE 1 CI NW to SE 3 Ditto ditto. 1 42 917 879 869 717 556 45 NNE 1 CI CI 4 Dra ditto. 1 44 917 879 869 717 556 45 NNW 1 C CI 4 Data ditto. 1 53 913 875 867 717 556 45 NNW 1 C CI 5 NW to SE 4 Ditto ditto. 1 53 913 875 867 717 556 45 NNW 1 C CI 5 Ditto ditto. 1 54 Data ditto. 1 55 913 875 867 717 556 45 NNW 1 C CI 5 Ditto ditto. 1 57 913 875 867 717 556 45 NNW 1 C CI 5 Ditto ditto. 1 58 913 875 879 715 559 47 NNW 1 C CI 5 Ditto ditto. 1 59 91 879 889 710 559 47 NNE 1 CI 5 W to E 3 Ditto ditto. 1 17 910 872 889 710 559 45 NW 1 C CI 5 W to E 3 Ditto ditto. 1 17 910 872 887 719 558 45 NW 1 C CI 5 W to E 3 Ditto ditto. 1 17 910 872 887 711 567 46 NW 1 C CI 5 W to E 3 Ditto ditto. 1 17 910 872 887 711 567 46 NW 1 C CI 5 W to E 3 Ditto ditto. 1 17 910 872 887 711 567 46 NW 1 C CI 5 W to E 3 Ditto ditto. 1 17 910 872 887 711 567 46 NW 1 C CI 5 W to E 3 Ditto ditto. 1 17 910 872 887 711 567 46 NW 1 C CI 5 W to E 3 Ditto ditto. 1 17 910 872 887 711 567 46 NW 1 C CI 5 W to E 3 Ditto ditto. 1 17 910 872 887 711 567 46 NW 1 C CI 5 W to E 2 Ditto ditto. 1 17 910 872 887 709 558 45 NW 1 C CI 5 W to E 2 Ditto ditto. 1 17 910 872 887 707 559 45 NW 1 C CI 5 W to E 2 Ditto ditto. 1 17 910 872 873 707 559 45 NW 1 C CI 5 W to E 2 Ditto ditto. 1 17 910 872 873 707 559 45 NW 1 C CI 5 W to E 2 Ditto ditto. 1 17 910 872 873 707 559 45 NW 1 C CI 5 Ditto ditto. 1 1 Ditto ditto. 1 1 Ditto ditto. 1 1 Ditto ditto. 1 1 Ditto ditto.			- 1		7	114	548	41	NNW	1	٠ ١	Ci P	VW to S	E	2	Ditto	ditto	
1-27 919 881 877 717 563 43 NNE I CI NW to SE 3 Dite ditte. 1-32 919 881 869 715 565 44 NW I Ca 3 Dite ditte. 1-37 917 879 869 717 576 45 NE I CI NW to SE 4 Dite ditte. 1-38 917 879 869 717 576 45 NNE I Ca 4 Dite ditte. 1-39 913 875 867 717 576 45 NNE I Ca NW to SE 4 Dite ditte. 1-31 913 875 867 717 576 45 NNE I Ca NW to SE 4 Dite ditte. 1-32 913 875 879 712 567 45 NNW I Ca S NNW to SE 4 Dite ditte. 1-38 913 875 879 712 567 45 NNW I Ca S NNW to SE 4 Dite ditte. 1-39 912 874 853 719 589 47 NNE I Ca S 4 Dite ditte. 1-31 910 872 857 710 559 47 NNE I Ca S W to S 3 Ditte ditte. 1-31 910 872 857 711 567 46 NW I Ca S W to S 3 Ditte ditte. 1-32 930 879 859 710 559 47 NNE I Ca S W to S 3 Ditte ditte. 1-31 930 872 857 711 567 46 NW I Ca S W to S 3 Ditte ditte. 1-31 930 878 859 710 559 47 NNE I Ca S W to S 3 Ditte ditte. 1-32 908 870 859 710 559 45 NW I Ca S W to S 3 Ditte ditte. 1-31 908 870 859 710 559 45 NW I Ca S W to S 3 Ditte ditte. 1-32 908 870 859 710 559 45 NW I Ca S W to S 3 Ditte ditte. 1-31 908 870 859 770 559 45 NW I Ca S W to S 3 Ditte ditte. 1-32 908 870 859 770 559 45 NW I Ca S W to S 3 Ditte ditte. 1-34 905 870 859 770 559 45 NW I Ca S I Ditte ditte. 1-35 906 870 857 707 559 45 NW I Ca S I Ditte ditte. 1-37 908 870 859 770 559 45 NW I Ca S I Ditte ditte. 1-37 908 870 857 877 707 559 45 NW I Ca S I Ditte ditte. 1-37 908 870 870 870 770 559 45 NW I Ca S I Ditte ditte. 1-37 908 870 870 870 770 559 45 NW I Ca S I Ditte ditte. 1-37 908 870 870 870 770 559 45 NW I Ca S I Ditte ditte. 1-38 908 870 870 870 770 559 45 NW I Ca S I Ditte ditte. 1-38 908 870 870 870 770 559 45 NW I Ca S I Ditte ditte. 1-38 908 870 870 870 770 559 45 NW I Ca S I Ditte ditte. 1-38 908 870 870 870 799 550 46 NW I Ca S I Ditte ditte. 1-38 908 870 870 870 799 550 46 NW I Ca S I Ditte ditte. 1-38 908 870 870 870 870 870 870 870 870 870 8	· 1	1	- 1		7	17	565	43	N	1	1	Ce In	W to S	E	2	Ditto	d tto	
1-27 919 881 877 717 553 45 NNE I CI NW to SE 3 Dito dilto. 132 919 881 869 715 565 44 NW I Co 3 Dito dilto. 137 917 879 867 717 576 45 NE I CI CI CI CI CI CI CI CI CI CI CI CI C		- 1		875	7	10	538	41	NW	1	10	Ci N	IV to S	E	3	Ditto	ditto.	
1 37 917 879 867 717 576 45 NE I CI 4 Dre ditte 1 42 917 879 869 717 576 45 NE I CI 4 Dete ditte 1 47 915 877 867 717 576 45 NNW I CI 5 1 57 913 878 867 717 576 45 NNW I CI 5 1 57 913 878 867 717 576 45 NNW I CI 5 1 57 913 878 869 712 569 46 NNW I CI 5 1 52 912 874 863 719 569 47 NNE I CS 4 Dete ditte 1 4 Dete ditte 1 4 Dete ditte 1 58 NNW I CI 5 1 57 913 878 879 712 569 46 NNW I CI 5 1 7 912 874 863 719 569 47 NNE I CI 5 1 7 912 874 889 71 5 1 7 912 912 874 879 71 559 47 NNE I CI 5 1 7 913 879 870 870 870 870 870 870 870 870 870 870	٠,	- 1		87.7	7	17	563	43	NNE	1	10	n i	W to 5	2	3	D tto		
1 37 917 879 867 717 576 45 NE I CI 4 Dre ditto 1 44 917 879 869 717 573 45 NW I CI 5 1 57 913 875 867 717 576 45 NW I CI 5 1 57 913 875 867 717 576 45 NW I CI 5 1 57 913 875 867 717 576 45 NW I CI 5 1 57 913 875 867 717 576 45 NW I CI 5 1 57 913 875 869 712 567 46 NW I CI 5 1 57 912 874 853 719 589 71 CI 5 1 7 912 874 859 71 5 1 7 912 874 859 71 5 1 7 912 874 859 71 5 1 7 912 874 859 71 5 1 7 912 874 859 71 5 1 7 912 874 859 71 5 1 7 912 877 89 709 558 45 NW I CI 5 1 17 910 872 857 709 558 45 NW I CI 5 1 17 910 872 857 711 567 46 NW I CI 5 1 17 910 872 857 711 567 46 NW I CI 5 1 17 910 872 857 711 567 46 NW I CI 5 1 17 910 872 857 711 567 46 NW I CI 5 1 17 910 872 857 711 567 46 NW I CI 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		919	881	869	7	15	565	44	NW	1	10	<u>ا</u> د			3	Disto	d tte.	
1.42 917 879 869 717 573 45 NW I C1 C1 NW to SE 4 Data data data 1.47 915 877 867 717 576 45 NNE 1 C1 C1 NW to SE 4 Data data 1.57 913 875 869 712 564 56 NNW I C1 C1 S 4 Data data 1.57 913 875 869 712 564 56 NNW I C1 C1 S 4 Data data 1.57 913 875 869 712 564 56 NNW I C1 C1 S 4 Data data 1.57 912 874 853 719 589 47 NNE I C1 S 4 Data data 1.57 912 874 859 710 559 47 NNE I C1 S 3 Data data 1.57 910 872 859 710 559 45 NW I C1 C1 S W to E 3 Data data 1.57 910 872 857 711 567 46 NW I C1 C1 S W to E 3 Data data 1.57 910 872 857 711 567 46 NW I C1 C1 S W to E 3 Data data 1.57 910 872 857 711 567 46 NW I C1 C1 S W to E 3 Data data 1.57 910 872 857 711 567 46 NW I C1 C1 S W to E 3 Data data 1.57 910 872 857 711 567 46 NW I C1 C1 S W to E 3 Data data 1.57 910 872 857 710 559 45 NW I C1 C1 S W to E 2 Data data 1.57 910 872 857 707 559 45 NW I C1 S W to E 2 Data data 1.57 910 872 857 707 559 45 NW I C1 S W to E 1 Data data 1.57 910 872 857 707 559 45 NW I C1 S W to E 1 Data data 1.57 910 872 857 707 559 45 NW I C1 S W to E 1 Data data 1.57 910 872 857 707 559 45 NW I C1 S W to E 1 Data data 1.57 910 872 857 707 559 45 NW I C1 S W to E 1 Data data 1.57 910 872 857 707 559 45 NW I C1 S W to E 1 Data data 1.57 910 872 857 709 550 45 NW I C1 S S W to E 1 Data data 1.57 910 872 857 709 550 45 NW I C1 S S W to E 1 Data data 1.57 910 872 857 709 550 45 NW I C1 S S W to E 1 Data data 1.57 910 872 857 709 550 45 NW I C1 S S W to E 1 Data data 1.57 910 872 857 709 550 45 NW I C1 S S W to E 1 Data data 1.57 910 872 857 709 550 45 NW I C1 S S W to E 1 Data data 1.57 910 872 857 709 550 45 NW I C1 S S W to E 1 Data data 1.57 910 872 857 709 550 45 NW I C1 S S W to E 1 Data data 1.57 910 872 857 709 550 45 NW I C1 S S W to E 1 Data data 1.57 910 872 857 709 550 45 NW I C1 S S W to E 1 Data data 1.57 910 872 857 709 550 45 NW I C1 S S W to E 1 Data data 1.57 910 872 873 873 879 879 879 879 879 879 879 879 879 879		- 1	*-	86 7	7	17	576	45	NE	1	0	a			- 1			
1.47 915 877 867 717 576 45 NNE 1 G.S. Wto SE 4 Ditto dilto. 1.52 913 875 867 717 576 45 NNW 1 G.S. 4 Duto dilto. 1.53 913 875 859 712 576 45 NNW 1 G.S. 4 Duto dilto. 1.54 913 875 879 712 579 47 NNE 1 G.S. 4 Duto dilto. 1.57 910 872 859 710 559 47 NNE 1 G.S. 4 Duto dilto. 1.58 912 874 853 719 589 47 NNE 1 G.S. 4 Duto dilto. 1.59 910 872 857 710 559 45 NW 1 G.S. Wto E 3 Duto. 1.50 910 872 857 711 567 46 NW 1 G.S. Wto E 3 Duto. 1.50 910 872 857 711 567 46 NW 1 G.S. Wto E 3 Duto. 1.50 910 872 857 711 567 46 NW 1 G.S. Wto E 3 Duto. 1.50 910 872 857 711 567 46 NW 1 G.S. Wto E 3 Duto. 1.50 910 872 857 711 567 46 NW 1 G.S. Wto E 3 Duto. 1.50 910 872 857 710 559 45 NW 1 G.S. Wto E 2 Duto. 1.50 910 873 857 707 559 45 NW 1 G.S. Wto E 2 Duto. 1.50 910 873 857 707 559 45 NW 1 G.S. Wto E 1 Duto. 1.51 910 873 857 707 559 45 NW 1 G.S. Wto E 1 Duto. 1.52 910 873 857 707 559 45 NW 1 G.S. Wto E 1 Duto. 1.53 910 873 857 707 559 45 NW 1 G.S. 1 Duto. 1.52 910 873 857 707 559 45 NW 1 G.S. 1 Duto. 1.53 910 873 857 707 559 45 NW 1 G.S. 1 Duto. 1.51 Duto. 1.52 Duto. 1.53 Duto. 1.55 D	- 1						573	45	NW	1	0	۱ I		1	.]			
1.57 913 875 879 712 559 46 NNW 1 Cl S 4 Date dilto		- 1				. 1 .		45	- 1				IV to SE		4	Ditto	d'tto.	
1-12 912 874 853 719 589 47 NNE 1 C. S. 4 Date dete dete	57		875			. , '								1	- 1			
17 912 874 859 71 579 47 NNE 1 Ct S 3 Ditto ditto 117 910 872 857 709 558 45 NW 1 Ct S W to E 3 Ditto ditto 117 910 872 857 709 558 45 NW 1 Ct S W to E 3 Ditto ditto 117 910 872 857 71 567 46 NW 1 Ct S W to E 3 Ditto ditto 117 918 870 859 71 567 46 NW 1 Ct S W to E 2 Ditto ditto 117 918 870 862 709 551 44 NW 1 Ct S W to E 2 Ditto ditto 118 918 870 862 709 551 44 NW 1 Ct S W to E 2 Ditto ditto 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119 119	- 1	- 1	874	863	71	19												
1 17 910 672 857 709 538 45 NW 1 C S W to E 3 Ditto d tto. 1 22 910 872 857 711 567 46 NW 1 C S W to E 3 Ditto d tto. 1 23 908 870 859 770 558 45 NW 1 C S 3 Ditto d tto. 1 24 910 872 857 711 567 46 NW 1 C S 3 Ditto d tto. 1 25 910 872 877 707 559 45 NW 1 C S 2 D tto d tto. 1 25 910 872 877 707 559 45 NW 1 C S W to E 2 Ditto d tto. 1 27 908 870 862 709 551 44 NW 1 C S W to E 2 Ditto d tto. 1 28 908 870 870 877 707 559 45 NW 1 C S W to E 1 Ditto d tto. 1 29 908 870 870 877 707 559 45 NW 1 C S 1 Ditto d tto. 1 20 908 870 870 877 707 559 45 NW 1 C S 1 Ditto d tto. 1 20 908 870 870 877 707 559 45 NW 1 C S 1 Ditto d tto. 1 21 908 870 870 877 707 559 45 NW 1 C S 1 Ditto d tto.		- 1			4	٠,	79	47						1	3	D tto		
2 22 950 872 857 711 567 46 NW I C.S. 3 Ditto ditto. 1-32 958 870 859 770 559 45 NW I C.S. 2 Ditto ditto. 1-32 958 870 870 870 551 44 NW I C.S. W to E 2 Ditto ditto. 1-32 958 870 870 707 550 45 NW I C.S. W to E 2 Ditto ditto. 1-34 958 870 877 707 550 45 NW I C.S. W to E 2 Ditto ditto. 1-35 958 870 877 707 550 45 NW I C.S. I Ditto ditto. 1-37 958 870 877 707 550 45 NW I C.S. I Ditto ditto. 1-38 958 870 877 707 550 45 NW I C.S. I Ditto ditto. 1-38 958 870 877 707 550 45 NW I C.S. I Ditto ditto. 1-38 958 958 958 959 857 707 550 45 NW I C.S. I Ditto ditto. 1-38 958 958 958 959 959 959 959 959 959 95						١ ٧											d tto	
			872	85.7	71	11 5	-	[W to K					
9-37 908 870 862 709 551 45 NW 1 C S W to E 2 Dits dits. 1 47 908 870 862 857 707 550 45 NW 1 C S W to E 2 Dits dits. 1 47 908 870 857 707 550 45 NW 1 C S 1 Dits dits. 1 53 910 872 853 707 550 45 NW 1 C S 1 Dits dits. 1 57 910 872 853 707 553 45 NW 1 C S 1 Dits dits.	1					1 5	67	46	NW	I	Cr S					D tto		
1 47 905 820 857 707 559 45 NW 1 GS 1 Ditto ditto. 1 47 905 870 857 707 559 45 NW 1 GS 1 Ditto ditto. 1 52 910 872 855 707 553 45 NW 1 GS 1 Ditto ditto.	37	908				, ,										Dtto	d'tto.	į
1.47 905 870 857 707 550 45 NVW 1 GIS. 1 Ditto ditto. 1.53 910 872 855 707 553 45 NW 1 GLS. 1 Ditto ditto.			870	8 ₅ 7		- 1 -	- 1	.,					N to E					ı
2.57 9to 872 856 769 550 46 NW 1 Ct S 1 Ditto d to.					1	7 5	50 4	15 N	WY		Ci S		1		- 1			1
		J. T											- 1		- 1	Ditto		
9-2 '910 87" 835 707 579 45 NW 1 C S Ditto hitte		910	87"	835		! "		•		1	C:S		- 1	a,	a	D tto	litto	1

CHERAT.

Long. 71° 58' E.

Nine hundred miles from central line of totality. Greatest obscuration, 5.

	D. D.			1	1	Wu		CLOUD		
Hour.	BARO- METER.					- 111	Amount			
Madras times.	Corrected and reduced to 32° F.	Dry bulb corrected.	Wet bulb corrected.	Aqueous vapour pressore.	Relative humidity.	Direction	since preceding interval, in miles per hour.	Kind.	Direction of motion.	Weather and other remarks.
A.M.	,			,	*					
10-0	25'809	53"1	40'5	1113	28	NNE		S. Çn.	N to S	Partially clouded.
10-15	·815	53'0	40'8	.118	30	N	192	S. Cu.	N to S	Cloudy; white-shining clouds to east borizon. 1
10-30	821.	53'2	40'9	1119	29	NNE	354	A. Cu.	N to S	Sky nearly overcust. Slight sunshine for a minute,
10-45	*827	53'5	41.1	120	29	NNE	18.0	S. N.	NW 10 SE	Cloudy ditte ditto two minutes,
11-0	*819	53.8	41'1,	'117	28	N	1810	S., N. & A.Cu.	SW to	Ditto.
11-15	·821	54'8	42'3	1129	30	NNE	18-0	A. Cu.	N to S	Passing clouds. clouds in N, and E,
11-30	1821	54'7	42'0	'124	29	NNW	132	Ci. S., S. Cu.	NE to SW	Sun visible partially through clouds,
11-45	1817	54'3	41.6	'192	30	NW	18.0	A. Cu., S. Cu.	NE to SW	Nearly overcast sky. No sunstine,
12-0	*817	53'7	42'0	135	33	N	160	S. Cu., N.	W to E	Cloudy and miny for half a minote.
2.M. 0-15	*813	53*8	472	.138	34	N	128	N. & S. Cu.	NW to	Sky acarly overcast. Son not visible.
0-30	1807	5418	42'5	1142	. 35	NE	14'8	Ci. S., S., N.	SE to NW	Goudy.
0-45	*807	53'8	43'3	*140	34	NNW	16'4	S. Cu., A. Cu	SE to NW	Ditto ditto.
1-0	1803	53.0	4°5	134	34	N	19*2	S. Ca., N.	SE to NW	Reddish SE. side of sky.
2-30	'786	530	42'0	143	36	N	39'4	S. Cu. & Cu.	SW to NE	Cloudy. Sou not visible.
2-45	777	23.1	420	1142	36	N	\$-8	S. Cu., A. Cu	SW to NE	Ditto ditto.
. 3.0	*775	53'5	42'4	146	36	N	13.0	A. Cz.	W to E	Parily clouded. Sun fell.
3-15	7771	53'7	42'9	154	38	N	28.8	Ci. S. & A.Cu	. SW to	Ditto.
3.30	7775	53'9	42'8	150	37	N	84	Ci. S. & A. Cu	SW to NE	Ditto.
3.45	7779	54*2	43'0	151	36	N	60	Ci. S., A. Cu.	SW 10 NE	Ditto.
4-0	783	548	447	*182	43	NNW	- 2'4	Ci. S., A. Cu.	W to E	White partial clouds in W.
						ŀ	ľ		1	
1 . '				1				! '	':	1

GILGIT.

Long 74° 25 E

Nine handred and eleven miles from central line of totality Greatest obscuration 4

Hour	BARO 1 RYFR		1				IND.	CL	OUO	
itadras t me	Corrected and reduced to 32° F	Dry bulb corrected	Wet bulls corrected	Aqueous vapour pressure	Relat va humidity	Direction,	Amount s nce preced ng interval a m les per l'our	K.nq	D eact on of motion	Weather and other Remarks
, M		۰			%					
10-24	25'33!	450	37.3	137	45	wsw	1	ΛS	E to W	Thin alto-stratus covering the inn
10-39	328	460	385	150	48	SSW	08	A.S	E to W	
10-54	324	46%	37 1	114	36	ENE	12	AS	E to W	
11-9	322	47 4	38 5	134	41		20	A Cu	S to N	
11 24	307	48.8	387	121	36	SSR	22	Cu	StoN	
11 39	296	496	387	112	32	SE	0.8	Cut	StoN	
11 54	282	514	38-3	084	22	wsw	12	AS	SION	This elio-strains covering the sun
P.M	47-									
0-9	277	510	38.9	101	26		0	A S.	S to N	At 0-17 PM the cd pan began
0 24	259	51 0	389	tot	26	ESE	16	AS	StoN	
0-29	256	510	39 3	109	28	"	36	AS	StoN	Clouds th ekening
0 34 0 44	254 248	508	39'5	116	32	SE	24	A.S.	StoN	
0 54	238	50'8	39'5	1	32	ESE	0	S Cu	S to N	
U 34	230	504	39'5	120	33		oré	S Cu	S to N	
1.4	*232	50°2	39 1	114	31	,		S Cu		Sen scarcely visible
I 14 I 24	232	50'2	393	118	32			S Cu	StoN	At 1-9 P m cloud thinner sou more va blo,
1 34	218	500	389 389	112	31		0	S Cu	StoN	At 1-27 P R see not v s ble
1 44	195	500	385	104	31	, ,	0	S Cu N	SION	
1 54	187	498	387	110	29 31	,	0	N	S to N	Sun not v s'ble.
2 4	189	49'8	389	114	32			N	StoN	}
2 14	1	500	39 1	116	32		۰	N	S to N	
2 24		50.0	38 9	105	28		0	N	StoN	
2 39		50.0	387	101	27	-		N	S to N	
2-54			38 7			•		N	StoN	
3-9			36.2					N	StoN	Clouds the oner; gue vis ble no ecl pse
3 24	187	1 -	383	089	23	-		N	S to N	Sea again mes blo
3 39	175	512	39'3	107	27		•	N	StoN	
3 54	175	50-8	397	119	33			N	SteN	
4-9	1,6	504	39'9	128	35	SE	01	N	StoN	
4-24	176	504	389	107	29	nft.		N	StoN	
		l		1		1.			1 1	

DIAMOND ISLAND.

Long. 94° 19' E.

Nine hundred and twenty-eight miles from central line of totality. Greatest obscuration 4.

Hour.		HRTER.	r	 	<u>,</u>			ti p.	1 .	· .
		Reduced	D	Wet	Aqueous			Amount		
Mudras time.	Corrected and reduced to F.	to sen- level and constant - gravity.	Dry butb corrected.	buth corrected.	pressure.	Relative humidity.	Direction.	preceding interval, in miles. per hour,	Cloud properties.	WEATHER AND OTHER REMARKS.
						<u> </u>				1
A.M.	*	,		۰	٠,	%				
9-4	30,051	29'996	845	75'4	'759	63	NNE		Nil	Sea Smooth, weather suitry.
9-19	. '021	-996	84'5	757	.769	64	NE	80	н,)
9•34	;o16	1991	84'5	757	.769	64	NE	8.0	aj	1
9-49	3100	'991	8416	756	766	64	NE	9.2	n	
10-4	*014	-98g	852	756	758	62	ne	12.8	,,	
10-19	` oo6	*g81	859	75 ⁻ 6	*748	60 ,	NE	80	,,	
10-34	29'994	·969	86°a	75'2	728	58	. NE	1010	,,	
10-49	¹ 986	•g6z	86.3	75'3	'729	58	NE	972	,,	
.11-4	, 1985	1960	86-7	76°0	'753	59	NE	12'4	,,	
11-19	977	.625	86.4	75'7	·744	59	NE	76	"	Ditto and light wind,
11-34	÷954	*929	86'3	75'0	'716	57	ENE	10'0	,,	}
11-49	'957	'932	86,1	74'8	709	57	ENE	60	,,	· .
2.M.									,.	
p-4	950	1925	86'2	74'8	*706	57	ENE	64	ь	
0-19	1948	920	86-8	75'5	730	57	NNE	1 4.8	Jo	
0-34	'937	-912	87's	73'1	626	49	wnw	64	۰,	
0-49	.030	'905	86'5	75'1	'718	57	WNW	84	,	
1-4	922	897	855	74'8	719	58	WnW	76	,,	1
1-19	917	1892	852	74'8	722	59	ŵnw	* 180	,,)
1 34	912	·88 ₇	841	74'0	704	60	Wnw	10,0	,	Ditto ditto getting gloomy
1-49	910	-885	83'9	73'7	'695	59	ททพ์	10'4	,	Ditto ditto,
. 2-4	,001	879	83.3	· 73'9	710	62	wwi	12.0	y.	, j
. 2-19	'900	-875	83'4	7377	702	61	NNW	12.8	٠,	,
2-34	. 1900	*875	84'3	749	'738	62	www	8.4		Ditto ditto.
2-49	*897	-872	84'3	744	717,	60	NNW-	1278		-
3.4	*900	⁻⁸ 75	84.3	74'4	718, ;	66	NNW	120		

PESHAWAR.

Long. 71"37' E

Nine hundred and thirty-five miles from central line of totality Greatest obscuration 5.

Hous	BA	ROMETER	\neg			1	1	T	om c	ηıδ	1		7		T	
Madras time	Correc and reduc to 32°	level	and cor		Wet bulb corrected,	Aqueou yepour pressure	Kein		ection	Amon since precedi interva in mile per hor	ng P	José ropor- tion.	Proports echose, t	otality	Weather	AND OTHER REMARKS.
A M 20-34	28.93	7 300	97	55°8	47 8	235	7,	-	S		1	9				
10-49	94	1	. 1	58.3	489	231	1 4	- 1 -	SW	36	1	9			cloude came t	ond up to 5-34 A.M after pp from LV and covered to 9-34 A.M. after which in amount
11-4	94	4 0	- 1	598	502	247	4		s	30		,			they decreased	in amount
11-19	94	3 0	- 1	50.8	507	247] 4	۔ ا	alm	16		8				
11-34	'94			518	507	235	4	1.	alm	0'4	1	8				
11-49	'93	اه	6 6	38	517	236	44	·	SW	12		,		j		
P M 0-4	*93	00	. 1	56	517	213	3	1 _	nlm	σB	1	6		- 1		
0-19	924	05	5 6	27	53 7	241	36	1	w	16		,		- 1		
0-34	913	1 4	0 69	93	527	295	27	1	w	24	1	,	1			
0-39	910	03		87	517	176	25		ılm	24	1	,	2	- 1	e-29 PM eclipse c	ommenced from S.
0-14	1908	03		92	527	196	28		im	12	1	,	_	- [
0-49	904	03:	1 1		525	102	27	s	- 1	36	1	;	3			
0-54	900	02	1 1		53 7	211	29	1.	~ 1	12		6	3			
a 59	900	027	1 '	- 1	537	217	30	Ca	- 1	0		,	3	- 1		
2-4	898	1024	70		53.9	217	29	Cal	- 1	12	,		3			
29	895	022	69		52 7	187	26	s	· I	12		- 1	3			•
3-14	890	017	69	٠,	53 2	203	28	Cal	- 1	0	7	- 1	4	C	olour of cloud n	ear echose tige of the tr
1-19	886	016	67		52'9	219	32	Cal	- 1	24	8	J	_			
2-24	884	'014	67	· 1	527	215	32	Cal			8	- 1	5	1.		_
1+29	884	'014	67	1	527	215	32	Cali	- [1.3	8		5	R	dipse turned to Si Do.	E, B
34	882	'012	677		527	215	32	Calt			8		5			E.
1+39	876	006	67.2		517	215	32	SW	- 1	24	8		5 5			ı L
F-44	874	*004	677	- 1	52 2	201	29	NNI	- 1	24	9	İ	٥		a covered with the	
-49	874	004	67.7		527	215	32	NE		12	9	1		1	Ditio.	CA GOOG
F-54	872	1002	67.7	1	1	215	32	NE		74	9	1			Date.	
59	872	1002	67.7	, ,		215	32	N		24	9			P-1	ipse decreasing	
4	870	000	67.7	, ,		223	33	WNV		12	8		3	1	Ditto,	
~9 l	872	002	677	. 5	- 1	215	32	Calm		12	8	1	3		Ditto.	
14	872	002	67 7	. 5	1	215	32	NNW	1	r2	8		2		D tto.	
-19	868	29'998	67 7	5		228	33	Calm		12	8				Ditto	
24	866	994	68 7	5	37	229	33	NE	1	12	8	1		1	Ditto.	
29	866	995	682	5	32 :	222	32	NNE		T 2	8		1		Ditto.	
34	864	993	677	5	27 :	115	32	Calm	,	1 2	9	1	i			
39	862	989	68 7	5.	37 -	129	33	Calm	I,	372	8		1			
44	862	987	697	5	47 :	44	34	Calm		24	7	1		The	sun quite clear of	eclipse.
59	866	993	68 g	5	39 2	33	33	NNE	3	16	7	l				
14	868	994	69 7	1 '	Į.	86	39	NE	2	4	7	l				
29	870	997	69 z	50	55 3	jo2	43	Calm	2	4	7	ĺ				
44	874	30'002	68 7			42	49	R] 2	4	6			l		1
59	882	010	687	56	- I °	20	45	E	2.	4	6					- 1
14	882 4887	013	66°9	55		oo [46	ENE	3	2	6					1
34	307	020	63 8	54	3	•3 ∤	51	ENE	4.	5	4		- 1			1

QUETTA.

Long. 67° 3' E.

Nine hundred and thirty-nine miles from central line of totality. Greatest obscuration, 6.

Hous.	HAPOME-	1		[L W	IKO			CLDUD,		1
Madras time.	Corrected and reduced to 32°F.	Dry belb corrected.	Wet bulb corrected.	Aqueous vapour pressure.	Relative hamid- ity.	Direction.	Amount since pre- ceding interval, in miles per hour-	Proper tion.	Kind.	Direction of motion.	Proportion of eclipse, lotality	WEATHER AND OTHER REMARKS.
A.M.	•	0		•	%							
10-53	24,704	49'6	45'8	-270	75	w	-	5	Cu. N.	StoN		Son was more or less bidden under cloud alt through.
11-8	. 706	49'8	46°0	.272	76	sw	r6	7	Cu. N.	-		Ditto ditto, '
11-23	702	50.0	46'2	774	76	ssw	3.5	7	Ca. N			Ditto ditto.
11-38	1698	50°8	46.5	*273	73	Calm	2'4	7	Cu. N.			Ditto ditto,
11-53 P.M.	-696	51'4	46'9	.276	72	wsw	r6	7	Cu. N.			Ditto ditto.
0-8	-692	52.8	47'2	.568	67	ssw	40	6	Cu N.			Obscuration commenced from W5W.
0-13	-692	529.	460	.310	59	wsw	бo	6	Cu. N.		1	Clouds tooked darkish grey.
0-18	1694	530	458	.235	58	wsw	2'4	6	Cu. N.		1	
0~23	-683	53'3	457	*230	57	wsw	13'2	4	Cu. N.			· ·
0-28	-682	55'4	47'0	*236	53	www	4.8	s	Cu. N.		3	Clouds mora darkish grey,
0-33	1652	54'3	450	*204	48	w	156	4	Cu. N.			
0-38	1676	54'8	45'6	7212	50	wsw	3.6	4	Cu. N.		4	Clouds whitish grey.
0-43	1674	54'9	456	215	50	wsw	36	4	Cu. N.		5	Gloomy, čitto,
0-18	-676	53'9	45'2	'212	50	wsw	13'2	4	Cu.			
0-53	676	528	44'3	1204	50	wsw	156	s	Cu. N			
0-58	-676	5371	44'1	'197	48	SW	19'2	6	Co. N.		6	Dark and gloomy.
1.3	-668	544	450	.303	47	ssw	20'4	9	Cu. N.			Dilto.
1-8	1670	53'8	4477	203	49	wsw	1372	10	Cu. N.	l i		Ditto.
1013	.668	540	452	211	50	ssw	24	10	Cu. N.			Ditto,
1-18	1666	54'4	448	199	47	ssw	24	10	Cu. N.	SIV to NE	•	Ditto.
1-23	1662	544	44'7	'197	47	wsw	- 60	s	Cu. N.		5	Ditto.
1-25	1660	54'4	44.8	'199	47	เพรเพ	48	4	Cu. N.	SW to NE	4	•
	'656	53'8	452	213	51	SSW	60	7		SW to NE	4	Hazy.
1-33	-		448	200	51	wsw	156	10	Cu. N.			
1-38	656	53'4	44"2	199	49	WSW	60	9	Ci.S.		14	
1-43	654	53"1	46	203	49	SW	8-4	,	Cu. N.	SW to NE	3	
2-48	*654	53'6		. 208		w	276	- 1	Co. N.	NW to SE		
1.53	652	54.0	451		49	SSW	84	5	Cu. N.		3	
1-58	656	55'0	456	,310	48	WSW	14'4	S	Cu. N.	SE to NW	2	
2.3	*650 *650	559 558	46°2 45°6	.513	47 45	WSW	28-8	7	Cu. N.	W M ac	2	Cloude darkish grey near the sun.
2-13.	-648	556	461	212	48	SSW	s6·8	8	Cu. N.	SIV to NE	ī	
2-18	650	56'2	452	188	41	WSW	10.8	s	Cu. N.		1	
2-23	1648	561	45'5	'197 '208	44	WSW	48 72	10	Cu. N. Cu. N.	SW to NE		
2-28 2-33	-646 -642	57°2 57'3	46°S	191	44	SSW	21'6	7	Cr. K.		1	
2-48	-619	58.1	46'I	.188	39	SSE	120	,		NW to SE		
3-3	-646	57'7	46°D	*1g1	40	SSW	10'4	10		NW to SE		Overcast,
3-18	*644	580	46-9 46-7	207	43	wsw W	96	7 8	Ci. S. Cu. N.	NW to SE SW to NF		Hazy. Ditto.
3·33 3·48	.650 .654	57 ⁻⁸ 56 ⁻ 5	461	205	43 44	wsw	1176	,	Cu. N.	SW to NE		Ditto,
43	653	57'6	470	*214	45	wsw	76	,	Cu. N.	NW to SE		
4-18	655	568	47'3	*224	48	W	12'0	7	Co. N.	NW to SE		Ditto,
4-33	-66o -658	55'3	453	'205 '205	45	wsw	571	9	Ci. S.	S to N S to N	ξŽ.	
4.53	058	55'4	45'7	200	41	77477	2.1	9	Ç1. 2.			
110	1	i '	1				1	1		1 . 2	2-04	•

RANGOON

l 	1 -													st obscuration, 5
Hour.	BAR	DUETER	-			[_		Win	_	T				
Medras t me	Cer ecte and red ced to 32° F	Reduced to se level as constan	d co rect	Wet b li lb ed cor este	Aquequa Vapour p essu o	Relati h nud ity	D ccl	tion P	Smoon since reced; nterval n in le er hou	E Pro	loud oper on	P oport eclipse 10	ion of totality	WEATHER AND OTI ER REMAR
A M	,		•			%			_	厂	-			
9 11	30'017	29 99	82	721	648	58	SE	١ ا		1	Nil			Cearblie sky
9-26	016	994	830	718	622	54	SE	:			,,			
9-41	012	990	84 1	71.7	610	52	SE			1	,			
9-56	004	981	85'3	71 2	576	47	SE		40	1	. [
10-11	1001	978	1 -	708	553	45	SE			Ι.	.			
10-26	29 991	968	1 .	1 -	515	40	ESE	3		Ι.	- 1			
10 41	980	957	870	70'5	526	41	NE	:		Ι,	.		-	
10 56	970	947	879	70'3	506	38	NNI	3 6	ro	١.	- 1			
11 11	960	937	88 2	702	498	37	NNE	3						
11-26	932	*929	88 7	702	491	36	NNE	:	- 1	١,				
11 41	*939	916	8971	703	490	35	NNE	: [;	.		1			
11 56 P H O 11	932	909	894	703	486	35	NNE	1	no		-			
0-26	930	907	88 g	703	488	36	\NE	1					-	
0.31	915	892	898	699	464	33	NNE							
0-36	912	889	899	703	480	34	NNE							
0 41	909	886	89 2	695	458	33	NNE			**				
0-46	906	853	899	70'4	483	34	NNE	1	- 1	,			E	ki pse legan o-4 p m
0-51	200	883	89.8	70'3	481	34	NNE		- 1	**	1			
0.56	904	883 881	894	706	497	36	NAE	l				1		
2 1	902	879	899	71.1	513	37	NNE	60	١,		İ	t		
16	898	875	895 887	709	508	37	NNE		- -	. •		1	İ	
	896	873	887	697 704	472	35	NNE			,	1	2		
1 16	896	873	887	701	499	36	NNE		-			2		
1 21	892	869	886	70'2	488	36	NNE			•		2		A
23	890	867	88 4	70'3	491 500	36	NNE NNE		1	٠		3		
31	886	863	887	72 1	527	-	NNE		1	**	1	3	Ì	
36	886	863	88 5	704	502		NNE			•	1	3	1.	
41	885	863	879	70'1	502	٠,	NNE		1			4	1	
46	884	851	884	704	503	**	NNE			,	1	4		
51	88 ₂	858	88 o	70'9	528		NNR			,	1	5		
56	880	827	G 88	706	515		INE	бо		. 1		4		
6	88o	807	88 z	71 2	534	40 1	INE			.		4	1	
- 1	877 877	854 854	879 872	1			INE		1	.		4	1	
16	875	8,2	873	!	. 1		NE NE		ĺ	. 1		3		
21 26	875 875	832	875	70'9			NE			"		3		
31	875	852 852	873 873		536	41 N	NE		i	:		3		
	874	851	87 z	703			NE					2 2		
	872 869	849	873 879	70°3	514	39 N	NE	•	[]	:		2		
51	868	845	876				NE NE	•				1		Í
56	867	844	877	- 1				40				1		ended 2-58 p w

Nine hundre t and eighty five miles from central line of totality. Greatest obscuration, 7.

Hour.	BARO.					W			Loun.	i	77-241-251 002-24741104, 7.
Madras time.	Corrected and reduced to 32"F	Dry bulb corrected.	Wet bulb corrected.	Aqueous Vapour pressure.	Relative house dity,	Direction	Amount slate preceding interval, in miles per hour,	Kind.	Direction of motion.	Pro- portion of eclipse, totality to.	Weathfe and other Ashara.
A.31.		٠.			%					1	
10-0	25795	45'9	44'9	*288	92	N		N.	NE to SW		Fine clear weather throughout. Sky covered with grey and black cloud.
10-15	-809	46-1	45*1	-290	92	N/V	36	N.	NE to SW		Ditto. Son invis.ble '
10-30	-807	459	44*9	288	92	NW	3.5	N.	NE to SW]	Dato, ditto.
10-45	.802	47'9	45'9	288	86	NW	50	N.	NE to SW		l itto, ditto.
11-0	.813	49'5	469	.503	83	NNW	20	N.	NE to SW		Ditto, ditto.
11-15	-811	50'9	47'9	.301	80	NNV	0.8	N.	NE to SW		Ditto, ditto,
11:30	-827	49'9	469	.238	•80	NNW	r6	Cu. N.	NE to SW		Sky is middle blue with this white clouds and all around covered with white, grey and black claud. Sun disappeared in clouds.
11-45	-517	500	46'9	*277	74	S\V	2'4	Cu. N.	NE to SW		Dino Sua invisible,
12- 0	*817	509	479	1301	80	NNW	28	Cu. N.	NE to SW		Ditto ditto.
r.H.					İ						
0-15	.803	50'9	479	1301	80	WNW	2'4	Cu. N.	NE to SW		Sky covered with white grey and black clouds
0-30	4803	517	47'9	-292	77	NN	6-8	Cu. N.	NE to SW	ļ	Ditto ditto.
0 ~45	795	517	47'9	293	77	N/V	3.6	Cu. N.	NE to SW	Į	Ditto ditto.
1-0	1789	20,0	475	1991	78	NA	60	Cu. N.	NE to SIV		
1-3	1789	50'9	47'5	291	78	VM	4.8	Cu. N.	NE to SW	5	Cloudy ; sun visible through white clouds. Ditto ditto.
1-10	*791	50.0	46.0	'277	74	NW	610	Cu. N.	NE to SW	5	
1-15	791	50'9	46'9	'277	74	NW	4.8	Cu. N.	NE to SIV	5	Ditto dato.
1-20	1787	5019	46.9	*277	74	WNW	36	Cu. N.	NE to SW	6	Date ditto.
1-25	1777	20.0	46'9	277	74	WNW	e 10/8	Cu. N.	NE to SW	6	
1-30	'773	5019	46'9	'277	74	WNW	4.8	Cu. N.	NE to SV	7	Ditto ditto.
1-35	7773	50.0	463	777	74	NNN	2'4	Cu. N.	NE to SIV	6	Ditto ditto.
t•40	775	50'9	47'5	'291	78	'NA	2.4	Cu. N.	NE to SW	5	Ditto ditto.
t-45	'775	500	42'9	.301	80 80	NNW	2'4	Cu. N.	NE to SW	4	Ditto dittu.
1-50	*773 *767	21·1	479	'301 '298	80	NNW	3.4	Cu. N.	NE to SW	4	Ditto ditto. Ditto Son dita, penned in clouds.
1-55	767	21.1	47'9 47'9	2,8	8 ₀	NNW	36	Cu. N.	NE to SW	3	Di to See visible through white clouds,
2.5	767	515	47'Q	*294	76	NW	1'2	Cu. N.	NE to SW	,	Ditto San Invisible in cloude,
2.10	7771	51.5	47'9	'294	76	NW	3.4	Cu. N.	NE to SW		Dit to date.
2-15	7771	51.0	47'9	.289	75	NW	172	Cu. N.	NE to SW	2	Ditto Son visible,
2-20	7771	510	48'5	'303	79	NW	108	Cu. N.	NE to SW	2	Ditto Son Visione,
2-25	769	52.9	489	'302	75	NW	1270	Cu. N.	NE to SW	-	Ditto Sun invisible.
2-30	769	529	480	302	75	NW	1972	Cu. N.	NE to SW		Ditto Sua visiolo.
2-45	765	53'9	48.9	'290	69	wsw	40	Cu. N.	NE to SW	1	Ditto
3. 0	754	539	489	290	69	wsw	32	Cu. N.	NE to SW		Sky covered with white, grey and black clouds.
3-15	756	53'9	48-9	'290	69	w	3.1	Cu. N.	NE to SW		Ditto ditto.
3-30	758	54'5	489	284	67	w	24	Cu. N.	NE to SV		Sky to north-west blue with this white clouds and all around covered with white, grey and
3-45	4752	56.5	50'9	.310	68	w	3.3	Cu. N.	NE to SW		and all around covered with white, gray and black clouds. Ditto ditto.
4-6	'746	56-9	49°9	·28t	бŧ ·	wsw	5.0	Cu. N.	NE to SW	1	Ditto ditto,
								1			

I twenty-eight miles from central line of totality. Greatest obscuratorn, 5.

Hov		Вакоив		1	1	1 .		L_	Winn	7	CLOUE	,			
Madr thm	as red	nd uced s	leduced to ea-lovel and instant ravity.	Dry t bulb correcte	Wet bolb corrected	Aqueeus Vapeur Pressure	hum	id•	Amou sinc preced interv in mil	ing Pro	opor- ion.	Kind.	eclipse,	rtion of totality	WEATHER AND OTHER REM.
A.M.	1	٠	•	•			×		-					-	
8-50	2979	67 29	r998	81'7	737	'701	65	NE	-	1	ra				Fine clear weather.
		-						1	1	-	- 1	- 1		'	
9-5	193	1	990	82.2	73'6	'714	б5	NE	31.3	Ι.	. .				Ditto.
9-20 9-35	'95	- 1	987 984	82'7	72'1	647	58	4	2'0	.	• •	:[Ditto
9-50	'95	- 1	974	83'7 85'7	72'6 73'6	.653	57	NE	3.3	١.	• •	.		- 1	Ditto
	~	١,	"	~37	130	-667	55	NE	20	١.	٠ ٠	-		. 1	Ditto.
						1		ĺ	1	1	1				
10-5	'93	, ,	268	857	75'1	730	59	NE	20	Ι.				1	
10-20	'931	'5	62	86.7	756	'738	58	N	3.6	1	1	- 1			Ditto.
10-35	1920	1 -	51	867	77'1	803	63	NW	0.4	2	Fr.	- [•		Ditte.
10-50	'9: a	9	41	867	77'1	.803	63	NW	60	,	Cu	.			Ditto.
								ľ	.		1	-	•		- 1
1-5	*903	93	4	86.7	77'1	-803	4.				1	Ι.			
1-20	1894	'92		872	76'1	752	63 58	NNW	76	3	Cu	- 1			Ditto.
1.35	1887	'91	7 1	377	72'1	579	44	NNW	8°0	3	Cu.				Ditto.
1•50	-879	790	9 8	88.2	72'1	'573	43	NNW	28	3	Cu				Ditto.
-				.	-		- 1	}	Ì	•			•		P400.
11.								- 1	- [.	•	1			1	
-5	*872	190;	ı	6-7	70'6	534	42	NNW	60	3	Cu	-			Ditto.
35	¹86a	*890	- 1	77	- 1	579	44	NNW	4.8	3	Cu.		٠.		Ditto.
50	·851 848	881				553	39	WNN	4°B	3	Cu.		:	Hat	and oppressive.
	.,,.	, ,,,	"	97	721.	553	39	NNW	60	3	Cu.		ı	- 1	eltar weather
ļ	3		1:	•		1			- 1				. , .	١.	1.
5	·846	-876	88	7	706	507	38 1	NNW						վ .	
- 1	*845	·875	88	7 :	nn 2	1	1	NNW	52	3 .	Cu. Cu.			4	Dilta.
- 1	·841 '837	868 868	88	. 1 -		27	39 2	WAY	30	3	Cu.		3 '.	'	Ditto.
- 1	.8,6	-867	86			ı	- 1	INW	48	3	Cu.	٠.	3	Cloud	over the sun,
	830	·861	86	- 1 '	0.1 .2	1	1 -	INW	72	3	Cu.	•	4		litte and cool breeze.
ı				. '	"	٠, ا	- ^	INW	73	²	Ca.		5	Coot he	tore.
.									: [. 1	.	٠.			
	832	·863	86"	1	171 '55	3 4	7 N	V7N	r4 Z	n I	r. Cu.	. 4		Fine sad	l cool.
	825	856	867	. 1	1 -	1				- 1	-	. 3		Ditte	
	823	853	88-2		30		,		ro .	·		٠,	.]	Ditto	
	823	853	88'2		. 39					١.	-	. 1		Ditto	
5	821.	·851	87:2	72	. 1		í		6	' [- 1	1		. Ditto.	·, ,

One thousand one hundred and sixty-eight miles from central line of totality. Greatest obscuration, 3.

Hove.	BARON	teren,	<u> </u>	i		1	l w	/IND	ī	Ī	T	
Magdraz time.	Corrected and reduced to 32° F.	Reduced to sea- fevel and constant gravity.	Dry bulb corrected.	Wet balb corrected,	Aqueous vapour pressure,	Relative humid- ity.	Direction.	Amount since precessing interval, in miles per hour.	Cloud, kind sod proper- lion,	Proportion of actipse, totality to.	Weather and gruer remares.	
а.ы. 8-48	291997	29'955	81.0	72'4	1669	61	www		•Nil		Closdicas sky. Atmosphere clear. Fine dear s	reather.
9•3	'995	*953	8379	73"2	.674	58	NW	2'0	,,		Ditto ditto.	
9-18	990	*948	84.9	73'7	*682	57	NW	1.6		ł	Ditto ditto.	
9-33	986	7914	857	74'2	-692	56	NW	3.6		1	Ditto ditte.	
9-48	186.	.939	867	74"3	677	53	Ca!m	. 64			Ditto ditto.	
10-3	7974	'932	879	74'2	662	50	Calm		jo		Ditte ditte.	
10-18	*966	924	85.7	74'2	650	48	wnw	20	,,		Ditto ditto.	
10-33	-956	'914	88'4	74'4	•663	49	wnw	1.3			Dittoitto.	
10-48	947	904	. 89.9	74"7	656	47	w	48	10	1	Ditto ditta.	
10-53	'943	1900	89.9	74'4	643	45	881			1	Ditto ditto,	
10-58	939	*896	89'9	73'4	602	43	***		Cu.		Smell isolated masses of alouds to NNE. Sk	y bise.
11-3	934	1892	89'4	737	·621	45	wsw	2'4	Cu.		Clear weather. Small isolated masses of clouds. Sky blue on	d elear
11-8	'934	, '892	8g 1	74'2	'645	47]	Cu.	-	Ditto clouds to NNE, and E,	D3,
11-13	'932	·88g	9a°4	742	°628	44		•••	Cu.	1	Ditto	Do,
11-18	1930	-887	90'7	74'2	*625	43	NW	28	Cu.		Ditto clouds to N., NNS, and E.	Da
11-23	'930	-887	907	744	.635	43	-		Cu.	- 1	Ditto slands to N. and E.	Da.
11-28	·926	-883	90.1	741	1628	44	{		Cu.		Ditto clos de from N. to NNW., S. and SSE	č, Do₄
11-33	914	-879	90'7	742	·623	43	N	40	Cu.	- 1	Ditto slouds from N. to NNW. and SSE.	Do.
11-35	.630	-877	30.1	7472	-628	44		•••	Cu.	1	Ditto clouds from N to W. and SSE.	Do,
11-43	916	-873	90'9	747	-642	45	(Cu.	ĺ	Ditto	Do.
11-48	912	-869	90'9	73'7	100	42	NNW	20	Cu.		Ditto clouds from N. to SSE, and SSW.	Do.
11-53	912	*869	92'4	752	643	43			Cu.	1	Ditte clouds from N. to S. and SSW.	Dø.
11-58	'910	-867	91'4	77'0	734	49			Cu.	- 1	Ditts clouds to N. and S.	Du.
P.M.									_	ì	m	_
0-3	908	865	90'9	767	728	49	NW	3,5	Cu.		Ditto clouds from N te E. and S.	Do
8-0	905	*8.6a	917	770	'73º	49		***	Cu.		Ditto Ditto clouds from N to 5.	Do.
0-13	'903	·860	91.7	770	730	49			Cu.	- {	Ditto clouds from N 10 5.	Do.
0-18	.903	860	91'7	77'2	739	49	NW	5 2	Cu.	1	•	Do.
0-23	.903	860	90'9	76.2	706	49		**		- 1	Ditto	
0-28	8.9	·856	90'7	760	*700	49			Car	1	Ditto clouds from NE to S.	De,
0-33	-899	836	90.7	757	687	48	NW (44	Car.	ĺ	Ditto clouds from E to S.	Da Da
0-38	·897	'854	90'9	76:2	'706	49					Ditto clouds from SE to S.	
0-43	.893	1851	89'9	75'4	-686	48	-		Cu.		Ditto clouds to SSE.	Do
0-48	*8g1	848	90.9	76'2	705	49	NW	64	Cu.		Ditto	Do.
1-3	-889	-846	89.7	757	.70t	50	WNW	4.4	Ca-	1	Ditto clouds to SSE, and S.	Do. Do.
1-18	888	-846	88·g	76:2	733	54	WNW	56	Csr.		Ditte	- 1
1-33	*880	-838	87.9	75'7	726	56	NW	40	Car		Ditte clouds to SE.	Do.
1-48	·88o	838	86.4	75'7	745	59	WNW	8.8	Nil	ſ	Cloudless aky I fine clear weather; blue sky.	
2.3	876	-831	85'4	75'2	738	60	NW	52	n	3	Ditto ditto.	
2-18	875	¹833	86'4	76'2	767	62	NM	64	*		Dicto ditto.	
2-33	*873	'831	85.9	76-2	7774	62	MA	36	-	1	Ditta	١
2-48	·871	1829	86'9	772	804	63	NW	56	- 1	- 1	Dieto ditto.	- 1

MERGUI.

Haus.	BARO	MKTER,	1		1	1	central			_	* *****	acton,	2,	
Madras Time,	Corrected and reduced to 32°F.	Corrected to sea-level and constant gravity.	1 .	Wet bulh corrected	Aquesos	Relativ		Amo	Cloud, kind and proper reval, les		THRE AND			
M.A.	•				,.	*						<u>:</u> -	<u>.</u>	,
8-46	297915	29'943	83'6	74'4	'723	63	Calm		Nil	Blue sky	tbroughou	ь.		
9.1	1919	1947	82'0	73'9	719	67	NNE	0.8					•	
9-16	-915	*943	82'8	73'9	717	63	NNE	1.6	, ,					
9-46	908	936	846	74'9	735	61	NNE	20	1.			,		
940	1904	,075	83'4	71'4	'731	63	NNE	2'4	, n					
10-1	·8gg	'927	82.0	74"2	*742	68	NNE	2'8			'			•
10-16	*893	1921	83'6	75'2	761	65	NNE	3.8	"					
10-31	1891	919	846	75.6	765	64	NNE	64	"					•
10-46	-884	913	841	749	742	63	NNE	20	"		7			
11-1	*877	1904	856		ĺ				1 1					٠,
81-16	869	896	86-8	748	718	δt	NNE		Cu.				. '	,
81-31	·859	*886	86-6	75'6	'735	58	Calm	2.6	Cu.					
1146	8;8	1875	86'4	76-2	763 741	60	Culm	24	Cu.					•
Pass.			1	75'6	741	59	· NNE	2.8	Cu,					
0-1	*840	•867	858	- [1	
o 16	1832	*859	86'6	75'4	740	59	NNE	28	Cu,		•			
0-31	1820	-847	862	75'9	751 762	59	NNE	3'2	Cu.				1	
0.46	·814	1841	88-6	76°0	746	61 55	NNE N	4.8	Cu.		1			
0-51	-810	837	866	764	77.3	60	.]	2:4	Cu.					٠
0-56	'8to	837	87.6	744	674	51	N	3.6	Cu.	•		ļi		
1-1	808	.835		1	- 1	ľ		•	-					
1-6	803	830	87.6 88-0	77'4	*803	61	1	100	.Cu		' '		- 1	, i
1-11	803	'83o	87'1	77'4	'798	60	Calm	3.6	Cu.					
1-16	·8o7	834	876	77'4	-810	62			Cu				. '	
1-21	1799	825	874	77'4	-818	61	Calm	214	Cu,					
1-26	799	1825	86.6	77'6	826	63 65	N		CIL					
1-31	707	1823	85-1	77'6	802	64	.	2'4	Cu.					į
1-36	798	824	856	7774	·830	67	Calm	54-	Cu.					
1.46	-800 -800	826	856	764	'787	61			Cu.					
	400	826	85'6	769	*8o\$	65	N	5;4	Cu.	٠.				I
2-1	798	*824	85'6		-830	67	.	_						I
-16			850	774	·830	67		2.8	Cu. Net					I
3			62.0	77.4	*820	66	- 1	1.6	,,					l
46	788	814	85.6	77'2	830	67	- 1	74	-					ı

The following gives series of observations recorded at three stations on the line of totality by members of various celipse parties. The first series were recorded at Viziadrug, the second series at Ghunghuti in Central India and the third at Dumraon in Biliar.

Meteorological observations recorded at the fort of Viziadrug in connection with the Solar Eclipse of January 22nd, 1898,

Viziadrug is situated on the coast of the Konkan, about 30 miles south of Ratnagiri and 1.50 miles south of Bombay in Lat. 16" 34' N. and Long, 73° 22' E.

The harbour is one of the best on the West Coast, and can be entered in all weathers. To the south of the harbour on a neck of rocky land is the fort of Viziadrug, which rises about 100 feet above the river. It is one of the strongest Mahomedan fortresses in the Konkan. It has a triple line of walls with numerous towers. The highest point of the fort is at the extremity of the neck facing the sea.

A temporary shed of the Bengal pattern was erected for the temperature observations. It consisted of an elliptical-shaped thatehod roof, about 6 inches thick, supported by wooden pillars, and was 25 feet long and 15 feet broad.

Six thermometers were freely suspended to cross pieces of bamboo, and on a table were placed a Richard barograph and a Richard thermograph.

At a distance of about 20 feet to the south of the shed was placed a solar radiation thermometer on a suitable stand, and at a greater distance in a westerly direction were erected a wind vane and a Robinson anemometer on a wooden stand about 5 feet high so that these instruments could be read easily and without mounting a ladder. They were placed on the highest part of the fort. As the elevation of these instruments was about roo feet above the level of the sea, the nearest points of which in the easterly and southerly directions were about 100 yards away, they were well exposed and showed the direction of the air movement quite satisfactorily.

Instruments.-The instruments employed in the observations were as follows:-

```
Richard Freres' Barograph,
                             No. 22,704, by Casella,
Richard Freres' Thermograph, No. 19,544, by Casella.
Fortin Barometer, by Casella.
Standard Thermometer,
                              No. 280
      Ditte,
                                   28t
      Dinto.
                                   282
                                        by Bailey of Manchester.
      Dirto.
                                   283
                                   284
      Ditto,
      Ditto,
                                   245
Solar Radiation Thermometer, No. 61,169, by Negretti and Zambra,
```

Wind vane, by Adie.

Robinson Anemometer, No. 548, by Casella.

The observations that were recorded in connection with the solar college were as follows:--

- (1) Eye observations of temperature, pressure, wind direction and amount and weather taken by twelve of the crew of the Melpomene at intervals of five minutes from 11 A.M. to 1-20 P.M. on the 22nd of January.
- (2) Eye observations recorded during the period from 9-15 A.M. of the 21st to 2:30 P.M. of the 24th.
- (3) Observations of pressure and of the dry and wet bulb temperatures from

5 P.M. of the 20th to 3 P.M. of the 24th recorded by a Richard barograph and a Richard thermograph.

In the following table (Table I) are given the observations of pressure, temperature of the air, wind direction and readings of an anemometer and a solar radiation thermometer during the period of the solar eclipse by twelve members of the crew of H.M.S. Melpomene.

The barometer was placed in a room of the Public Works Department rest-house in the Viziadrug fort, and was read by G. Woolston and P. Kieffe, Petty Officers, 1st class. The solar radiation thermometer, No. 61,169, by Negretti and Zambra, was placed on a suitable stand at the elevation of 4 feet from the ground. The instrument was in the charge of G. Butt. He was instructed to set the instrument before each reading so as to give the actual reading of the instrument at the instant of observation and carried out his instructions most carefully. The wind vane was a small instrument, by Adie of London, and the anemometer, a small Robinson instrument by Casella, of the usual type used at the Indian meteorological stations. They were placed on a stand about four feet from the ground in a very open and favourable position. The wind observations were taken by C. Mintam.

The temperatures of the air in the shed given in the table below are the means of simultaneous readings of two of the Bailey thermometers, which were freely suspended.

TABLE I.—Observations recorded by members of the crew of H.M.S. Melpomene of five minutes interval during the solar celipse, 22nd January 1898.

Hour,			Solar	Difference,			Incom	Wind	1
Madras time.	Barometer reduced to \$1° F.	Mean temperature in the shade.	radiation thermometer Na 61169 corrected	radistion thermometer and air temperature.	Wind direction.	Anemometus rending.	of Wnd recorded during interval, in miles	ing interval ing interval in miles	Portion of syn's due covered (by calculation)
1 H 11-0		86 g	1388	51'9	SE	1982			
11-5	29'949	86-9	139'3	53'4	E	1986	0.4	48	
11-10	1939	87-5	1386	51 t	SE	199 2	o 6	7'2	
11-13	939	87.6	1393	517	ŞE	1995	0"3	970	
11-15	1939	86-5	140 1	536	SE	1999	0'4	8ro	
17-20	939	87.6	140 6	53 0	SE	2004	0.2	60	*15
11-25	'939	87*3	139 8	525	SE	20079	0.2	бо	*04
11-30	7939	880	1397	51 1	SE	301.3	014	48	*68
11-35	939	88 3	1363	48 0	Ē	201.7	0.4	48	.13
11-40	1939	88 3	134"I	45'9	E	202'0	03	376	*17
11-45	939	878	131,1	43.3	Var.	202.2	05	60	22
11-50	93)	878	1.86	408	E	103.0	0'5	, 610	*27
z I • 55	929	86 9	1261	392	B	203 6	ార	72	33
Noon FR.	1929	86.9	1223	354	E	sot 1	0'5	óο	'39
0-5	919	86-9	181	3172	NE	301.1	0.3	3.6	45

Hour,			1		ĺ	1	Amount	Wand	
Madras time.	Baramster reduced to 32° F.	Mean temperatur in the shade	Solar radiation thermometer No. 61169 corrected.	Officienc, solar radiation thermometer and air temperature.	1	Anemometer reading.	of wind recorded during interval, in miles,	telocity since preced- ing interval, in miles per hour.	Portion of sun's disc covered (by calculation)
r.m.	-,-	<u> </u>							
0-10	29.931	86'5	1141	276	NNE	2018	0.1	4*8	.21
0-15	• 1921	86.2	Z0g:8	. 233	E	205.5	0.4	4.8	.28
0-20	- ·921	86.3	1046	184	SE	2055	0.5	3.6	·65
e-25	911	86'3	100-6	74'4	SE	2057	02	3.7	'72
0+30	911	85'8	96°1	, 10.3	SSE	205.8	0,1	1.3	·8o
o•35	914	83.7	90%	60	wsw	206'0	0'2	2.4	·89
0-40	'907	82-8	84.8	210	WSW	2051	0.1	1'2	1.00
0.43		- 1	81.8	.		- 1			
0-45			808	. 1		1			
0-47		- 1	79°3	ľ	i		-	1	
0-50	-899	E1'5	,78'1	34	w	207'3	1'2	7'2	•
9-55		810	78-8	-2-2	w	2080	0.7	8.1	
1-0	ĺ	80.8	\$1.3	9.2	w	2058	80	9'6	
1-5		80.8	85'3	4'5	wsw	303.4	0.6	7'2	
1-10		808	90.3	9'5	w	310.3	0.7	8'4	
1-15	ſ	81.1	94.8	137	wsw	210'9	08	96	
1-20		8179			wsw	211'5	0.6	. 72	

Eye observations were recorded by myself from the 21st to the 24th January.

The most important observations recorded at Viziadrug were those registered by a Richard harograph and a thermograph. The cylinders of these instruments revolved in 24 hours, and hence the traces are open and admit of fairly exact measurement, the trace of the barograph to '004" and of the thermograph to 0°2.

The instruments were placed on a table rigidly fixed in the open shed facing the north. The thermograph was freely exposed to the air, whilst it was protected as far as possible from irregular reflection and radiation from the ground, rocks, etc.

The following gives the measured readings of these instruments at intervals of 15 minutes from 5 P.M. of the 20th to 2-45 P.M. of the 24th and also occasional eye readings taken for the purpose chiefly of verifying the readings of the automatic instruments:—

VIZIADRUG

Long 73° 22' E

On the central line of totality.

	Hour				THERM	GRAPH			W	IND			44	
1			Barometer		·	1	Aqueous			Amount	Cloud	Solar	erred by	
DATE	Madras time	Baro- graph	reduced to 32° F	Dry bulb, No 251	Dey bulb	Wet bulb	rapo ir	Relative humality	Direction	preceding interval in miles per hour	proper	Solar radiation thermo- meter	Proportion at cured at alsa	Weather and Older Ferance
	t M	•			•	•	•	76						
												1		
20th Jan	5-0	29 B2	1		780	68 5	571	60	1	l	ļ			
<u> </u>	5 15	81			27 7	6,8	566	61	1	1				
}	5-30	805	1		779	691	594	60		1				
•	1	81		[77.5	67.7	549	58		1			ŀ	
ł	6-0	82			769	673	542	59						
ŀ	6 15	82		١.	263	674	a52	60			1	1]	
	6-30	830			76 t	670	541	60		4		1	1	
j	6-43	1835		ì	759	671	547	61	1	ì		}]	
}	7-0	84		}	759	67.3	255	52			-	}	1	ľ
l	7 15	8.4		(760	673	553	61	1	1	1	1	1	
1	3 30	843	1	j	76 0	678	'571	63	Ì	1	Ì	}	Ì	
l	7 45	815			760	67 2	550	6r	1	1		1		
	8-0	847	ļ	1	761	670	541	60	1	1	}	}	}	
	8-15	848		1	760	676	563	62	1		l	1		
}	8 30	850	1	1	760	673	ა53	61	1	1	1	1	1	
Į	8 45	835	l .	ļ	76 0	675	560	62	1	1	1	ļ	}	1
ĺ	9-0	860	1	1	75.5	675	567	64]				1	ł
	9 15	860	ĺ		752	67.4	569	65	1	1				
(9 30	862	Į.	Į.	745	669	559	66	1	(1	\	1	
l	9 45	863	1		739	661	53 ^S	64	1		1	1		
Ì	19-0	.562	1		735	658	531	64		1				
l	10-10	863			73 1	636	531	63	1		ļ	1	1	1
İ	10 45	865	í		750	655	529	65	1	ĺ				
1	11 0	865	1	ĺ	70.0	651	313	6,	1	1			1	l
	11 15		1	ļ	75 2	651	526	67		1	-	1		
1	11 30		1	1	720	65 ο δ _ο Ι	525	68	1				i i	
		1 *	1	1	718	650	531	69		ı	i			
	11-45 11 d	860	1	İ	711	650	538	71	1				1	
atst "	4 M	ř.			713	651	538	70	1		}	1		
"	0-30	1			712	649	532	70	1]			
1	0-45	85		1	73.1	64.4	316	57	1		1	1		
1	10	85	1		6g 8	637	510	70	1			-		
	1 15	1	1		6gr2	640	528	74	İ	1				
1	1 30	84			699	635	201	68						
1	,1 45	\$3			69 2	623	471	65	1	1				
1	2-0	83	4	1	68.5	618	465	66	[- {	
	2 15		1		67.5	60-8	, 146	66	1	'				
1	2.50	1			668	607	452	69	1					
1	2 4	5 81	1		66 2	6a 2	443	69	1					

VIZIADRUG-contd.

Long. 73° 22' E.

On the central line of totality.

	Hour.			T	Turns	OGRAPR.			(WL	ND.		1	là b	
DATE.	Majiras time,	Baro- graph,	Barometer red»ced to 12° F.	Dry bulb, No. 281.	Dry bulb.	Γ	Aqueous vapour pressure.		11/11	Ampunt	Cloud proper- tion.	Solar radiation thermo- meter.	ropositos el sen ahi cured as abserved by cye.	Weathfr and other remarks.
		•			•	۰		1 %	1				_	
	A.M.							,						
ıst Jan.	3.0	29:81]		66:2	бога	137	67				1		
-contd.	3-15	-\$0-			659	59'9	-437	6S				1		
	3.30	.20			650	594	424	70						
	3:45	·So			653	59"	.433	67		,				
	4-0	·80			66-1	590	'407	64				1		Ì
	4-15	•80			66'4	58.2	.378	53			ļ		1	
	4.30	·\$0	,		66'1	580	'376	59		٠.			l	
	4-45	.50	1		66.1	579	374	58		1 .				
	5-3	-81			66'0	577	365	58						!
	5-15	-81			65°t	57\$	-354	62		ĺ				
	5-30	*81			Qt.o	-57 2	'379	61						
	5:43	•\$2			636	57'7	.100	68						
	6-0	.83		1	63.6	569	375	64						
	6-15	-84			63.7	568	. 371	63			١.	1	-	· '
	6-30	-84			6372	560	1381	66			}		1	
	6-45	-84	1		630	£5.1	338	57						
	7+0	. 185	1		63.4	56r4	-367	63						
	7-15	-83			65.6	57*2	*358	56						
	7.30	•87	1	1	690	59'5	-384	54						
	7-45	-58			72'1 4	60'5	374	48		1				
	\$-0	-63			69.6	5819	1357	48			Ì		ŀ	
	8-15	-29			69'4	593	.391	54	1		ĺ			
	8-30	129			69'5	60-1	.396	54						
	8-45	1947			700									
	9.0	'93								,				
	9-15	'95	29'937	77'9	74'5	61'3	76 8	43	ESE		Rit	132.0		
	9.30	195	953	77'5	733	61.3	377	46	NN	116	,	1317		
	9:45	'93	.002	78'3	7472	637	*441	54	N	2'0	,	1367		Fine clear beig atmosphere
	10-0	95	967	79'7	7570	cro .	'451	57	NW	2'0		140.0		throughout.
	10-15	.01	-920	Sor4	76.0	65'0	*472	53	NE	3,5		143'0		
	10-30	. "01			77'4	65.8	-482	52		•				
	10-40		*538	52'4	}		ĺ		Variable	1'4		1460		
	10-45	'93	.038	5000	787	Q1.3	414	43	SE	108		1470	i	
	11.0	'93	1		810	63'2	313	32	1		"		1	
	11-15	-93			fan	630	.353	30			1		1	
	11-30	. 93			F2 2	623	304	27		'	1		1	
	11.45	.00			82.5	627	307	27]	
	Noon	*90			82'3	63'3	329	30		1	1			
	P.M.		1			1	′′			١.	ľ	.	1	
	0-15	*90			83.1	G27	299	26)				
	0-30	169	-887	87-8	83.1	63.8	.310	29	ENE '	67	19	148-6		

On the central line of totality.

<u> </u>			·				i iine oj	h	49					
· : 1	HOUS,]	. 1	1	Tal RMO	CTAPH.		· .	. 1V11			1.5	reportion of son obs- cured as abserved by	18 'a ''' 1
DATE.		Pare- 1	arometer reduced	Dry bolb.			Aqueous	Relative	'	Amount since pre-	Cloud	Solar radiation	an-qi	WEATREE AND
DATE	Madras. time.	graph.	10 F.	. !	Dry halls,	Wet bulb.	pressure.	humdity.	Direction.	ceding interval, in taile-	tion.	thermo- meter.		OTHER REMARKS.
1	- 11	i	٠. ١				l			Det pont	1.		100	
									4, 1	•	7	· · ·		
	P.K.	•	•	•	٠	•	*	%				• .	1	
erst Jan.	0.45	29 88		871	84.0	63'5	- '313	27	ENE	2.8	Nil .	1488	۱٠)	
-contd.	1.0	.87			840	65'3	'380	. 32		'		1 1		
	1-15	86		Ì	84,3	655	-378	32				. "	'	
						650		1		٠,		1	١.	
	1.30	*85			82'0	1	,301	36	ļ		ľ .		ŀ	
	1-45	*84			80-3	65'5	432	. 43	1	· .'		ļ	١.	
	2-0	.83		1	7979	65'8	*448	44	1		1 2		Ι.	
	2-15	183		İ	79'9	654	'434	42		٠ ،	·.:	l	١.	
	2-50	-82		ļ.	79'8	650	7421	41		٠,٠		136	1	1
	2-45	-81			79'4	64.8	'420	43	٦		1 ".			
	3.0	-80			79'1	63'8	-385	38		ļ	1	1	1	7 1
		1		00	1	64.1	400	I	wsw	90	wa:	1140	1	1. 1.
	3-15	-\$0		83-R	. 79'0			. 40		1.00			1	
	3-30	-80			79'0	64.9	'425	, 43	١.	'	٠ ا		11	
	3.45	-80	}	-	79"	65.0	'430	43,	١٠. ·	١, ١				9
	4.0	180		İ	79'1	64.8	'423	42		١.	100	1 - '	Į	
	4-15	180	Į	1	79'0	647	'421'	42		٠.	1 .	1.	1.	1
	4-30	- 50	[78.7	64.3	408	, 41			٠,	† ∙	ŀ.,	
i	4.45	+	ļ		78'3	65'3	452	45	•	l		14.		
İ	i -		ļ		78'4	65'3	451	- 4		٠,	Ι'	1, 1		
i	. 2-0	-81			1			46	wsw	190	١.,		l.	
ŀ	5-15	481	19'817	8214	78-1	65.9	476	. 50	14214	1, 190		850		
ı	5-30	182			78.2	65'4	'457	47		1		1: 1	Ш,	100 4 94
	5-45	162			77'9	65.3	458	48	1	.::	1.50	1	1	1 1
1	6.0	*83		1	77'2	62.3	'462	49	1.	4	1 /			
1	6-15	1 .83			77'0	65'3	'469	50.			1:	٠.	١,	```
1	6-30	t			76.9	664	. 509	35	Ι.	:	1.		Ŀ	P 1 2 1 1 4
	6-45		i		76.7	64'5	445	48		١.		,,	'	ri.
	7.0				77'3	65'2	461	1.	} ·	. "…		1 22	ļ	1. '
	1 '	.85	1		1 .		-1	49	Ι٠.		. '	"	1.	V - 1
	7-13				76.0	664	513	56	1.		1		ľ	* • ,, ,
	7-39	-86		4	7539	67:1	'547	61				100	١. ٠	Landa e a
1	7-4	5 87	•	***	75'8	667	.234	50	ŀ.	1 .	1	4,	١.	1
	8-0	-87			76'0	660	- 507	`. 56		١.	1	, "		
4	8-1	5 -87	1		760	66-1	,210	55	1 .	1	10	15.0	١.	
	8.3	-87	1 .		75'3	65.9	*514	59		19				
	8-4	5 -87		-	- 74'9	65'5	. 504	58			١.	1	ŀ	
	9-0			1'	74'3	63.6	515	. 60	1 :	1.0	` :	[: : : ·	ļ.	
	9-t	1	`	1 .	739	650	.499	59	1	1	1		1:	
1	9-3		ļ.		132	647	499	. 61	[4.] (i		1. "."	١.	
	1	ì	1	١.		1				1	ľ .	١.	L.	
	9.4		1	1	73'4	et.8	500	61	100		1		ľ	
1	10.0	1 .	1	1:	73'3	61.4		59		1.	1	١.٠.		
1	10-1	t t	1.	\cdot	72.8	64.4	. ``493	50		1 - 3		100		
1	10-3		1	•	72.4	et.3	496	62	*	1	1	1 :	. 4	
1	10.4	5- 87	1 .	1	12.0	640	436	62		4, 4	1			
14					**			1.	1	11 -		-	1 :	

On the central line of totality.

	Hous.		1	1	Тиквиг	GRAPH,	<u> </u>	1	Wi	ND.		1	52	
DATE.	Madras time.	Bare- graph.	Baro- meter reduced to 32° F.	Dey bulby No. 2010	Dry bulb.	Vet bulb.	Aqueous Anguar pressure.	Relative humidity.	Direction.	Amount since pre- ceding interval, in miles per hour.	Cloud prupor- tion.	Solar radiation thermo- meter.	Proportion of sun abscured as abserved by eye,	WEATHER AND OTHER REMARKS.
	r.n.	,	•				,	%				•		
arst Jan.	11-0	29'87			20:4 	623	475	64				l		
—coneld.	11-15	-88	1		70-2	62:4	-461	62			Ï			
	11-30	-88			700	62:4	'464	63	1					
	11-45	-88	1		70.0	62-6	'470	64				1		
	Mid	-88			707	62.4	*454	60				ļ		
	night.	-89]	69'3	61.8	451	.63	1	<u> </u>		1	1	
and Jan.	0-15	-88			65-8	617	458	65	}					
	0-45	488	1		68-3	6ra	*441	64	1	Ι.				
	1.0	*58			676	60.0	*418	63	1		ĺ			
	1-15	-89	ŀ		66'9	59'5	'411	62						
	-1-30	-\$9			664	590	402	62					1	
	1-45	158			65°1	590	*407	64						
	2-0	+S8			65%	584	395	62						
	2-15	-87			652	58:3	*397	63						
	2.30	187			65'0	58'3	'400	64	t	1	Į	Į.	[
	2.45	-87	1		647	58.3	*4n3	65	1	ł		١ ،	١.	
	3.0	*87	1		64.8	55'2	.399	65	1	Į				Ì
	3-15	-87	Ì		€1.8	59:4	*405	65	1	1.	ļ	ł		1
	3-30	187			650	577	.323	63		1				1
	3-45	187			et.s	57"1	*376	63		1	İ			
	4-0	187			640	57'0	'374	63	1		ļ			
	4.15	-87			63.8	57"	.350	61	1	İ			1	
	4-30	187	1)	.63.4	5772	.381	65	1	Ì		1	1	
	445	-88			63'5	57'8	'405	69			1	}		
l	5.0	83			63.0	570	375	63		Į .	(1		
1	5-15	-68	1 .		61.0	57 7	395	67				1		İ
	5-30	-88			64.0	56.2	,330	59		1				
	5-45	.00			64.5	55'4 56'0	'323	54	1	١.				ł
	6-0.	190			64.1	548	'314	58		1.				1
1	6-15	.90		}	64'2	5479	.310	52	1		}	1]
	6-30	• '90		68'2	61.4	550	.309	51	ESR	3'9	1		1	
	6-45	1		",	647	54'8	4298	49		, ,,	1			
	7.0	93			65'8	56.0	346	54		ļ				
	7-15			'	690	57-8	345	1						
1	7:30	1 '	1	71"2	6979	580	313	44	E	52	1	1.		
	7-45	95	1	1	68.4	28,3	'351	47	ENE	60		11174	1	
F	5-15	1		73'0	69'2	57'7	*326	1	1	4'4		1174	1	1
1	8-30		t	74'5	69'9	590	356		E	48		122'3	1	1
	8-3		197		1 "	"	1	1		. "	1			1

VIZIADRUG-contd.

On the central line of totality

	Hour.			١	THERMO	GRAPS	, , ,		W	NO			2.5	
DATE	Madras time	Baro- graph	Baro- meter reduced to 32° F	Dry bulb No 251	Dry bulb	Wet bulb.	Aqueons vs pour pressure	Relative humidity	Direction	Amount s hee pro- ceding nterval, an miles per hour	Cloud proper tion	Solar radiation thermo- meter	Propert an of sympo	Weather and Other Remarks
	A M-				٠			%	}]			Г	
and Jan	8-45	29'96	١.		712	60'3	379	49				•		1
—contd	8 50			16'3					T.	24		1270		
	90	96	-		724	607	376	48	E	32		1300	-	
	9-5		1	77.5										
	9-15	97	ļ	}	73 9	619	395	47	l			ļ		ļ
	9 30	97		{	75 0	636	437	47	l	l				
	9-45	797	}	ĺ	763	635	416	46	1		Ì			
	Io- 0	-97			77.9	639	408	43		1				
	10 15	96	ļ		796	648	417	41						
	10-25			83:			l		ENE	70	Nel	1410		
	10 30	96	1	}	Bo 1	657	441	43	1	ļ				1
	10 45	96		812	815	653	409	38	SE	172	Nıl	145 0		Fine belight ann
	10 50		29 961	855	1	İ	l	1	ESE	60	. "			
	11= 0	95	1	825	82.4	645	359	33	E	1	,,			
	111- 5	1		856					L		,,			
	11 10	Ļ		860	1			į	E		·			
	11-12	1	1	86 o			1	1	E			1	1	Felipsa begins
	11 15	94	1	86 o	826	653	394	35	E	}	. ,,	}		Slight por
	I1 20	1		858	l				SE	62	,			an operated
•	11 25			86.3	1				E		- 3			sun obscared.
	11 30	94		8619	830	652	385	વા	1				١,	
	11 35	1		858)	ì]				Nd]
	11-40			860	1]	1		1]				
	11:45	'93		86 a	830	645	361	3*			p			
	11 50			86 2	ļ	1		ļ		ļ	,,		1	About one-e
	11-55			83 6		1			1		. "			EOY-FEII
	Noon	'93		85 6	829	655	397	35	E	,	#		} }	About one-ti
	0.5	1		8,6	ļ		1	Į.	E					
	0-10	1		844	{		1	ļ	E				١.	Helf obscured
	0 15	1 -		844	S2 2	633	330	30	E	0.2	Nî		١.	
	0 20	1	1	847		1			E			•		
	0 25	1	ų.	838			ſ		SE	3.0	"	- 1	3	Nearly two-third obscured. About three four
	a 30	91		833	817	65.0	427	39	Crim change to W				1	
			1	1.	1		1				1		- }	Nore -S.S A famene -1 wind "o nutes bef
	0 35	1		822		1			Calm	1	"		ļ	totality was
	0 40			811							٠		- (totality was and demins ed in force it was also calm. It
1	0-44	ı		79 9	[1	{	[
1	0-4	1		795	1						1]	Tetality	channel
1	0.4			70.	79'3	659	469	46		•	"		F	nest a grad ally creased to fo
1	1	1		79.2	1		1	}		ı '	}	1	}	

\'IZIADRUG-contd.

Long. 73° 22' E.

On the central line of totality.

 -	Hora				THERM	DORAPH,		1		80.		1	1897	
DATE.	Madras time.	Baro- graph.	Baro- meter reduced to 32° F.	Dry bulb No. 261.	Dry bulb.	Wet' hufb,	Aqueana vapour pressure.	Relative bassesty.	Direction	Amount since pre- ceding nterval, in miles per hour.	Cloud propor- tion.	radiation	Propertion of suneba- cured 28 observed by eye.	Weather and Ther Remarks,
	P.N.			•	٠	. •	•	%						
and Jan.	e-5a		(80'2								(!	"	
	0-55			Sou				'	W	4.6				
	t- a	2g*9o			77 5	62.0	484	48		ارد			} }	
	1-5			80.5					wsw	9.6			ll	
	1 10	189			775	66'o	'487	48					Н	
	1-30	-88		83'3	78·0	650	445	46	wsw	6.2	NII	1140	1 1	
	11-45	*87		84.6	78 2	652	'449	46	wsw	0.5	4	1268	+	
	1-50			85-1					wsw	7'2	,,]]	
	12- 0	*87	ļ		78 B	65.8	'463	47						
	12-3			#5'6		١.			wsw	9'2	,,		+-	
	12 35	•87	l.	87'1	800	65'9	'450	.44	WSW	5'3	,,	£41'6	°	
	,2-30	*87	[Bo.1	63.6	'438	43						
	P-45	*86			80'2	6r3	'417	37						
,	9.0	-86 -86		•	800	65.2	'425	41				· .		
	g-15 g-30	-86			80.0 80.1	65°7	' '441 '418	.43 .41				ļ		
	345	*86			79'9	63.2	'437	43						
	40	-87	1		79'4	657	'450	45				l	1	
	4-15	.87	'j		790	65'4	:446	45	1			1		
	4-30	-87			78°9	658	:462	47						
	4-45	*87	1		790	65'3	:442	44	1				1.1	
	5-0	*\$7			78·9	.659	465	-47	ļ			•		
	15-15	-87	1]	78.7	62,3	*453	. 47	1			Ì	1	
	,5·30	*87			78.5	65.5	469	48	1	١.	\			ı
	15-45	*87	Ì	i	78.3	-65'2	'148	.47						
	6.0	*87 *88	ļ	ļ	77.4	654	:467	;o	١.]]			
	6-15 6-30	-89	1	1	. 75'5	63'2	.472	49 52						
	6-45	.80	}	1	762	653	1482	53	l	1				
	7-0	. 90			76.2	656	'490	55	ĺ	}				
	7-15	ر و-			76·0	65.2	478	53		1	1			
	7 30	.90			750	650	-472	53				ľ		
	7-45	190	1 .	1	750	65:4	486	54				1		
	B-0 '	. '91	ľ		760	- 654	.486	5\$						ĺ
į	8-15	'91		1	75'9	- 658	'502	56						}
	8-30	92		1	757	.658	.204	.56			Ì	ľ		1
	8-45	'93		1	75.6	65.7	.201	56					-	
j.	,9-0 ,9-15	*93		1	72'7	65.0	.223	. 68 69	1					1
	19-15	'94			71.2	03.0	332	9		,	1			

VIZIADRUG-contd

							l line of	totality				-		
	Houn.			1	JAERN	OGRAPH			w	I XO		Solar	obserred	
Data	Madras time	Baro graph	Barometer reduced to 32° F	D y bulb No. 251	D y baib	Wet bulb	Aqueaus Vapour pressure	Relative hum d ty	D echen	Amount inner pre ced ng nterval, n m les per hou	Cloud p oper t on	rad ation the me- meter	Propert on of eu cored as ob breye	Weati er and other remark
	РИ							*						
aand Jan	9.30		}		71.2	653	546	71				}		
-concles,	1	29 91	į		71.1	63'9	499	65	1		ĺ			ļ
	9 45	94		*	709	634	485	64	1	1	ì	1		1
		*94			704	63'3	489	66		1				1
	10-15	94			70'0	630	484	66		1				
	10 30	-94			698	62 5	470	65						
	10 45	*94			69.2	627	494	68					1	f
	11 0	94	1		600	621		65		1	1	1	∤ ∃	ļ
	11 15	.01			689	611	467	62						
城	11-12	*94 94			68-6	610	436 437	63						
• •	Mid night	'94			68.8	610	434	62						
4	0-15				690	60.9	4,0	61		-		1		
izrd a		94)	63 7	607	423	61	1		1			
	0 30	91		}	680	60 7	436	64		1	ļ	1		
	0 45	91	١.		67.5	604	433	64	1	ì	1			
	1	'94		1	670	600	433	64						
	I Ia	94	+		665	1	430	66		1		1	1 (
	1 30	94			1	599	1	65		1		ĺ		
	1 45	94			66.4 66°0	597	425 421	66				-	•	
	1-0	94	1		650	594 596	427	66		1			П	
	2 15	'94			66 0	598		67		1				
۲,	# 30	94	į	1	657	5974	433 424	67		1	Į.	ļ		
í	2 45	*94	ì	ł	65 7		1 431	66		1				
	30	94	j	ļ	634	593 592	423	67		1	jb.			
	3 15	93			653	596	436	70		1	1			
	3 30	'93		1	633	593	427	68	1	1				
	3 45	93			649	590	423	68		1	l		H	
	4*0	93			65 0	596	440	71				1	П	
	4 30	93			653	598	442	71		1	1			
	4 30				6,0	579	450	73		1				
		Section .		ł	650	608	479	177			1			
	3.0	793			636	60'9	475	75						
	5 25 5 30	93		1	660	611	474	73	1	1	1		1 1	
1	5 45	93			659	60'2	466	70	1	İ	1			
	6-0	93		-	650	59'2	428	69			1			
	6-15	93	1		610	á	404	68	1	,	1			
	6-30	94	1	1	63 1	160	416	72						
	6 45	'94	1	1	64.0	13:	438	73		1	}		1	
	7.0	794	1	1	165	2 3	410	63			1	1	ΙÌ	

VIZIADRUG-contd.

Long. 73° 22' E.

	Hour.		!	Γ	TREEM	DGRAPH.	T		W	ND.		1	15	,
DATE.	Madras time.	Baro- graph.	Barometer reduced to 32° F.	Dry bulb, No. 281.	Dry balb,	Wet halb.	bierente- arbona Vdacona	Relative humidity	Oirection.	Amount since pro- ceding interval, in miles per hour,	Cloud propor- tion.	Solar radiation therme- meter.	Fropertied of east und-	WEATHER AND OTHER REMARKS
	T.X.	,			•	•	•	%					_	
23rd Jan. —contd.	7-15	29794						ŀ	ĺ				l	
	7:30	~95	ì	١.	1		1	1	}					
	7.45	-96		ļ					1	•				
	8-0	-97			67'9	597	405	59						
	8-15	'97	ì	1	68.9	60°E	7404	57) :				1	
	8-30	.ó2		1	700	61-3	'429	58		İ			1	
	8-45	'99	ł		721	61.8	'417	53	l			ļ	ļ	
	9-0	3000			73'9	620	-398	47					1	
	9-15	'00			75'3	5279	409	46	ł				1	١, .
	9-30	*00	}	}	76-6	64.3	'435	47		· '		1	1	
	9-45	29'99			77"2	643	'452	49						
	100	.08			18.2	66-1	1476	50	ł				į.	
•	10-15	98	1	1	799	67'0	'490	48	Ì	1		1	1	
	10-30	.08			7979	66-0	'454	44	}				ı	
	10-45	'97	1		79.6	66.4	'473	47	l	1	ĺ	1	L	
	11-0	796		İ	788	67'3	216	52]	1			1	
	31-15	95			18.8	67'3	*513	52	1		ĺ			
	11-30	194	1.	1	790	67.7	*529	53	1	1	ļ	1		1
	11-45	.24		1	79'0	58:2	1546	SS						
	Noon	93		İ	79'5	68-6	*554	55		ŀ				
	£.M.	ì].	1	1	ì	1	1	1		1		1	
	0-15	-92			7979	68-6	'549	54	1]		1	
	0-30	.01	-	ł	79-8	687	'555	55		1			1	1
	0-45	790			79'8	68-3	'547	54	·l					1
	1-0	290			79.8	63-4	* *547	53		1	1		ĺ	
	1-15	.90			19-8	63.2	'547	54			į	1.	1	1
	1-30	*89			793	685	.223	36	1	1		,		
	1-45	-88			79'3	68-5	*553	56						
	2-0	-87	1	1	79%	6879	*564	56	1	1	1			
	2-15	-87			79'7	68-7	'556	55		1		!		
	2-30	-87			79 8	6973	*573	57						1
	2-45	-80			80.0	63'3	'536	52			1			
	3-0	-86			179'9	68'5	'545	53					1	
	5-15	185			79'7	68'9	1562	56	1	1			1	
	3-30				79'8	6912	*568	56	1					
	3.45		1		79'8	690	*555	56	1					
	4-0	185	1	}	79'5	69'2	1	. 57	1	1	1	1	1	1
	4-15	1			79'3	694		1.3	1			1	٠ [
	4-30	1 1			7819	695	1	1:4	1			1	1	
,	4:4	1	1		78.4	1	1	1 3	į.	-		1.		

On the central line of totality.

_					15.1	Тиккио		at time t	-	, W	ND 1			4.5	7	
	DATE.	Hour,	Baro- graph.	Barometer reduced	Dry bills No. 281.			Aqueous va pour	Relative bumidity.	-	Amount since pre- ceding interval,	Cloud propor-	"meter."	an of sun	WEATHER OTHER - RE	AND MARES
ľ	i	time.	6 p	32° F.		UIY DUIL	1160 Bailte	pressure	Ì	J	interval, in miles per hour-			Propotti Cured Cyc.		
1			•,	\		0,1	a	,	7,						٠.	
١		P.M.				78.3	696	1600	63						1.	9
١	23rd Jan. —concid.	5·15	29'84 '84			78.8	71'3	1667	68							3
l		5.30	'84		•	78'9	71 i	-658	67			Ì	-{			. "
l		5:45	'84			78 2	70'1	629	65	1		,			. '	1.5
I		6-0	185			77'5	70°1 70°2	*637	67	ļ			, 1	١.		
I		6-15 6-30	·85	ļ		77.0	703	:614	69			'	} ,			
ļ	•	6-45	-86			77'0	. 70%	659	17	1		٠.	1			• •
١		7.0	87			77°a	70-3	.623	70			,	;			
ļ	z\$	7-15	87	Į		76.0	70'8	į 672	: 73	l	1	ľ.	1			
l	•	7:30	*87 *88		Ì	766	707	650	. 73				:			,
l		7-45	188		١,	764	69'9	-615	c 21						17	ć
		8-15	*88			76.3	. 69 0	,.613	> 68		1			٠.	1 .	
I		8-30	489	'	,	760	68.3	(1500	. 65	,		ļ	1		i	٠,
1		8-45	-89			76·1	67'3	; 573	61		,	ļ			Ť	
1		9-15	189 189	·	ı	75'9	672	, 544 '550	61	l i			· .		i	
1		9-30	-89		'	25'3	- 67'3	, 559	54		1		1		į	÷
		9-45	·89	<u>'</u> '•	1	73'7	67'2	. 580	70	;		١.	Ι΄,	ľ	,	
		1 10-0	189		,	73'8	672	*579 *579	70				•			
ļ		10-15	·89			739	676	1592	71		٠.				٠.	
i		10-45	189			73'4	. 66'2	548	66		ļ' <u>.</u>	١.	ŀ.			. "
		11.0	89			73'4	. 66-3	553	- 67	. ;			¦ ·		1	
'		11.15	*89			73'7	66°2	f, "544	67	l i	:	İ	. '			
		11-30	·89		İ	73.0	657	547	70]r .		;	
		Mid- night.	-89			70'9	61.8	533	11 71	١.		٠,			.1	•
_	aith Jan.	A.M.	80		}	703	646	. 1.236	. 73	} .						,
		6+30	-89	1	:	69.8	643	530	73		١.					
		1.0	·89	i		69°9 69°8	63'3	: "S15	. 68		[·				
		1.15		1	1	69'9	6370	485	: 66			, ,	, .		- (
		. 1-30	189		1	6g 1	636	- 516	-, 73				0			•
		1-45			,	68'9	645	*559	77							. ,:
		2-0	-8 ₉		1	68'3	6379	, 540 1 531	75	١.			. '			
3		2-15	1 .		;	678	62'4	493	72					ا. ا	1.1	,
		2-43	1 1			675	6179	2482	72			·,	. ;		•	
			1	1	:	1 :	1 .		1						-	

	Hour.		i		Тивам	OURAPH.			W	ND			12	
Darz,	Madras time,	Baro- graph.	Barometer reduced to 32° F.	Dry bulb, No. 281.	Dry hulb.	Wet builb	Aqueetta vapour presiure,	Relative humicity.	Direction.	Amount since preceding interval, in miles per honr.	Cloud proportion	Solar radiation thermo- meters	reportion of annobs- cuted as observed by eye.	Weather and Other nemark
	A.M.	,			•			2,			. :		_	' ''
esth Jan-	3-0	29'88			66.8	61*1	464	70			'	'	١.	
-contd.	3-15	188	ĺ	'	66-6	6r3	*473	72					١.	[.
	3.30	188			670	60rg	456	69				'		
	3-45	-87	l i		67'0	607	'449	63		•	j	. `	,	
	4.0	187	1	.	66.8	бого	*429	65						
	4-15	-87			66.3	59'8	*429	66					·	
	1 4-30	-87			65.6	59'4	426	67				,	ŀ	
	4-45	187			65'7	584	*394	62				٠	!	1
	5-0	-87			66°o	58'3	386	60 .			1		ļ: ,	,
	5-15	-87			65'3	58.0	*387	60			ı			
	5-30	-87			65'2	57'5	373	60					ŀ	
	5-45	187		lí	65-2	57'5	373	60					-	٠,
	6-0	-88			63'a	57%	361	'58					,	
	6-15	*88			65'1	57'0	359	58						
	6-30	83			64'8	568	357	58					1 7	
	6.45	-89			650	57'0	360	58						
	7-0	189			65'4	57'2	361	57						
	7-15	.00			66.3	58-3	383	39						•
	7:30	90			67.8	58-3	362	53			•			
	7-45	.00			68:2	589	376	55				•		
	8-0	'92			70'o	59°5	370	51			.			
	8-15	'93	29'901		71'9	60%	376	48	ENE	11'6				Barograph fe minutes fast ; the
	8-30	194	-7,-4		13'3	62 0	406	50	ana		١.			minutes fast; the mograph fr
	8-45	.01	'039		75'2	63'5	431	49	ENE				-	mograph fr minutes fasts rea- ings probably s ghtly tow, doe defective adjus-
	9-0	.02	,		77'0	64.4	437	48	ENE					defective adjustment,
	9 15	96			78.3	65'4	455	46						
	9-30	96	7064		796	663	460	46	NE	5'4	Nil	866		
	9.45	'06	, ,		80 g	66-1	414	42	, A.E.					
	9-50	,		- 1	,		***	*	.	4.8		87-8		
	10-0	196	959	1	81*9	67:0	463	_	e ese	6.0	Nil	89'0		
	10-15	·96	ענע		83.0	677		42	225					
	10-20	yν			0,0	""	475	42				· 8 _{9'4}		
	10-30	196			83.8	674	,,,,							
Į	10-45	-			847	68.3	452	39		ļ				
	11-0	'95			. 1	68.4	470	39		i				
	-	94			85.2		466	38						
	11-15	94			86.1	69.8	210	41					1	
	11-30	*93			87'0	68-8	461	36						
	11-45 Noon	·92			87'9	69'5	475	36						
	Noon	.b1			1.88	710	'565	42						

Lat. 16° 34' N.

VIZIADRUG-concid.

On the central line of totality.

Long. 73°22 E.

	Hour.			1	THERM	OBAPR.			W.	IMD	1		A S	
Date.	Madras time.	Burn- graph.	Burometer reduced to 82° F.	Dry bulb, No. 281.	Dry bulb.	Wet bulb	Aqueous vapour pressure,	Relative humidity.	Direction,	Amount since preceding interval, in miles per hour.	Cloud proportion	Solar radiation thermo- meter.	Propertion of sun- ened as abser- by eye.	Weather and other semerer,
aub Inn	P.M.	•	•		•	•	•	%				•		
24th Jan. —coneld.	0-15	29:90			840	70'0	*S47	47		1				
1	0.30	90			84*1	712	*591	50		1			1	
	0-45	-89			8370	702	*568	50		1	İ			
	1-0	89			818	71'2	1623	58		Ì		1		
	1-15	88		1	816	70'0	*579	54		1		ĺ		
	1+20	,	29 855			1	1		wsw	57		89'2		Wind changed to
ŀ	1-30	*87			81.8	70'0	'576	53	w	15.6				Wind changed to west during last interval, probably at popp
l	1-45	85			8119	70°I	'579	51	1					
	2-0	85			820	700	'573	52		İ			ı	
	. 2-15	-83			81 3	71-5	641	60						
	1 2-20	}				l	}		w	773				
-A,	2:30	182		ì	81.3	71'2	631	59				1		
	2-45	*82			80'4	71 2	1641	61		1				
1	3-0	82	}											

Meteorological observations recorded at Ghunghuti by W. A. Bion, Esq., in connection with the Solar Eclipse of 22nd January 1898.

"In accordance with instructions received from the Meteorological Reporter to the Government of India, Secretary to the General Committee, G. V. Juggarow Observatory, I left Vizagapatam on the 11th January to take meteorological observations during the solar colinge of the 22nd January. The station selected was Ghonghuti on the Bilaspur-Kutni branch line of the Bengal Nagpur Railway in Rewah, Central India, Lat. 23°-20'-36" North and Long. S10-141-55" East.

"The instruments taken were the following :-

Thermometers. Dry Bulb					No. 656714 by J. Hicks.
Wet bulb					" 656713 do.
Maximum	٠.				" 80587 by Negretti.
					and Zambra,

Dry minimam 78310 ,, Wet minimum 80700 1

Robinson Anemometer.

Small Wind-vanc.

Richard's self-recording Barograph.

Richard's self-recording Thermograph (dry and wet).

A full plate Camera by L. Casella with lens by Zeiss, Series II, A, No. 5.

"As the observatory unfortunately did not possess a chronometer, I had to use an ordinary watch set as accurately as possible to Madras time, which the Station Master kindly obtained for me an hour before the total phase of the eclipse commenced The time used in the observations recorded is hence Madras time throughout, which differs from the local mean time of Ghunghuti by only a few minutes, the local time being four minutes in advance of Madras time.

" An open site was selected for the exposure of the instruments, and a bamboo staging. a feet in height, was creeted for the eages containing the thermometers and thermograph. The cares consisted of wooden boxes, two feet square, with louvred sides and sloping tops. The extreme height of the eages was 2'-73". The anemometer was fixed on a nost with the cups 6'-2" above the ground, and the wind vane on another post at a height of 6 feet. The barograph was placed on a shelf in the railway station booking office. Both barograph and thermograph were set to the mercurial instruments at Alipore, and the thermograph was again set approximately correct at Ghunghuti, but it did not work very satisfactorily. No irrigating trough was supplied with this instrument for the wet "bulb," and it was difficult to keep the muslin properly wet, for whenever a few drops of water were placed on the muslin the weight of the water caused a temporary rise of about 20 in the trace. Eye observations of the mercorial thermometers were, however: taken at frequent intervals during the 21st and 22nd. A stand for the camena was constructed of a long board clevated at the correct angle by a hinged support. Jong pieces of word were screwed transversely to the bottom of board and support to give them greater stability, and, after having been adjusted in the correct position, they were made perfectly rigid by pegs, etc. .:

"I arrived at Ghunghuti on the night of the 19th, and on the morning of the 20th? unpacked the barograph and thermograph and set them going while the stand for the thermometers was in course of construction. Readings of the anemometer and wind vane were taken from 14 hours on the 20th, and of the mercurial thermometers from 7 hours on the 2tst.

"At 18 hours every evening all the instruments were taken into the tent, and brought outside again at about 630 in the morning."

The height of Ghunghuti above sca-level being considerable, the harograph: lever was depressed to near the bottom of the drum. To guard against the possibility of nany sudden change of pressure depressing the pin below the drum, I raised the lever by half an inch on the morning of the 22nd and altered the figures on the paper trace accordingly.

"Six exposures were made with the camera, one before, one after and four during totality. The last of the four exposures during totality was completed just as the first point of light appeared from behind the moon. The following are the approximate times and length of exposure of each plate:—

No. slid	of c.	Kind of plate.		Stop.	Time of exposure, Madras time,	Leagth of exposure.
No.	1	Wratten and Wainwright's Ordinary	y . .	F. S	Hour. Minutes.	Seconds.
	3	Wratten and Wainwright's Drop sh	nutter	8,	1 373	4
*	4	Do. do.	A.	S	1 38	5
,	5	Do. do.		8.	T. 381	7. C 8 h
17	6	Do do.r		8 ^	i. 39 '	; 3, 1
() H	2	Wratten and Wainwright's Ordina	ry .	80	¥ 40	3 d. f.

"The plates were all backed with red and black paper backing. The image obtained was very small, as the expedient of removing one of the lenses to obtain a larger image did not prove successful, as it was impossible to tack the camera out; sufficiently a to obtain the larger image in focus.

A gentle, hreeze was blowing all the morning of the 22nd but withink few minutes of totality it died away suddenly, and during totality there massitead: calmus The breeze-commenced again about an hour after. The dry bulb fells from 7 7th at 13 hours to 68°9 at 13-58, after which temperature rose again, the fall due to the tellipse thus amounting to 8°3. Both vapour pressure and relative humidity sincreased during totality; the maximum relative humidity being attained at the same hour as the minimum temperature; that of vapour pressure occurring a quarter of an hour lately. The rises in relative humidity from 12-45 hours was from 23 to 44 per cent, and of vapour pressure from 23 to 44 per cent, and of vapour pressure from

"From the harograph trace pressure would appear to have fallen, perhaps slightly more rapidly between 12 and 14 hours on the day of the eclipse than on the preceding day, but the trace for the goth shows a fall very similar to that on the 22nd."

On the line of totality.

					(In the li	ine of tol	ality.		
	Hove.		THERM	OGEAPH.	1		. W	DIE		
DATE.	Madrus time.	Haro- graph,	Dry bulb corrected.	Wet bulb	Aqueous vapour pressure.	Relativa humidity.	Direction.	Velocity dering preceding faterval, in miles per hour.	Cloud proper- tion.	Weather and other remains.
	A.M.		·	.	-	%.	-			1 :
20th Jan.	10-0	38'345				١.	ļ I			
	10-30	,310				:				
	11-0	*330								la morning there was light cirrua cloud almost cover- ing the sky, but by about moon all cloud had du-
	11-30	'315]					ing the sky, but by about moon all cloud had dur- appeared.
	11-45	-300]						''
	Noon.	ʻ295	İ		1					
	2.44			i '	,	.				
	0-15	'370			:					
	0-30	'270		1	1 1	,				
	0-45	'360	į			'	١,	1	ļ	
	1+0	'360			;	Ι,				
	1-20	'360	1	'	1			i '	١.	
	1-20	*250	754	58'5	768	31		'	Nil	
	1-25	350	754	28.3	*259	29				1
	1-30	*350	75'6	59'3	390	33	NW			i
	1.35	'245	764	60'4	*3r4	54	,	1.		
	1-40	,310	75'9	59'4	1289	32	, '	1	*	
	1-45	'740	1	60°3	1314	35		1	"	
	1-50	'235	75'8	60'9	.338	38				
	2-0	*235	769	60'9	*323	35	NW		al-C	
	2-15	'230	77'5	61.4	*32t	31		1		İ
	2-30	1320	76-9	6r4	*339	36		ł	,,	
·	3.45	'220	77"	60'4	'304	33			,,	
	3.0	7230	76.0	6017	317	34	N		+	1
	4-0	'200	75'8	60'9	.338	38	N	3.8	, ,,	
•	5.0	1200	73'3	60%	'358	43	Calm	1.8		
l	6-0	1300	58'4	51.3	283	57	Calm	۰		
	7-0	*315	;]	i					į	
ĺ	8+0	'230	,		• .				3	
	9-0 Mid-	*235	i	1					ŀ	1
	night,	'230	,			1)		ļ ·	
sist jun.	A,M, 1+0	'230	,	'		-		1		ļ
	3-0	'210	,		ļ.					·
1	4-0	*200	- [1	٠		
	6-0	'200						#		
1	7.0	*220	44'6	44"2	.383	95	·Calm.	ř.	3 .	Cloud to certh,
	8-0	'245	52.6	49'5	'314	. 79	Calm.	•	3	Cloud increasing.
	9-0	'265	650	55'9	328	53	Calm.		5	Ditte.
	10-0	'370	69'3	54,2	'332	32	w	67	8.	Light chroz covering nimost whole eky.
	10-30	'260	754	55'1	206	26	NW :	37 -	. 6	Cloud affrarently disappearing.
	11:0	1250	71'7	55'7	'233	. 30	NW	46.	6	

On the line of totality.

		ı).					ine of to				<u> 10 - 10 50, 7</u>	, ; `.
	Hour		Тивямо				W	CHD CHI	Ì		11 11 11 11	. ,
Dáte.	:	Baro-		Wet bulb corrected.	Agreous	Relative		Velocity during	Cloud	}	Wearner and group	
Date	Mudrau time.	Etrby.	Dry bulb	tVet bulb corrected.	pressure.	hemidity.	Direction.	during preceding interval,	proper- tion.]	WEATHER AND OTHER REMARRE.	
	,			1				ja milas per hour.		- 3		
							<u> </u>					17
1	11.30	28'245	73'7	55'9	.313	7 <u>.</u> 25	NW	118		ŀ.,		
21st Jan. —concid.	11-45	.510 50 142		55'8	209		NW		4	Ι΄		
l	Noon		73'7	507	1	25	NW	,	Nil			
1	P.M.	.530		56'6	*224	26	NW	,		Clear.		
ľ	l i	1220	347	58'5	220	25			19	1		
	0.30	215	76'8	56.5	1219	27	W	37	0	١.		
[0-45	'210	761	1	1190	21	WNW	2'7		l		
1	1-0	'200	75'8	55'9	184	21	NW	2'3		l		.,
ļ	1-10	*200	76'5	55.0	1149	16	NNW	88		l		
1	t-20	'195	75'8	\$5°B	,183	21	N	1.3	14	1.		
1	1-25	195	76 8	56°a	*874	19	NNW	375				
1.	1-30	1190	76'9	56.4	184	20	N	47	۳.			
1, .	8-35	190	78'3	57'5	.199	21	NNW	47	۳ ا	1 .		
	£-40	1300	26.7	5615	1193	21	NNW	46		Į.		
İ	1-45	*190	76.3	56'1	184	23	WNW	5'3		·	'	
	1:50	1185	78-3	56.6	1672	18	NNW	64	,	1		
	3:0	1685	78'3	557	'145	15	WNW	29.				
	2115	180	77'3	56° t	1172	19	WNW	43	►		•	
1	2-30	1180	78.3	567	-175	19	NW	472	ı.	1	•	
	3.45	1175	77'4	57"	*204	23	NW	5'8	-	ļ		
	3-0	1275	75 2	57"1	1188	20	NW	3,1		1		
	40		786	57.5	1195	20	w	371	"·	1	4	
	6-0		564	49'9	275	60	Calm.	o'A	*	l	•	
	8-0	715				١,				ļ.	•	
	10-0	*220	1				1		1	١.	£ 1	
	1	*220				İ	1			١.		
and for. S	Mid- riight.			ľ			İ				1	
3	1-0	'220								4		
1	3-0	'220		١.					'	ĺ	•	
1 3°	4-0	215		L			١.	Ι.				
,	6-0	, 220	ļ _	1					ł .	Į		
İ	7-0	240		39'9	*231	90	Catin					
,	B-0	267	56 4	505	201	. 64	Calm					
	9- 0	285	69 2.	55 2	249	34	NW.	- 0/3	-	١.		
	10-0	1300	1	556	*199	24	WNW	3'2	-	- 2	" .	!
1	to-30	1		557	203	24	N	48	. *	,	.1	1
	1 21-0	1300		571	*227	26	NNE	45	· •	٠.	Section 1997	
1	11-30		1	56.6	200	22	NNW	3.0			, .	:
{	×11-45		1	56.7	215	25	NNW	65			•	
	Nobn P.H.			574	202	21	NW	. 2.0	7 .		,	
	-0-1	: T		56-8	185	20	WNW	20				٠,
	100	26	(A) 1/4	57.5	213	23	NNE	43	•	1	:	
1	-04	25	77'0	57.4	. 313	4 3	NNW	27		١, ١	. **	<u> </u>

GHUNGHUTI-concid.

Long 810 15 E.

On the line of totality.

	Hous,		THERMO	GRAPH.			Wi	ND.	1	1
DATE.	Madrav time.	Earo- Eraph.	Dry bulb corrected.	Wet bulb corrected.	Aqueous Vapour Pressono.	Relative humidsty.	Direction.	Velocity during preceding interval, in miles per hour.		Weather and other remarks,
			-		-	7,				
23nd Jan. —consid.	F.M. 1-0	28,510	7772	58-1	,531	25	אאא	37	Nil	
}	2-10	,210	76.3	57'2	'216	2‡	NNW	17	1>	'
1	1-15	.\$10	75'5	566	209	24	NNW	4"1		
1	1-20	'£30	750	57"1	7231	25	NNW	5'2	**	
}	1-25	1230	74'5	57'4	.540	29	NNW	1-8)
	1-30	*230	73'7	56'5	3o	28	NNW	3.0	91	· ·
	1-38	1230	127	57-1	261	33	Calm	ا ه	ю	
) ·	1-40	'230	71.7	57°±	274	35	Calm	•	,,	
ļ	1-45	,520	71.3	56.2	*275	37	Calm	•	ь	
ł	1.50	.530	69'0	56.3	787	40	NNW	0.6		
]	1-58	230	6879	57'2	'315	44	NNW	0'4		
1	2-0	*230	692	57.6	,300	42	Calm	•	H	
	2.10	.530	7f3	58.4	.319	42	Calm	•	**	
	2:15	*230	727	59'1	322	42	Calm	•		
	2.20	,530	73'6	57'5	,5Qt	31	Colm	•	,,	
	5-20	1220	753	5\$·3	.563	30	NNW	0.3	,,	
	2-40	'220	762	56.3	*191	21	MMM	279	,,	
	3-12	*220	76'3	57"1	215	24	NNE	35		
	2-50	*210	764	580	'239	26	NNE	3.5	»	
	. 3-0	1220	27'5	585	.510	26	N	3'5	*	
	3-15	7220	77'3	571	,300	23	NW	3.1	-	
	3-30	1235	774	57'5	'210	23	NNW	47	٠,	
	3-45	7225	774	57'5	1210	23	NNW	3.2	-	•
	4-0	1225	770	573	510	23	NNW	3.8	- "	
	4-30	'230	77'7	59'4	*265	2\$	Calm	t'2		*4
	5-0	-245	733	55'7	295	37	WNN	. 0'3		5.5 ₀

Observations of Pressure and Temperative taken by J Murray, Esq., Meteorological Reporter, N.-W. P. and Oudh, during the Solar Eclipse of 22nd January 1898 at Dumi ann, Bihar

"A record of the pressure was obtained by means of an open scaled barograph (No 22705) by Richard Freres, check readings being at the same time taken at intervals on an ordinary mercury standard (No. 1439, Casella correction + 007") The temperature was similarly recorded on an open scale thermograph by the same maker, check readings being taken on mercury standard (No. 384988, Hicks)

"The instruments were suspended in a thatched shed of the ordinary circular pattern, about 12 feet in diameter, open at the sides with eaves about 5 feet from the ground. The exposure of the instruments was fairly good. Traces of pressure and temperature were obtained for the six hours, noon to 6 P M, on the 22nd.

PRESSURE

"The following table gives the pressure readings of the barograph, as read off by a dividing engine for every five minutes from 12 hours to 16 hours and every 15 minutes thereafter from 16 hours to 18 hours on the 22nd January. The check readings of the standard barometer are also given .—

TABLE II

1		Time by barograph clock		CHECK RE	ADINGS OF PER (CAS 1439)	Hour of	Clark	Correspond		
	OATE	clock 3 minutes behand Madras hime	Pressure by barograph	Darometer	Altached thermome- ter	check send ing (by barograph clock)	send nes consected and reduced to 31° F	ng send ngs from the batograph trace	Difference	Rémarr
1				-						
J	sand Jan	Noon	29'775	-	,	PM	1		•	
١		PM C	774	i	'			'	1	[
ł		0-10	774		l			}	}	}
١		0 15	773	1	Ì			1		1
1		0-20	770	(•	i I	1			1 1
J		0-25	769]	}	,	}		}	1 1
١		0-30	767	29'903	790	0-32	29 777	29 767	910	[
ı		0-35	766	33.5	/"	, ,,	*****	29707		1 1
4				ĺ	1 1	1	i	·		1
ł		0-40	76,	(ľ	1		ı		1 1
ı		0 45	76□	:				1		
1		0-50	756	(ĺ	- 1		i
ļ		0-50	753	}		J	1	ì		
١		10	752		:	-	- 1	- 1		
ł	4	1-5	750				- 1			
ļ		1 10	749		[
1		1 15°	749	1g Sg)	770	1-14	29 768	29'749	-019	fasten one of the fasten ogs of th
l		1-20	750			-				barograph gave way and the instrument jarred comewhat
Ĺ		1-20	750		•	-				may and instrument p commends

	Time by barograph clock, 3 minutes	Pressuro	CHECK RE BAROMET No.	ADINGS OF ER (CAS.	Hour of check read-	Check readings	Correspond-		1
Date.	3 minutes behind Madras time.	adras parographs	Barometer,	Attached thermome- ter.	ing (by hatograph clock),	corrected 2-0d reducad to 32° F.	ing readings from the barngraph trace.	Difference	Remarks,
	P,M.	•		•	P.M.	•	,	•	- "}
22nd)nn.	1-25	29'749	29'887	7600	1-24	.29'767	29 749	-018	{
-conid.	1-30	'748		l	}		ļ		{
` `	1-35	'748	}	1	}	i	} '		1
	1-40	*748	}		1	ţ.	(İ
ļ	1-45	747	1	1	1	ł	1	1	ì
	1-50	746	ł	1	1	į.	S	}	}
ĺ	1-55	*746	1	1	l	l		[]	Ì
1	2~0	'745	1		}	1	ļ	} }	
ĺ	2•5	'745	29-860	71'5	2-4	29 751	29'745	*006	- 1
ļ	2-10	745	į	1	1	Į.	1	1 1	1
į .	2-15	745	ĺ	1	į .	1	1.		}
1	2-20	745	1	٠.	١.	1	· ·		
l l	2.25	745	29.865	752	2-27	29:747	29741	1003	
1	3-30	*742			1	}	1	1	
Į	3-35	741			1	1	1	,	
1	3.10	'739	1		1	1	ł	1	i i
1	2'45	.) '758))	1	ì.))]
ŀ	2+50	*738	1	}	1	1	1	i	[
1	2.22	*738	1	1	1	1	1	Í	{
1	3-0	*73G	1	1	1	1		}	
1	3-5	736	1	74'0	3-7	29755	29.735	*020	
}	3-10	734	1		ł	1	1.	[}
1	3-15	7733	1	}	1	Ι.	1	1	}
1	3-27	1 ''		1	1		1	1	
1	372	1	1	1	-	1		}	1
1	3-30	ļ		1	1	1		1	
-	3.3	1		{	1	1	1	1	
1	3-4		- 1		1	1	1		}
1	3-4	1	- 1	• {				} .	
1	3-5		- (1.		}]	1 .
1	3-5	1				1		1	1
1	4*0	1	- 1						1
-	4-1	1		8 77	6 4-9	29'75	3 ,29773	3 .020	
	4.3	0 73	3	1		1.			1

GATE.	Time by barograph clock, 3 minutes behind Madras time.	1	DAROMETER (CAS. No. 1437).		Hour of	Check	Correspond-		
		Pressure by barograph.	Barameter.	Attached thermome- ter.	and that	corrected and reduced to 32" F.	from the	Difference,	Remarks.
	2.M.				· -				· · ·
sand Jan,	4-45	29.743)						175
-concld.	5-0	748		•			l .	١ ,	
	S*15	*759				}			
i - I	5-30	.403							1.14
1 1	' 5'45	'768							
	6-0	'771					'	•	

"The check readings show that on the whole the barograph trace was in fair agree-" ment with the readings of the corrected and reduced standard. The difference, half air hour after the instruments were set up, was '010"; during the next hour it increased to '018" or '019"; at, or shortly after, totality it fell to '006" and '003"; at 15 hour, when the eclipse was practically over, it was '020" and remained at that during the rest of the afternoon. Subsequent comparison of the barograph with a mercury standard has shown that in the main the reduced readings of the latter agree with those of the barograph to within about '010". The barograph, however, seems to require a correction for temperature, which for temperatures near 80°F, is approximately + 'oo1" per 2° rise in temperature, and lags about ten minutes behind the change of temperature. A further correction of the barograph readings seems to be required for scale errors. When the scale is fixed on the drum, the lines of equal pressure slope slightly down, and readings at the end of a 24=hour period are therefore slightly higher than at the beginning. .The difference due to this cause in the scale used on the 22nd January is "015" in 24 hours, or "001" in 1 hour 36 minutes. Hence, relatively to the readings previous to 12 hours 48 minutes on the 22nd, the following corrections must be applied.

Period. Correction.

from 12h, 48m, to 14h, 24m, — "001"

14h, 24m, 16h, — "002"

16h, 17h, 36m, — "003"

17h, 37m, 18h, — "004"

TEMPERATURE.

"The following table gives the dry and wet bulb readings of the thermograph trace with the check readings of the mercury standard. Check readings of a wet bulb instrument unfortunately could not be taken, but the wet bulb readings taken at Buxar may serve to give an approximate correction for the thermograph record. The dry bulb thermograph record was about 6 minutes behind Madras time, the wet bulb about 3 minutes fast, so that to make the two traces comparable the dry bulb trace must be moved forward about 9 minutes."

181

TABLE III.

DATE.	Time by	Tuzzu	OORAPH.	Chrek readings of standard dry holb (corrected).	Corresponding readings of thermo, graph dry balb.		
	Thermograph,	Dry buib.	Wet bulb.		graph dry balb."	Difference.	
	Noon	84.0	i			-	
22nd Jan.	P. M. O- S	84.0	l				
	0-10	83'3	·	ì		1	
•	0-15	83.3	l	ł	1	Ì	
	0-20	1,58	}		} - ``		
	0-25	. 82'9	1		1	ĺ	
	. 0-30	£3:3	ļ	((ļ	
	0-35	8370	į		1	}	
	0-40	82.8	l	1 .	•	Ì	
	645	82'4	58.6	<u>'</u>			
	0-50	828	587	1	1	\	
:	o-55	829	5900		,		
	1- 0	82'1	59'4			ĺ	
ı	1-5	82.0	29.0				
	1-10	81.7	59'0	76.8	817	4'9	
	1*15	81.3	59"2			77	
Ì	1-20	81.0	59.5			1	
١ ,	 1+25	2000 j	590	/ / 73'9 }	නජ්ජ ,	61	
	1-30	79'4	58:4	{		**	
	1:35	78'3	58'3	{			
	1.40	776	577			•	
	1-45	76 9	57"2	<u>]</u>			
	1.50	76'2	57'2]		_	
	1-55	76-€	569	•			
	2-0	76-6	565	7170	76.6	5'6	
	2.5	77*2	55-3			30	
	2-10	78'0	36-6	l .			
	2.15	79'0	57'1	{	l .		
	2-20	79'5	57'8] .	
	2-25	Saro	57'9	74'8	800	` ـــ ا	
	2-30	80.3	580) "i		2.3	
	2:35	. 80-7	5900	}	\	ļ	
	2:48	81'3	590		}	1 4	
	2-45	82'1	5974			٠,	

DATE,	Time thy Thermograph	Tues	MOGRAPH.	Check readings of standard dry	Cortespond and	Difference
	Thermograph	Ory bulh	Wet bulh.	bulb (corrected).	Correspond og readings of therme- greph dry bulb	
22nd Jan —concld	P M, 2 50	82 5	60 0			
coneta	2 55	827	So 8	1		
	3- a	8a 8	60 p	758		62
	3* 5	830	60%			
- 1	3-10	8320	600		830	
	3*15	83 a	602			
ĺ	3-20	830	597		[
	3 25	83 o	602]	}	
f	3 30	830	59.7]		
	3-35	827	59 8			
[3 40	827	59'8	1	. 1	
	3-45	824	59'8	1	· · · · · · · · · · · · · · · · · · ·	
	3.20	82 z	599			
- 1	3 55	820	59.5			
[4.0	. 820	59'3			
[4-15	813	595	75.9	819	бo
1	4 30	8c 2	584		",	0.0
- 1	4-45	787	58 8		1	
- 1	5- 0	762	57 4	- 1		
- 1	5-15	73 6	564	ł		
- 1	5-30	71 2	560	1		
- 1	S-45	63.6	538	- 1	1	
- 1	6-0	671	520	1	ļ	- 1
	6-15		510	,		- 1

The following table gives a summary of the observations (corrected and reduced) recorded by Mr. Murray at Dumraon.

On the line of totality.

							ine dy talanty.
7	Hour.		THERMO	GRAPIE,			
DATE.	Madras	Baro- graph.		Wet bulb.	Aqueous	Relative	
	time.	ginpa.	Dry bulb.	Wet bulb.	pressure,	humidity	'
			`	<u> </u>			j
rand Jan.	P. M. 0-3	£9'775	81.0	1	•		
2210 3	0.8	774	84.0	l			
	0-13	774	83'3	l		i .	
	0-18	7773	83.3			l	
	0-23	770	83.1	ĺ		i	
	0.28	*768	82'9	1		1	
	0-33	767	83.3	1		1	
	0-38	766	83.0			i	1.
	0.13	765	82-8		i		
	0-48	760	824	58.8	1284		
	0-53	756	82.8	587	176	17	1
	0.58	'753	82'9	20,0	183	16	
Į	1-3	752	£2°1	5974	.500	16	
	1.8	750	820	59'0	195	18	
}	1-3	-749	81.7	20.0	199	18	
	1-15	749	81.3	20,2	225	38	
1	1-23	750	810	58.2	193	,22	
1	1.28	749	Soro	590	222	20	
. 1	1-33	748	79'4	58.4	*211	22	
ĺ	1-35	743	79.4	58 3	7222	21	
ŀ	1-43	748	776	57'7	216	23	
	1-48	747	76.9	57'2	'219	23	
	1-53	'746	76.2	572	'217	22	•
l	1-58	746	761	569	'209	24	
- 1	2-3	745	76-6	565	192	24	
	2.3	745	77'2	56.3	177	22	
	2-13	745	780	566	173	19	
1	2-15	•745	750	57'1	177	19	
ļ	2.23	745	79'5	7.5	192	18	
1	2-28	745	80°0	57'9	188	19	•
·	2.33	74=	503	580	186	19	
ļ	2:39	741	50'7	20.0	212	19	
1	2.43	739	813	59'0	.201	20	
1	2-48	1738	82-1	59'4	206	20 18	
1	2.53	738	£2'5	500	'220	20	
1	2.58	738	827	598	'210		
	3-3	73%	82-8	600	216	19	
	3-8	736	63.0	0.6	*232	19 21	
	3-13	73:	8370	600	213	- 1	
	3-18	'733	83.0	60'2	219	19	
	3-23	732	8370	59'7	203	19	
	3-28	'731	83.0	60'2	220	19	
	3-33	730	83.0	59'7	'203	19	
	3-38	732	82.7	59'8	310	19	
1	3.43	737	827	59'8	'210	19	
i	3-48	'730	824	598	215	20	
1	3.23	729	82'1	59'9	.221	21	
)	3-58	730	820	59'5	'211	•	
1	4.3	731	82 o	59'3	205	19	
1	4-18	735	81'3	50.2	219	20	
}	4-33	738	bur:	59.4	206		
ŀ	4-18	1743	787	58-8	233	19	
	5.3	743	76.2		-33	24	•
1	5-18	759	73'6	57'4 56'4	'229	24 28	
1	5-33	763	71'2	50°a	248		
İ	5-48	763	68-6		228	33	
	6-3	'771	67:1	53'8 52'0	176	31	
	6.18		*/· ,	51-0	170	29	